



Date: 09.09.06

Air Monitor: D. Budnick

Activity: Back Extension Station
And Extension

Level of Protection: 

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 09/09/2006 07:10:26
 Serial Number: 85201544
 Cal. Date: Aerosol
 06/14/2006

9/9/06 upwind

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/09/2006	07:25:26	0.011
09/09/2006	07:40:26	0.012
09/09/2006	07:55:26	0.012
09/09/2006	08:10:26	0.013
09/09/2006	08:25:26	0.013
09/09/2006	08:40:26	0.013
09/09/2006	08:55:26	0.021
09/09/2006	09:10:26	0.016
09/09/2006	09:25:26	0.014
09/09/2006	09:40:26	0.019
09/09/2006	09:55:26	0.014
09/09/2006	10:10:26	0.021
09/09/2006	10:25:26	0.013
09/09/2006	10:40:26	0.011
09/09/2006	10:55:26	0.012
09/09/2006	11:10:26	0.014
09/09/2006	11:25:26	0.014
09/09/2006	11:40:26	0.010
09/09/2006	11:55:26	0.012
09/09/2006	12:10:26	0.010
09/09/2006	12:25:26	0.015
09/09/2006	12:40:26	0.034
09/09/2006	12:55:26	0.010
09/09/2006	13:10:26	0.010
09/09/2006	13:25:26	0.019
09/09/2006	13:40:26	0.009

TrakPro v3.6.2, Test: Test001, Date: 09/09/2006 07:17:55
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

9/09/06 DI

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/09/2006	07:32:55	0.059
09/09/2006	07:47:55	0.059
09/09/2006	08:02:55	0.060
09/09/2006	08:17:55	0.070
09/09/2006	08:32:55	0.079
09/09/2006	08:47:55	0.069
09/09/2006	09:02:55	0.066
09/09/2006	09:17:55	0.066
09/09/2006	09:32:55	0.070
09/09/2006	09:47:55	0.069
09/09/2006	10:02:55	0.066
09/09/2006	10:17:55	0.080
09/09/2006	10:32:55	0.058
09/09/2006	10:47:55	0.061
09/09/2006	11:02:55	0.052
09/09/2006	11:17:55	0.042
09/09/2006	11:32:55	0.039
09/09/2006	11:47:55	0.039
09/09/2006	12:02:55	0.036
09/09/2006	12:17:55	0.039
09/09/2006	12:32:55	0.036
09/09/2006	12:47:55	0.031
09/09/2006	13:02:55	0.026
09/09/2006	13:17:55	0.024
09/09/2006	13:32:55	0.027


TrakPro v3.6.2, Test: Test001, Date: 09/09/2006 07:21:22
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

9/9/06 02

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/09/2006	07:36:22	0.044
09/09/2006	07:51:22	0.047
09/09/2006	08:06:22	0.048
09/09/2006	08:21:22	0.055
09/09/2006	08:36:22	0.065
09/09/2006	08:51:22	0.060
09/09/2006	09:06:22	0.053
09/09/2006	09:21:22	0.057
09/09/2006	09:36:22	0.063
09/09/2006	09:51:22	0.055
09/09/2006	10:06:22	0.053
09/09/2006	10:21:22	0.047
09/09/2006	10:36:22	0.049
09/09/2006	10:51:22	0.047
09/09/2006	11:06:22	0.043
09/09/2006	11:21:22	0.035
09/09/2006	11:36:22	0.034
09/09/2006	11:51:22	0.033
09/09/2006	12:06:22	0.032
09/09/2006	12:21:22	0.043
09/09/2006	12:36:22	0.027
09/09/2006	12:51:22	0.026
09/09/2006	13:06:22	0.022
09/09/2006	13:21:22	0.022
09/09/2006	13:36:22	0.023

09.09.06

SR-85-SHS-PRD-TJR-1-01-4-CF-REF
F:\ACTIVE\DWG\ACT\13081001\13081001.dwg
SAVED: 6/27/2006 8:04 PM LAYOUT: Layout1
PAGESETUP: CD2B-KP-SYR
PENTABLE: PLTCONT1.CTB
PRINTED: 7/5/2006 12:53 PM BY: KSARTORI



ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Professional Engineer's Name MARGARET A. CARRILLO-SHERIDAN	
Professional Engineer's No. 082251	
State NY	Date Signed
Project Mgr. DLM	Designed by MCS
	Drawn by GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61

Date
JUNE 28, 2006

Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

TrakPro v3.6.2, Test: Test001, Date: 09/10/2006 07:10:57
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

9/10/06 upwind

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/10/2006	07:25:57	0.001
09/10/2006	07:40:57	0.001
09/10/2006	07:55:57	0.001
09/10/2006	08:10:57	0.001
09/10/2006	08:25:57	0.001
09/10/2006	08:40:57	0.001
09/10/2006	08:55:57	0.001
09/10/2006	09:10:57	0.001
09/10/2006	09:25:57	0.001
09/10/2006	09:40:57	0.001
09/10/2006	09:55:57	0.001
09/10/2006	10:10:57	0.001
09/10/2006	10:25:57	0.001
09/10/2006	10:40:57	0.001
09/10/2006	10:55:57	0.001
09/10/2006	11:10:57	0.001
09/10/2006	11:25:57	0.001
09/10/2006	11:40:57	0.001
09/10/2006	11:55:57	0.001
09/10/2006	12:10:57	0.001

TrakPro v3.6.2, Test: Test001, Date: 09/10/2006 07:15:10
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

9/10/06 DI


Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/10/2006	07:30:10	0.003
09/10/2006	07:45:10	0.014
09/10/2006	08:00:10	0.023
09/10/2006	08:15:10	0.023
09/10/2006	08:30:10	0.003
09/10/2006	08:45:10	0.003
09/10/2006	09:00:10	0.002
09/10/2006	09:15:10	0.004
09/10/2006	09:30:10	0.001
09/10/2006	09:45:10	0.003
09/10/2006	10:00:10	0.002
09/10/2006	10:15:10	0.001
09/10/2006	10:30:10	0.001
09/10/2006	10:45:10	0.003
09/10/2006	11:00:10	0.001
09/10/2006	11:15:10	0.001
09/10/2006	11:30:10	0.003
09/10/2006	11:45:10	0.002
09/10/2006	12:00:10	0.001

TrakPro v3.6.2, Test: Test001, Date: 09/10/2006 07:20:38
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

9/10/06 02

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/10/2006	07:35:38	0.001
09/10/2006	07:50:38	0.001
09/10/2006	08:05:38	0.001
09/10/2006	08:20:38	0.002
09/10/2006	08:35:38	0.001
09/10/2006	08:50:38	0.001
09/10/2006	09:05:38	0.001
09/10/2006	09:20:38	0.001
09/10/2006	09:35:38	0.001
09/10/2006	09:50:38	0.001
09/10/2006	10:05:38	0.001
09/10/2006	10:20:38	0.001
09/10/2006	10:35:38	0.001
09/10/2006	10:50:38	0.001
09/10/2006	11:05:38	0.001
09/10/2006	11:20:38	0.001
09/10/2006	11:35:38	0.001
09/10/2006	11:50:38	0.001
09/10/2006	12:05:38	0.001

09.10.06



- LEGEND:**
- EXISTING RAILROAD TRACKS
 - ABANDONED RAILROAD TRACKS
 - EXISTING FENCE LINE
 - EXISTING SURFACE CONTOUR
 - EXISTING CURB
 - EXISTING MANHOLE LOCATION
 - EXISTING LIGHT POLE
 - EXISTING UTILITY POLE
 - EXISTING POTABLE WATER SUPPLY LINE
 - EXISTING STORM DRAIN LINE
 - EXISTING SANITARY SEWER
 - EXISTING UNDERGROUND ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC AND TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING NATURAL GAS TRANSMISSION LINE
 - RETIRED NATURAL GAS TRANSMISSION LINE

NOTE:

1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

SITE PLAN

SCALE: 1"=30'

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING		Professional Engineer's Name MARGARET A. CARRILLO-SHERIDAN		NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK BINGHAMTON COURT STREET FORMER MGP SITE NAPL BARRIER WALL IIRM		BBL Project No. 130.61	
THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.		Professional Engineer's No. 082251		BBL an ARCADIS company		Date JUNE 28, 2006	
		State NY				Blasland, Bouck & Lee, Inc. an Arcadis company 6723 Tawpath Road Syracuse, NY 13214 315-446-9120	
		Date Signed					
		Project Mgr. DLM		Designed by MCS			
		Drawn by GHS					
		NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW					

Project: Richardson Court St.

Date: 09/11/06

Monitoring Instruments: *Mini RAK 2000*

Air Monitor: D. BUDAK

Activity: _____

Level of Protection: D

For the white sheets

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 09/11/2006 07:26:52
 Serial Number: 85201544
 Cal. Date: Aerosol
 06/14/2006

9/11/06 uPWLND

Date		Time	Aerosol
MM/dd/yyyy	hh:mm:ss		mg/m ³
09/11/2006	07:41:52		0.003
09/11/2006	07:56:52		0.003
09/11/2006	08:11:52		0.004
09/11/2006	08:26:52		0.002
09/11/2006	08:41:52		0.002
09/11/2006	08:56:52		0.003
09/11/2006	09:11:52		0.003
09/11/2006	09:26:52		0.003
09/11/2006	09:41:52		0.005
09/11/2006	09:56:52		0.003
09/11/2006	10:11:52		0.002
09/11/2006	10:26:52		0.003
09/11/2006	10:41:52		0.003
09/11/2006	10:56:52		0.002
09/11/2006	11:11:52		0.003
09/11/2006	11:26:52		0.001
09/11/2006	11:41:52		0.007
09/11/2006	11:56:52		0.003
09/11/2006	12:11:52		0.002
09/11/2006	12:26:52		0.003
09/11/2006	12:41:52		0.002
09/11/2006	12:56:52		0.004
09/11/2006	13:11:52		0.003
09/11/2006	13:26:52		0.002
09/11/2006	13:41:52		0.003
09/11/2006	13:56:52		0.002
09/11/2006	14:11:52		0.001
09/11/2006	14:26:52		0.001

TrakPro v3.6.2, Test: Test001, Date: 09/11/2006 07:26:52
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/11/2006	14:41:52	0.002
09/11/2006	14:56:52	0.002
09/11/2006	15:11:52	0.002
09/11/2006	15:26:52	0.001
09/11/2006	15:41:52	0.002
09/11/2006	15:56:52	0.003
09/11/2006	16:11:52	0.001
09/11/2006	16:26:52	0.002
09/11/2006	16:41:52	0.001
09/11/2006	16:56:52	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/11/2006 08:04:49
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

9/11/06 DI

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/11/2006	08:19:49	0.014
09/11/2006	08:34:49	0.010
09/11/2006	08:49:49	0.014
09/11/2006	09:04:49	0.011
09/11/2006	09:19:49	0.016
09/11/2006	09:34:49	0.018
09/11/2006	09:49:49	0.008
09/11/2006	10:04:49	0.009
09/11/2006	10:19:49	0.006
09/11/2006	10:34:49	0.009
09/11/2006	10:49:49	0.009
09/11/2006	11:04:49	0.008
09/11/2006	11:19:49	0.011
09/11/2006	11:34:49	0.005
09/11/2006	11:49:49	0.011
09/11/2006	12:04:49	0.015
09/11/2006	12:19:49	0.007
09/11/2006	12:34:49	0.011
09/11/2006	12:49:49	0.010
09/11/2006	13:04:49	0.009
09/11/2006	13:19:49	0.009
09/11/2006	13:34:49	0.008
09/11/2006	13:49:49	0.011
09/11/2006	14:04:49	0.004
09/11/2006	14:19:49	0.006
09/11/2006	14:34:49	0.002
09/11/2006	14:49:49	0.006
09/11/2006	15:04:49	0.004

TrakPro v3.6.2, Test: Test001, Date: 09/11/2006 08:04:49
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/11/2006	15:19:49	0.004
09/11/2006	15:34:49	0.003
09/11/2006	15:49:49	0.005
09/11/2006	16:04:49	0.003
09/11/2006	16:19:49	0.005
09/11/2006	16:34:49	0.004
09/11/2006	16:49:49	0.002
09/11/2006	17:04:49	0.004

TrakPro v3.6.2, Test: Test001, Date: 09/11/2006 08:14:59
 Serial Number: 85201529
 Cal. Date: Aerosol
 06/06/2006


9/11/06 02

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/11/2006	08:29:59	0.005
09/11/2006	08:44:59	0.006
09/11/2006	08:59:59	0.011
09/11/2006	09:14:59	0.006
09/11/2006	09:29:59	0.011
09/11/2006	09:44:59	0.009
09/11/2006	09:59:59	0.009
09/11/2006	10:14:59	0.009
09/11/2006	10:29:59	0.007
09/11/2006	10:44:59	0.008
09/11/2006	10:59:59	0.017
09/11/2006	11:14:59	0.018
09/11/2006	11:29:59	0.014
09/11/2006	11:44:59	0.010
09/11/2006	11:59:59	0.013
09/11/2006	12:14:59	0.006
09/11/2006	12:29:59	0.007
09/11/2006	12:44:59	0.005
09/11/2006	12:59:59	0.007
09/11/2006	13:14:59	0.007
09/11/2006	13:29:59	0.005
09/11/2006	13:44:59	0.022
09/11/2006	13:59:59	0.008
09/11/2006	14:14:59	0.007
09/11/2006	14:29:59	0.003
09/11/2006	14:44:59	0.003
09/11/2006	14:59:59	0.004
09/11/2006	15:14:59	0.003

TrakPro v3.6.2, Test: Test001, Date: 09/11/2006 08:14:59
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/11/2006	15:29:59	0.007
09/11/2006	15:44:59	0.006
09/11/2006	15:59:59	0.007
09/11/2006	16:14:59	0.004
09/11/2006	16:29:59	0.004
09/11/2006	16:44:59	0.003
09/11/2006	16:59:59	0.007

09.11.06



SYN-05-GHS PRO TIR L: 04-4: 07-REF
F:\ACTIVE\DWG\ACT\13061001\13061001.dwg
PROJECTNAME: 13061000
SYN-05-GHS PRO TIR L: 04-4: 07-REF
F:\ACTIVE\DWG\ACT\13061001\13061001.dwg
PAGESETUP: 0428-MP-SYR
PENTABLE: PLTCONT1.CTB
PRINTED: 7/6/2006 12:53 PM
BY: KARTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed
Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IIR

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Tawpath Road
Syracuse, NY 13214
315-446-9120

Project:	130.74001 B-146 COURT ST.	Date:	09.12.06
Monitoring Instruments:	Mini RAE 2000		
Air Monitor:	D. BOLGER	Activity:	
Level of Protection:	D		

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 09/12/2006 07:08:52
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

9/12/06 UPWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/12/2006	07:23:52	0.004
09/12/2006	07:38:52	0.004
09/12/2006	07:53:52	0.005
09/12/2006	08:08:52	0.017
09/12/2006	08:23:52	0.013
09/12/2006	08:38:52	0.009
09/12/2006	08:53:52	0.004
09/12/2006	09:08:52	0.013
09/12/2006	09:23:52	0.004
09/12/2006	09:38:52	0.006
09/12/2006	09:53:52	0.007
09/12/2006	10:08:52	0.016
09/12/2006	10:23:52	0.008
09/12/2006	10:38:52	0.019
09/12/2006	10:53:52	0.008
09/12/2006	11:08:52	0.002
09/12/2006	11:23:52	0.013
09/12/2006	11:38:52	0.009
09/12/2006	11:53:52	0.007
09/12/2006	12:08:52	0.016
09/12/2006	12:23:52	0.003
09/12/2006	12:38:52	0.003
09/12/2006	12:53:52	0.003
09/12/2006	13:08:52	0.002
09/12/2006	13:23:52	0.003
09/12/2006	13:38:52	0.013
09/12/2006	13:53:52	0.008
09/12/2006	14:08:52	0.010

TrakPro v3.6.2, Test: Test001, Date: 09/12/2006 07:08:52
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/12/2006	14:23:52	0.010
09/12/2006	14:38:52	0.006
09/12/2006	14:53:52	0.006
09/12/2006	15:08:52	0.010
09/12/2006	15:23:52	0.028
09/12/2006	15:38:52	0.012
09/12/2006	15:53:52	0.003

TrakPro v3.6.2, Test: Test001, Date: 09/12/2006 07:15:53
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

9/12/06 01

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/12/2006	07:30:53	0.012
09/12/2006	07:45:53	0.021
09/12/2006	08:00:53	0.018
09/12/2006	08:15:53	0.033
09/12/2006	08:30:53	0.019
09/12/2006	08:45:53	0.020
09/12/2006	09:00:53	0.018
09/12/2006	09:15:53	0.034
09/12/2006	09:30:53	0.031
09/12/2006	09:45:53	0.025
09/12/2006	10:00:53	0.036
09/12/2006	10:15:53	0.025
09/12/2006	10:30:53	0.015
09/12/2006	10:45:53	0.019
09/12/2006	11:00:53	0.022
09/12/2006	11:15:53	0.016
09/12/2006	11:30:53	0.017
09/12/2006	11:45:53	0.007
09/12/2006	12:00:53	0.016
09/12/2006	12:15:53	0.086
09/12/2006	12:30:53	0.039
09/12/2006	12:45:53	0.033
09/12/2006	13:00:53	0.024
09/12/2006	13:15:53	0.011
09/12/2006	13:30:53	0.035
09/12/2006	13:45:53	0.029
09/12/2006	14:00:53	0.037
09/12/2006	14:15:53	0.021

TrakPro v3.6.2, Test: Test001, Date: 09/12/2006 07:15:53
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/12/2006	14:30:53	0.019
09/12/2006	14:45:53	0.017
09/12/2006	15:00:53	0.052
09/12/2006	15:15:53	0.047
09/12/2006	15:30:53	0.042
09/12/2006	15:45:53	0.035
09/12/2006	16:00:53	0.013

TrakPro v3.6.2, Test: Test001, Date: 09/12/2006 07:21:41
 Serial Number: 85201529
 Cal. Date: Aerosol
 06/06/2006

9/12/06 D2

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/12/2006	07:36:41	0.007
09/12/2006	07:51:41	0.009
09/12/2006	08:06:41	0.010
09/12/2006	08:21:41	0.013
09/12/2006	08:36:41	0.011
09/12/2006	08:51:41	0.008
09/12/2006	09:06:41	0.017
09/12/2006	09:21:41	0.009
09/12/2006	09:36:41	0.011
09/12/2006	09:51:41	0.009
09/12/2006	10:06:41	0.012
09/12/2006	10:21:41	0.007
09/12/2006	10:36:41	0.007
09/12/2006	10:51:41	0.006
09/12/2006	11:06:41	0.004
09/12/2006	11:21:41	0.005
09/12/2006	11:36:41	0.006
09/12/2006	11:51:41	0.005
09/12/2006	12:06:41	0.009
09/12/2006	12:21:41	0.012
09/12/2006	12:36:41	0.008
09/12/2006	12:51:41	0.012
09/12/2006	13:06:41	0.008
09/12/2006	13:21:41	0.005
09/12/2006	13:36:41	0.007
09/12/2006	13:51:41	0.007
09/12/2006	14:06:41	0.013
09/12/2006	14:21:41	0.006

TrakPro v3.6.2, Test: Test001, Date: 09/12/2006 07:21:41
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/12/2006	14:36:41	0.009
09/12/2006	14:51:41	0.010
09/12/2006	15:06:41	0.008
09/12/2006	15:21:41	0.013
09/12/2006	15:36:41	0.006
09/12/2006	15:51:41	0.008
09/12/2006	16:06:41	0.007

Project: 130-74-001 Date: 09-18-06
Monitoring Instruments: Borehole
Air Monitor: DIB-001 Activity: Borehole water level
Level of Protection: D Excavation
Borehole Survey Breakdown

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 09/18/2006 07:21:40
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

9/18/06 UPWIND

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/18/2006	07:36:40	0.006
09/18/2006	07:51:40	0.006
09/18/2006	08:06:40	0.007
09/18/2006	08:21:40	0.007
09/18/2006	08:36:40	0.007
09/18/2006	08:51:40	0.008
09/18/2006	09:06:40	0.007
09/18/2006	09:21:40	0.008
09/18/2006	09:36:40	0.008
09/18/2006	09:51:40	0.008
09/18/2006	10:06:40	0.011
09/18/2006	10:21:40	0.007
09/18/2006	10:36:40	0.007
09/18/2006	10:51:40	0.007
09/18/2006	11:06:40	0.009
09/18/2006	11:21:40	0.006
09/18/2006	11:36:40	0.008
09/18/2006	11:51:40	0.007
09/18/2006	12:06:40	0.007
09/18/2006	12:21:40	0.006
09/18/2006	12:36:40	0.007
09/18/2006	12:51:40	0.006
09/18/2006	13:06:40	0.006
09/18/2006	13:21:40	0.007
09/18/2006	13:36:40	0.007
09/18/2006	13:51:40	0.006
09/18/2006	14:06:40	0.006
09/18/2006	14:21:40	0.006

TrakPro v3.6.2, Test: Test001, Date: 09/18/2006 07:21:40
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/18/2006	14:36:40	0.006
09/18/2006	14:51:40	0.006
09/18/2006	15:06:40	0.007
09/18/2006	15:21:40	0.006
09/18/2006	15:36:40	0.007
09/18/2006	15:51:40	0.006
09/18/2006	16:06:40	0.006
09/18/2006	16:21:40	0.006
09/18/2006	16:36:40	0.007
09/18/2006	16:51:40	0.006
09/18/2006	17:06:40	0.007

TrakPro v3.6.2, Test: Test001, Date: 09/18/2006 07:16:56
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

9/18/06 01

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/18/2006	07:31:56	0.020
09/18/2006	07:46:56	0.027
09/18/2006	08:01:56	0.028
09/18/2006	08:16:56	0.031
09/18/2006	08:31:56	0.030
09/18/2006	08:46:56	0.030
09/18/2006	09:01:56	0.041
09/18/2006	09:16:56	0.032
09/18/2006	09:31:56	0.035
09/18/2006	09:46:56	0.034
09/18/2006	10:01:56	0.033
09/18/2006	10:16:56	0.036
09/18/2006	10:31:56	0.034
09/18/2006	10:46:56	0.036
09/18/2006	11:01:56	0.044
09/18/2006	11:16:56	0.031
09/18/2006	11:31:56	0.033
09/18/2006	11:46:56	0.036
09/18/2006	12:01:56	0.040
09/18/2006	12:16:56	0.041
09/18/2006	12:31:56	0.041
09/18/2006	12:46:56	0.041
09/18/2006	13:01:56	0.041
09/18/2006	13:16:56	0.034
09/18/2006	13:31:56	0.038
09/18/2006	13:46:56	0.035
09/18/2006	14:01:56	0.034
09/18/2006	14:16:56	0.034

TrakPro v3.6.2, Test: Test001, Date: 09/18/2006 07:16:56
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/18/2006	14:31:56	0.036
09/18/2006	14:46:56	0.031
09/18/2006	15:01:56	0.034
09/18/2006	15:16:56	0.039
09/18/2006	15:31:56	0.035
09/18/2006	15:46:56	0.037
09/18/2006	16:01:56	0.028
09/18/2006	16:16:56	0.032
09/18/2006	16:31:56	0.033
09/18/2006	16:46:56	0.034
09/18/2006	17:01:56	0.036

TrakPro v3.6.2, Test: Test001, Date: 09/18/2006 07:26:27
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006


9/18/06 D2

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/18/2006	07:41:27	0.018
09/18/2006	07:56:27	0.020
09/18/2006	08:11:27	0.027
09/18/2006	08:26:27	0.027
09/18/2006	08:41:27	0.026
09/18/2006	08:56:27	0.027
09/18/2006	09:11:27	0.027
09/18/2006	09:26:27	0.028
09/18/2006	09:41:27	0.028
09/18/2006	09:56:27	0.031
09/18/2006	10:11:27	0.025
09/18/2006	10:26:27	0.025
09/18/2006	10:41:27	0.025
09/18/2006	10:56:27	0.028
09/18/2006	11:11:27	0.023
09/18/2006	11:26:27	0.023
09/18/2006	11:41:27	0.026
09/18/2006	11:56:27	0.026
09/18/2006	12:11:27	0.025
09/18/2006	12:26:27	0.027
09/18/2006	12:41:27	0.025
09/18/2006	12:56:27	0.026
09/18/2006	13:11:27	0.027
09/18/2006	13:26:27	0.026
09/18/2006	13:41:27	0.027
09/18/2006	13:56:27	0.029
09/18/2006	14:11:27	0.027
09/18/2006	14:26:27	0.029

TrakPro v3.6.2, Test: Test001, Date: 09/18/2006 07:26:27
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/18/2006	14:41:27	0.025
09/18/2006	14:56:27	0.029
09/18/2006	15:11:27	0.024
09/18/2006	15:26:27	0.023
09/18/2006	15:41:27	0.023
09/18/2006	15:56:27	0.022
09/18/2006	16:11:27	0.023
09/18/2006	16:26:27	0.023
09/18/2006	16:41:27	0.026
09/18/2006	16:56:27	0.025
09/18/2006	17:11:27	0.028

09.18.06



SITE PLAN
SCALE: 1"=30'

- LEGEND:**
- EXISTING RAILROAD TRACKS
 - ABANDONED RAILROAD TRACKS
 - EXISTING FENCE LINE
 - EXISTING SURFACE CONTOUR
 - EXISTING CURB
 - EXISTING MANHOLE LOCATION
 - EXISTING LIGHT POLE
 - EXISTING UTILITY POLE
 - EXISTING POTABLE WATER SUPPLY LINE
 - EXISTING STORM DRAIN LINE
 - EXISTING SANITARY SEWER
 - EXISTING UNDERGROUND ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC AND TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING NATURAL GAS TRANSMISSION LINE
 - RETIRED NATURAL GAS TRANSMISSION LINE

NOTE:
1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

SYR-85-GRS PRO. T.B. L. ON=*, OFF=REF
F:\ACTIVE\DWG\ACT\13061001\13061001.dwg
PROJECTNAME: 13061001
REV: 13061000
13061001
PAGESETUP: CDL2B-KP-SYR
PENTABLE: PLTCONT1.CTB
PRINTED: 7/6/2006 12:53 PM
BY: KSARTORI
LAYOUT: Layout1
SAVED: 6/27/2006 6:04 PM

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING
THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed
Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL I/RM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

TrakPro v3.6.2, Test: Test001, Date: 09/19/2006 07:11:19
 Serial Number: 85201544
 Cal. Date: Aerosol
 06/14/2006

9/19/06 uPWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/19/2006	07:26:19	0.009
09/19/2006	07:41:19	0.009
09/19/2006	07:56:19	0.010
09/19/2006	08:11:19	0.020
09/19/2006	08:26:19	0.013
09/19/2006	08:41:19	0.011
09/19/2006	08:56:19	0.010
09/19/2006	09:11:19	0.011
09/19/2006	09:26:19	0.012
09/19/2006	09:41:19	0.012
09/19/2006	09:56:19	0.012
09/19/2006	10:11:19	0.012
09/19/2006	10:26:19	0.012
09/19/2006	10:41:19	0.012
09/19/2006	10:56:19	0.012
09/19/2006	11:11:19	0.013
09/19/2006	11:26:19	0.013
09/19/2006	11:41:19	0.012
09/19/2006	11:56:19	0.010
09/19/2006	12:11:19	0.003
09/19/2006	12:26:19	0.002
09/19/2006	12:41:19	0.002
09/19/2006	12:56:19	0.002
09/19/2006	13:11:19	0.002
09/19/2006	13:26:19	0.003
09/19/2006	13:41:19	0.002
09/19/2006	13:56:19	0.002
09/19/2006	14:11:19	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/19/2006 07:11:19
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/19/2006	14:26:19	0.002
09/19/2006	14:41:19	0.002
09/19/2006	14:56:19	0.002
09/19/2006	15:11:19	0.002
09/19/2006	15:26:19	0.003
09/19/2006	15:41:19	0.003
09/19/2006	15:56:19	0.002
09/19/2006	16:11:19	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/19/2006 07:22:37
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

9/19/06 01

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/19/2006	07:37:37	0.043
09/19/2006	07:52:37	0.046
09/19/2006	08:07:37	0.050
09/19/2006	08:22:37	0.059
09/19/2006	08:37:37	0.051
09/19/2006	08:52:37	0.049
09/19/2006	09:07:37	0.090
09/19/2006	09:22:37	0.260
09/19/2006	09:37:37	0.079
09/19/2006	09:52:37	0.069
09/19/2006	10:07:37	0.059
09/19/2006	10:22:37	0.060
09/19/2006	10:37:37	0.083
09/19/2006	10:52:37	0.088
09/19/2006	11:07:37	0.179
09/19/2006	11:22:37	0.063
09/19/2006	11:37:37	0.057
09/19/2006	11:52:37	0.053
09/19/2006	12:07:37	0.004
09/19/2006	12:22:37	0.005
09/19/2006	12:37:37	0.002
09/19/2006	12:52:37	0.004
09/19/2006	13:07:37	0.005
09/19/2006	13:22:37	0.008
09/19/2006	13:37:37	0.008
09/19/2006	13:52:37	0.005
09/19/2006	14:07:37	0.005
09/19/2006	14:22:37	0.004

TrakPro v3.6.2, Test: Test001, Date: 09/19/2006 07:22:37
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/19/2006	14:37:37	0.002
09/19/2006	14:52:37	0.009
09/19/2006	15:07:37	0.008
09/19/2006	15:22:37	0.021
09/19/2006	15:37:37	0.012
09/19/2006	15:52:37	0.017
09/19/2006	16:07:37	0.003

TrakPro v3.6.2, Test: Test001, Date: 09/19/2006 07:21:18
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

9/19/06 02


Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/19/2006	07:36:18	0.038
09/19/2006	07:51:18	0.037
09/19/2006	08:06:18	0.042
09/19/2006	08:21:18	0.045
09/19/2006	08:36:18	0.038
09/19/2006	08:51:18	0.039
09/19/2006	09:06:18	0.039
09/19/2006	09:21:18	0.051
09/19/2006	09:36:18	0.043
09/19/2006	09:51:18	0.047
09/19/2006	10:06:18	0.046
09/19/2006	10:21:18	0.048
09/19/2006	10:36:18	0.046
09/19/2006	10:51:18	0.044
09/19/2006	11:06:18	0.062
09/19/2006	11:21:18	0.052
09/19/2006	11:36:18	0.045
09/19/2006	11:51:18	0.045
09/19/2006	12:06:18	0.006
09/19/2006	12:21:18	0.004
09/19/2006	12:36:18	0.003
09/19/2006	12:51:18	0.003
09/19/2006	13:06:18	0.004
09/19/2006	13:21:18	0.005
09/19/2006	13:36:18	0.004
09/19/2006	13:51:18	0.003
09/19/2006	14:06:18	0.006
09/19/2006	14:21:18	0.004

TrakPro v3.6.2, Test: Test001, Date: 09/19/2006 07:21:18
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/19/2006	14:36:18	0.004
09/19/2006	14:51:18	0.005
09/19/2006	15:06:18	0.005
09/19/2006	15:21:18	0.006
09/19/2006	15:36:18	0.005
09/19/2006	15:51:18	0.007
09/19/2006	16:06:18	0.004

09.19.06

SYN-B5-GHS PRO TLR L: ON=*, QTY=REF
F: ACTIVE--OWN ACT\13061001\13061001.dwg
PROJECTNAME: IMAGES
REFS: 13061000
13061001
LAYOUT: LAYOUT1
PAGESETUP: CDL2B-KIP-SYR
PENTABLE: PLTCONT1.CTB
PRINTED: 7/6/2006 12:53 PM
BY: KSARTORI
SAVED: 6/27/2006 6:04 PM



ORIGINAL SCALE APPLIES TO 22"x34" DRAWING		Professional Engineer's Name MARGARET A. CARRILLO-SHERIDAN		NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK BINGHAMTON COURT STREET FORMER MGP SITE NAPL BARRIER WALL IRM		BBL Project No. 130.61	
THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BARRI TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.		Professional Engineer's No. 082251		BBL an ARCADIS company		Date JUNE 28, 2006	
NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW		State NY				Blasland, Bouck & Lee, Inc. an Arcadis company 6723 Towpath Road Syracuse, NY 13214 315-446-9120	
Project Mgr. DLM		Designed by MCS		Drawn by GHS		1	



Date: 09.20.06

Air Monitor: D. Budosh

Activity

Level of Protection: D

04/28/06
[https://www.mybbl.com/MyBBL/FileArchive/CorporateForms/HealthSafety/Standard BBLES HASP Forms.doc](https://www.mybbl.com/MyBBL/FileArchive/CorporateForms/HealthSafety/StandardBBLES/HASPForms.doc)

TrakPro v3.6.2, Test: Test001, Date: 09/20/2006 07:13:33
 Serial Number: 85201544
 Cal. Date: Aerosol
 06/14/2006

9/20/06 uPWINO

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/20/2006	07:28:33	0.003
09/20/2006	07:43:33	0.005
09/20/2006	07:58:33	0.005
09/20/2006	08:13:33	0.004
09/20/2006	08:28:33	0.004
09/20/2006	08:43:33	0.004
09/20/2006	08:58:33	0.005
09/20/2006	09:13:33	0.006
09/20/2006	09:28:33	0.005
09/20/2006	09:43:33	0.008
09/20/2006	09:58:33	0.008
09/20/2006	10:13:33	0.009
09/20/2006	10:28:33	0.010
09/20/2006	10:43:33	0.008
09/20/2006	10:58:33	0.018
09/20/2006	11:13:33	0.007
09/20/2006	11:28:33	0.008
09/20/2006	11:43:33	0.027
09/20/2006	11:58:33	0.006
09/20/2006	12:13:33	0.004
09/20/2006	12:28:33	0.006
09/20/2006	12:43:33	0.005
09/20/2006	12:58:33	0.004
09/20/2006	13:13:33	0.018
09/20/2006	13:28:33	0.010
09/20/2006	13:43:33	0.003
09/20/2006	13:58:33	0.003
09/20/2006	14:13:33	0.003

TrakPro v3.6.2, Test: Test001, Date: 09/20/2006 07:13:33
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/20/2006	14:28:33	0.005
09/20/2006	14:43:33	0.013
09/20/2006	14:58:33	0.006
09/20/2006	15:13:33	0.005
09/20/2006	15:28:33	0.017
09/20/2006	15:43:33	0.011
09/20/2006	15:58:33	0.007
09/20/2006	16:13:33	0.010
09/20/2006	16:28:33	0.030
09/20/2006	16:43:33	0.096

TrakPro v3.6.2, Test: Test001, Date: 09/20/2006 07:19:59
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

9/20/06 DI

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/20/2006	07:34:59	0.010
09/20/2006	07:49:59	0.017
09/20/2006	08:04:59	0.015
09/20/2006	08:19:59	0.022
09/20/2006	08:34:59	0.016
09/20/2006	08:49:59	0.268
09/20/2006	09:04:59	0.069
09/20/2006	09:19:59	0.010
09/20/2006	09:34:59	0.007
09/20/2006	09:49:59	0.007
09/20/2006	10:04:59	0.009
09/20/2006	10:19:59	0.007
09/20/2006	10:34:59	0.008
09/20/2006	10:49:59	0.008
09/20/2006	11:04:59	0.008
09/20/2006	11:19:59	0.009
09/20/2006	11:34:59	0.006
09/20/2006	11:49:59	0.006
09/20/2006	12:04:59	0.009
09/20/2006	12:19:59	0.010
09/20/2006	12:34:59	0.017
09/20/2006	12:49:59	0.017
09/20/2006	13:04:59	0.008
09/20/2006	13:19:59	0.006
09/20/2006	13:34:59	0.006
09/20/2006	13:49:59	0.004
09/20/2006	14:04:59	0.005
09/20/2006	14:19:59	0.004

TrakPro v3.6.2, Test: Test001, Date: 09/20/2006 07:19:59
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/20/2006	14:34:59	0.004
09/20/2006	14:49:59	0.001
09/20/2006	15:04:59	0.004
09/20/2006	15:19:59	0.015
09/20/2006	15:34:59	0.009
09/20/2006	15:49:59	0.003
09/20/2006	16:04:59	0.002
09/20/2006	16:19:59	0.007
09/20/2006	16:34:59	0.007

TrakPro v3.6.2, Test: Test001, Date: 09/20/2006 07:26:20
 Serial Number: 85201529
 Cal. Date: Aerosol
 06/06/2006


9/20/06 D2

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/20/2006	07:41:20	0.008
09/20/2006	07:56:20	0.009
09/20/2006	08:11:20	0.007
09/20/2006	08:26:20	0.009
09/20/2006	08:41:20	0.009
09/20/2006	08:56:20	0.015
09/20/2006	09:11:20	0.012
09/20/2006	09:26:20	0.006
09/20/2006	09:41:20	0.006
09/20/2006	09:56:20	0.006
09/20/2006	10:11:20	0.005
09/20/2006	10:26:20	0.006
09/20/2006	10:41:20	0.006
09/20/2006	10:56:20	0.005
09/20/2006	11:11:20	0.005
09/20/2006	11:26:20	0.006
09/20/2006	11:41:20	0.004
09/20/2006	11:56:20	0.005
09/20/2006	12:11:20	0.005
09/20/2006	12:26:20	0.005
09/20/2006	12:41:20	0.006
09/20/2006	12:56:20	0.007
09/20/2006	13:11:20	0.004
09/20/2006	13:26:20	0.002
09/20/2006	13:41:20	0.002
09/20/2006	13:56:20	0.003
09/20/2006	14:11:20	0.002
09/20/2006	14:26:20	0.005

TrakPro v3.6.2, Test: Test001, Date: 09/20/2006 07:26:20
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/20/2006	14:41:20	0.003
09/20/2006	14:56:20	0.002
09/20/2006	15:11:20	0.004
09/20/2006	15:26:20	0.003
09/20/2006	15:41:20	0.005
09/20/2006	15:56:20	0.007
09/20/2006	16:11:20	0.054
09/20/2006	16:26:20	0.006
09/20/2006	16:41:20	0.012

09.20.06



- LEGEND:
- EXISTING RAILROAD TRACKS
 - ABANDONED RAILROAD TRACKS
 - EXISTING FENCE LINE
 - EXISTING SURFACE CONTOUR
 - EXISTING CURB
 - EXISTING MANHOLE LOCATION
 - EXISTING LIGHT POLE
 - EXISTING UTILITY POLE
 - EXISTING POTABLE WATER SUPPLY LINE
 - EXISTING STORM DRAIN LINE
 - EXISTING SANITARY SEWER
 - EXISTING UNDERGROUND ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC AND TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING NATURAL GAS TRANSMISSION LINE
 - RETIRED NATURAL GAS TRANSMISSION LINE

NOTE:
1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

SITE PLAN
SCALE: 1"=30'

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed
Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL I/RM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

Date: 09.21.06

Activity

Level of Protection

HIGHER READINGS ON D2 BECAUSE OF TRAFFIC AND EQUIPMENT EXHAUST FUMES	
---	--

TrakPro v3.6.2, Test: Test001, Date: 09/21/2006 07:26:30
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

9/21/06 UPWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/21/2006	07:41:30	0.003
09/21/2006	07:56:30	0.003
09/21/2006	08:11:30	0.003
09/21/2006	08:26:30	0.003
09/21/2006	08:41:30	0.003
09/21/2006	08:56:30	0.003
09/21/2006	09:11:30	0.002
09/21/2006	09:26:30	0.003
09/21/2006	09:41:30	0.002
09/21/2006	09:56:30	0.003
09/21/2006	10:11:30	0.002
09/21/2006	10:26:30	0.002
09/21/2006	10:41:30	0.002
09/21/2006	10:56:30	0.002
09/21/2006	11:11:30	0.002
09/21/2006	11:26:30	0.002
09/21/2006	11:41:30	0.003
09/21/2006	11:56:30	0.002
09/21/2006	12:11:30	0.002
09/21/2006	12:26:30	0.002
09/21/2006	12:41:30	0.002
09/21/2006	12:56:30	0.003
09/21/2006	13:11:30	0.003
09/21/2006	13:26:30	0.002
09/21/2006	13:41:30	0.002
09/21/2006	13:56:30	0.003
09/21/2006	14:11:30	0.004
09/21/2006	14:26:30	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/21/2006 07:26:30
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/21/2006	14:41:30	0.002
09/21/2006	14:56:30	0.003
09/21/2006	15:11:30	0.005
09/21/2006	15:26:30	0.002
09/21/2006	15:41:30	0.002
09/21/2006	15:56:30	0.002
09/21/2006	16:11:30	0.002
09/21/2006	16:26:30	0.001
09/21/2006	16:41:30	0.002
09/21/2006	16:56:30	0.003
09/21/2006	17:11:30	0.002
09/21/2006	17:26:30	0.002
09/21/2006	17:41:30	0.002
09/21/2006	17:56:30	0.002
09/21/2006	18:11:30	0.002
09/21/2006	18:26:30	0.002
09/21/2006	18:41:30	0.002
09/21/2006	18:56:30	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/21/2006 07:18:04
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

9/21/06 01

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/21/2006	07:33:04	0.002
09/21/2006	07:48:04	0.007
09/21/2006	08:03:04	0.002
09/21/2006	08:18:04	0.006
09/21/2006	08:33:04	0.003
09/21/2006	08:48:04	0.002
09/21/2006	09:03:04	0.001
09/21/2006	09:18:04	0.002
09/21/2006	09:33:04	0.002
09/21/2006	09:48:04	0.002
09/21/2006	10:03:04	0.003
09/21/2006	10:18:04	0.001
09/21/2006	10:33:04	0.000
09/21/2006	10:48:04	0.000
09/21/2006	11:03:04	0.001
09/21/2006	11:18:04	0.003
09/21/2006	11:33:04	0.002
09/21/2006	11:48:04	0.001
09/21/2006	12:03:04	0.000
09/21/2006	12:18:04	0.003
09/21/2006	12:33:04	0.005
09/21/2006	12:48:04	0.006
09/21/2006	13:03:04	0.002
09/21/2006	13:18:04	0.001
09/21/2006	13:33:04	0.002
09/21/2006	13:48:04	0.001
09/21/2006	14:03:04	0.007
09/21/2006	14:18:04	0.009

TrakPro v3.6.2, Test: Test001, Date: 09/21/2006 07:18:04
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/21/2006	14:33:04	0.004
09/21/2006	14:48:04	0.005
09/21/2006	15:03:04	0.005
09/21/2006	15:18:04	0.001
09/21/2006	15:33:04	0.003
09/21/2006	15:48:04	0.002
09/21/2006	16:03:04	0.004
09/21/2006	16:18:04	0.001
09/21/2006	16:33:04	0.000
09/21/2006	16:48:04	0.007
09/21/2006	17:03:04	0.000
09/21/2006	17:18:04	0.002
09/21/2006	17:33:04	0.001
09/21/2006	17:48:04	0.001
09/21/2006	18:03:04	0.000
09/21/2006	18:18:04	0.001
09/21/2006	18:33:04	0.004
09/21/2006	18:48:04	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/21/2006 07:13:50
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006


9/21/06 Oz

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/21/2006	07:28:50	0.004
09/21/2006	07:43:50	0.002
09/21/2006	07:58:50	0.004
09/21/2006	08:13:50	0.005
09/21/2006	08:28:50	0.006
09/21/2006	08:43:50	0.008
09/21/2006	08:58:50	0.022
09/21/2006	09:13:50	0.007
09/21/2006	09:28:50	0.008
09/21/2006	09:43:50	0.015
09/21/2006	09:58:50	0.015
09/21/2006	10:13:50	0.007
09/21/2006	10:28:50	0.018
09/21/2006	10:43:50	0.011
09/21/2006	10:58:50	0.006
09/21/2006	11:13:50	0.014
09/21/2006	11:28:50	0.012
09/21/2006	11:43:50	0.009
09/21/2006	11:58:50	0.012
09/21/2006	12:13:50	0.010
09/21/2006	12:28:50	0.017
09/21/2006	12:43:50	0.006
09/21/2006	12:58:50	0.009
09/21/2006	13:13:50	0.011
09/21/2006	13:28:50	0.010
09/21/2006	13:43:50	0.015
09/21/2006	13:58:50	0.009
09/21/2006	14:13:50	0.018

TrakPro v3.6.2, Test: Test001, Date: 09/21/2006 07:13:50
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/21/2006	14:28:50	0.013
09/21/2006	14:43:50	0.014
09/21/2006	14:58:50	0.014
09/21/2006	15:13:50	0.016
09/21/2006	15:28:50	0.016
09/21/2006	15:43:50	0.013
09/21/2006	15:58:50	0.036
09/21/2006	16:13:50	0.017
09/21/2006	16:28:50	0.006
09/21/2006	16:43:50	0.016
09/21/2006	16:58:50	0.003
09/21/2006	17:13:50	0.003
09/21/2006	17:28:50	0.003
09/21/2006	17:43:50	0.016
09/21/2006	17:58:50	0.004
09/21/2006	18:13:50	0.006
09/21/2006	18:28:50	0.015
09/21/2006	18:43:50	0.003

09.21.06



SITE PLAN
SCALE: 1"=30'

NOTE:
1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

- LEGEND:**
- EXISTING RAILROAD TRACKS
 - ABANDONED RAILROAD TRACKS
 - EXISTING FENCE LINE
 - EXISTING SURFACE CONTOUR
 - EXISTING CURB
 - EXISTING MANHOLE LOCATION
 - EXISTING LIGHT POLE
 - EXISTING UTILITY POLE
 - EXISTING POTABLE WATER SUPPLY LINE
 - EXISTING STORM DRAIN LINE
 - EXISTING SANITARY SEWER
 - EXISTING UNDERGROUND ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC AND TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING NATURAL GAS TRANSMISSION LINE
 - RETIRED NATURAL GAS TRANSMISSION LINE

SYR-85-GHS PRO T.J.R. L. ON=*, OFF=REF
F:\ACTIVE\DWG\ACT\13061001\13061001.dwg
PROJECTNAME: IMAGES:
XREFS:
13061000
13061001
SAVED: 6/27/2006 6:04 PM LAYOUT: Layout1
PAGESETUP: CUL2B-KP-SYR
PENTABLE: PLYCONT1.CTB
PRINTED: 7/6/2006 12:53 PM BY: KSARTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING		Professional Engineer's Name MARGARET A. CARRILLO-SHERIDAN		NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK BINGHAMTON COURT STREET FORMER MGP SITE NAPL BARRIER WALL IRM		BBL Project No. 130.61	
		Professional Engineer's No. 082251		BBL an ARCADIS company		Date JUNE 28, 2006	
		State NY				Blasland, Bouck & Lee, Inc. an Arcadis company 6723 Towpath Road Syracuse, NY 13214 315-446-9120	
THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.		Date Signed		SITE PLAN WITH UTILITIES		1	
NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW		Project Mgr. DLM					
		Designed by MCS					
		Drawn by GHS					

Air Monitoring Log

Project: 130,74,001
BINE COURT ST
Monitoring Instruments: M151 PAF 2000

Date: 09.23.06

Air Monitor: D. Brown

Activity

Level of Protection

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 09/22/2006 07:26:25
 Serial Number: 85201544
 Cal. Date: Aerosol
 06/14/2006

7/22/06 UPM/INP

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/22/2006	07:41:25	0.006
09/22/2006	07:56:25	0.008
09/22/2006	08:11:25	0.007
09/22/2006	08:26:25	0.009
09/22/2006	08:41:25	0.004
09/22/2006	08:56:25	0.004
09/22/2006	09:11:25	0.006
09/22/2006	09:26:25	0.009
09/22/2006	09:41:25	0.005
09/22/2006	09:56:25	0.005
09/22/2006	10:11:25	0.005
09/22/2006	10:26:25	0.005
09/22/2006	10:41:25	0.005
09/22/2006	10:56:25	0.004
09/22/2006	11:11:25	0.004
09/22/2006	11:26:25	0.004
09/22/2006	11:41:25	0.004
09/22/2006	11:56:25	0.004
09/22/2006	12:11:25	0.004
09/22/2006	12:26:25	0.005
09/22/2006	12:41:25	0.004
09/22/2006	12:56:25	0.004
09/22/2006	13:11:25	0.005
09/22/2006	13:26:25	0.004
09/22/2006	13:41:25	0.004
09/22/2006	13:56:25	0.004
09/22/2006	14:11:25	0.004
09/22/2006	14:26:25	0.004

TrakPro v3.6.2, Test: Test001, Date: 09/22/2006 07:26:25
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/22/2006	14:41:25	0.004
09/22/2006	14:56:25	0.004
09/22/2006	15:11:25	0.004
09/22/2006	15:26:25	0.004
09/22/2006	15:41:25	0.005
09/22/2006	15:56:25	0.005
09/22/2006	16:11:25	0.005
09/22/2006	16:26:25	0.004
09/22/2006	16:41:25	0.005
09/22/2006	16:56:25	0.005
09/22/2006	17:11:25	0.005
09/22/2006	17:26:25	0.005
09/22/2006	17:41:25	0.005
09/22/2006	17:56:25	0.005
09/22/2006	18:11:25	0.005

TrakPro v3.6.2, Test: Test001, Date: 09/22/2006 07:18:30
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

9/22/06 DI

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/22/2006	07:33:30	0.076
09/22/2006	07:48:30	0.252
09/22/2006	08:03:30	0.048
09/22/2006	08:18:30	0.009
09/22/2006	08:33:30	0.010
09/22/2006	08:48:30	0.011
09/22/2006	09:03:30	0.011
09/22/2006	09:18:30	0.067
09/22/2006	09:33:30	0.122
09/22/2006	09:48:30	0.083
09/22/2006	10:03:30	0.082
09/22/2006	10:18:30	0.012
09/22/2006	10:33:30	0.012
09/22/2006	10:48:30	0.018
09/22/2006	11:03:30	0.011
09/22/2006	11:18:30	0.057
09/22/2006	11:33:30	0.030
09/22/2006	11:48:30	0.025
09/22/2006	12:03:30	0.015
09/22/2006	12:18:30	0.020
09/22/2006	12:33:30	0.016
09/22/2006	12:48:30	0.011
09/22/2006	13:03:30	0.012
09/22/2006	13:18:30	0.010
09/22/2006	13:33:30	0.010
09/22/2006	13:48:30	0.008
09/22/2006	14:03:30	0.009
09/22/2006	14:18:30	0.010

TrakPro v3.6.2, Test: Test001, Date: 09/22/2006 07:18:30
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/22/2006	14:33:30	0.022
09/22/2006	14:48:30	0.017
09/22/2006	15:03:30	0.018
09/22/2006	15:18:30	0.010
09/22/2006	15:33:30	0.012
09/22/2006	15:48:30	0.017
09/22/2006	16:03:30	0.012
09/22/2006	16:18:30	0.011
09/22/2006	16:33:30	0.011
09/22/2006	16:48:30	0.011
09/22/2006	17:03:30	0.011
09/22/2006	17:18:30	0.012
09/22/2006	17:33:30	0.012
09/22/2006	17:48:30	0.013
09/22/2006	18:03:30	0.015
09/22/2006	18:18:30	0.018

TrakPro v3.6.2, Test: Test001, Date: 09/22/2006 07:14:13
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

9/22/06 02


Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/22/2006	07:29:13	0.003
09/22/2006	07:44:13	0.004
09/22/2006	07:59:13	0.005
09/22/2006	08:14:13	0.008
09/22/2006	08:29:13	0.010
09/22/2006	08:44:13	0.012
09/22/2006	08:59:13	0.012
09/22/2006	09:14:13	0.011
09/22/2006	09:29:13	0.010
09/22/2006	09:44:13	0.009
09/22/2006	09:59:13	0.012
09/22/2006	10:14:13	0.011
09/22/2006	10:29:13	0.013
09/22/2006	10:44:13	0.010
09/22/2006	10:59:13	0.010
09/22/2006	11:14:13	0.009
09/22/2006	11:29:13	0.009
09/22/2006	11:44:13	0.009
09/22/2006	11:59:13	0.120
09/22/2006	12:14:13	0.041
09/22/2006	12:29:13	0.014
09/22/2006	12:44:13	0.023
09/22/2006	12:59:13	0.052
09/22/2006	13:14:13	0.022
09/22/2006	13:29:13	0.016
09/22/2006	13:44:13	0.016
09/22/2006	13:59:13	0.012
09/22/2006	14:14:13	0.008

TrakPro v3.6.2, Test: Test001, Date: 09/22/2006 07:14:13
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/22/2006	14:29:13	0.020
09/22/2006	14:44:13	0.038
09/22/2006	14:59:13	0.042
09/22/2006	15:14:13	0.012
09/22/2006	15:29:13	0.022
09/22/2006	15:44:13	0.032
09/22/2006	15:59:13	0.022
09/22/2006	16:14:13	0.017
09/22/2006	16:29:13	0.014
09/22/2006	16:44:13	0.014
09/22/2006	16:59:13	0.010
09/22/2006	17:14:13	0.013
09/22/2006	17:29:13	0.012
09/22/2006	17:44:13	0.013
09/22/2006	17:59:13	0.015
09/22/2006	18:14:13	0.016

09.22.06

SVR-B5-GHS PRO TIR L: ON=*, QTF=REF
F: ACTIVE-DWG ACT\13061001\13061001.dwg
PROJECTNAME: IMAGES:
REFS: 13061000
13061001
SAVED: 6/27/2006 8:04 PM LAYOUT: Layout1 PAGESETUP: C:\B2B-KIP-SYS PENTABLE: PLTCONT1.CTB PRINTED: 7/6/2006 12:53 PM BY: KSARTORI



ORIGINAL SCALE APPLIES TO 22"x34" DRAWING		Professional Engineer's Name MARGARET A. CARRILLO-SHERIDAN		BBL an ARCADIS company		NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK BINGHAMTON COURT STREET FORMER MGP SITE NAPL BARRIER WALL IRM		BBL Project No. 130.61		1	
THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.		Professional Engineer's No. 082251				DATE JUNE 28, 2006		Blasland, Bouck & Lee, Inc. an Arcadis company 6723 Towpath Road Syracuse, NY 13214 315-446-9120			
No.	Date	Revisions	Init	State	Date Signed	Project Mgr.	Designed by	Drawn by			
				NY		DLM	MCS	GHS			
NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW											

TrakPro v3.6.2, Test: Test001, Date: 09/24/2006 07:30:36
 Serial Number: 85201544
 Cal. Date: Aerosol
 06/14/2006

9/24/06 UPWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/24/2006	07:45:36	0.006
09/24/2006	08:00:36	0.005
09/24/2006	08:15:36	0.003
09/24/2006	08:30:36	0.003
09/24/2006	08:45:36	0.003
09/24/2006	09:00:36	0.003
09/24/2006	09:15:36	0.003
09/24/2006	09:30:36	0.003
09/24/2006	09:45:36	0.003
09/24/2006	10:00:36	0.003
09/24/2006	10:15:36	0.003
09/24/2006	10:30:36	0.003
09/24/2006	10:45:36	0.003
09/24/2006	11:00:36	0.003
09/24/2006	11:15:36	0.003
09/24/2006	11:30:36	0.002
09/24/2006	11:45:36	0.002
09/24/2006	12:00:36	0.003
09/24/2006	12:15:36	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/24/2006 07:36:02
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006


9/24/06 D1

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/24/2006	07:51:02	0.014
09/24/2006	08:06:02	0.013
09/24/2006	08:21:02	0.014
09/24/2006	08:36:02	0.019
09/24/2006	08:51:02	0.013
09/24/2006	09:06:02	0.012
09/24/2006	09:21:02	0.030
09/24/2006	09:36:02	0.008
09/24/2006	09:51:02	0.007
09/24/2006	10:06:02	0.007
09/24/2006	10:21:02	0.017
09/24/2006	10:36:02	0.012
09/24/2006	10:51:02	0.006
09/24/2006	11:06:02	0.012
09/24/2006	11:21:02	0.012
09/24/2006	11:36:02	0.014
09/24/2006	11:51:02	0.022

TrakPro v3.6.2, Test: Test001, Date: 09/24/2006 07:39:21
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006 9/24/06 02

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/24/2006	07:54:21	0.011
09/24/2006	08:09:21	0.010
09/24/2006	08:24:21	0.008
09/24/2006	08:39:21	0.007
09/24/2006	08:54:21	0.007
09/24/2006	09:09:21	0.008
09/24/2006	09:24:21	0.008
09/24/2006	09:39:21	0.008
09/24/2006	09:54:21	0.007
09/24/2006	10:09:21	0.009
09/24/2006	10:24:21	0.009
09/24/2006	10:39:21	0.008
09/24/2006	10:54:21	0.008
09/24/2006	11:09:21	0.012
09/24/2006	11:24:21	0.042
09/24/2006	11:39:21	0.014
09/24/2006	11:54:21	0.018

09.24.06



S:\B-CHS PRO TUR L: 01-1 OFF-REF
PROJECTNAME: 13061001.dwg
DATE: 6/27/2006 6:04 PM
LAYOUT: Layout1
PAGESETUP: C:\2B-KIP-SYR
PENTABLE: PLTCONT.CTB
PRINTED: 7/6/2006 12:55 PM
BY: KASARTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING
THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED.
INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED
WHEN DRAWINGS ARE REPRODUCED.
USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE
ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed
Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120



Project

150.74.00

Date: _____

09.25.06

Monitoring Instruments

NUMBER 000

Air Monitor:

D. Byrd

Activity

ROBERT WALTERS
EXECUTIVE

Level of Protection

REK DND BIO POLYMER SCLER

04/28/06
[https://www.mybbl.com/MyBBL/FileArchive/CorporateForms/HealthSafety/Standard BBLES HAASP Forms.doc](https://www.mybbl.com/MyBBL/FileArchive/CorporateForms/HealthSafety/StandardBBLES/HAASPForms.doc)

TrakPro v3.6.2, Test: Test001, Date: 09/25/2006 07:53:51
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

9/25/06 UPRWIND

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/25/2006	08:08:51	0.003
09/25/2006	08:23:51	0.011
09/25/2006	08:38:51	0.003
09/25/2006	08:53:51	0.003
09/25/2006	09:08:51	0.003
09/25/2006	09:23:51	0.003
09/25/2006	09:38:51	0.006
09/25/2006	09:53:51	0.002
09/25/2006	10:08:51	0.003
09/25/2006	10:23:51	0.009
09/25/2006	10:38:51	0.003
09/25/2006	10:53:51	0.002
09/25/2006	11:08:51	0.002
09/25/2006	11:23:51	0.002
09/25/2006	11:38:51	0.002
09/25/2006	11:53:51	0.003
09/25/2006	12:08:51	0.002
09/25/2006	12:23:51	0.002
09/25/2006	12:38:51	0.002
09/25/2006	12:53:51	0.002
09/25/2006	13:08:51	0.003
09/25/2006	13:23:51	0.003
09/25/2006	13:38:51	0.002
09/25/2006	13:53:51	0.002
09/25/2006	14:08:51	0.002
09/25/2006	14:23:51	0.002
09/25/2006	14:38:51	0.002
09/25/2006	14:53:51	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/25/2006 07:53:51
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/25/2006	15:08:51	0.002
09/25/2006	15:23:51	0.002
09/25/2006	15:38:51	0.003
09/25/2006	15:53:51	0.002
09/25/2006	16:08:51	0.002
09/25/2006	16:23:51	0.003
09/25/2006	16:38:51	0.002
09/25/2006	16:53:51	0.002
09/25/2006	17:08:51	0.002
09/25/2006	17:23:51	0.003
09/25/2006	17:38:51	0.003
09/25/2006	17:53:51	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/25/2006 07:44:51
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

9/25/06 DI

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/25/2006	07:59:51	0.000
09/25/2006	08:14:51	0.003
09/25/2006	08:29:51	0.004
09/25/2006	08:44:51	0.004
09/25/2006	08:59:51	0.004
09/25/2006	09:14:51	0.002
09/25/2006	09:29:51	0.016
09/25/2006	09:44:51	0.004
09/25/2006	09:59:51	0.002
09/25/2006	10:14:51	0.013
09/25/2006	10:29:51	0.008
09/25/2006	10:44:51	0.004
09/25/2006	10:59:51	0.002
09/25/2006	11:14:51	0.004
09/25/2006	11:29:51	0.002
09/25/2006	11:44:51	0.002
09/25/2006	11:59:51	0.005
09/25/2006	12:14:51	0.003
09/25/2006	12:29:51	0.003
09/25/2006	12:44:51	0.003
09/25/2006	12:59:51	0.000
09/25/2006	13:14:51	0.003
09/25/2006	13:29:51	0.001
09/25/2006	13:44:51	0.004
09/25/2006	13:59:51	0.001
09/25/2006	14:14:51	0.002
09/25/2006	14:29:51	0.002
09/25/2006	14:44:51	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/25/2006 07:44:51
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/25/2006	14:59:51	0.002
09/25/2006	15:14:51	0.001
09/25/2006	15:29:51	0.001
09/25/2006	15:44:51	0.002
09/25/2006	15:59:51	0.002
09/25/2006	16:14:51	0.004
09/25/2006	16:29:51	0.003
09/25/2006	16:44:51	0.002
09/25/2006	16:59:51	0.002
09/25/2006	17:14:51	0.002
09/25/2006	17:29:51	0.004
09/25/2006	17:44:51	0.003
09/25/2006	17:59:51	0.005


TrakPro v3.6.2, Test: Test001, Date: 09/25/2006 07:39:51
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006 9/25/06 D2

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/25/2006	07:54:51	0.004
09/25/2006	08:09:51	0.002
09/25/2006	08:24:51	0.004
09/25/2006	08:39:51	0.006
09/25/2006	08:54:51	0.005
09/25/2006	09:09:51	0.003
09/25/2006	09:24:51	0.010
09/25/2006	09:39:51	0.003
09/25/2006	09:54:51	0.005
09/25/2006	10:09:51	0.006
09/25/2006	10:24:51	0.008
09/25/2006	10:39:51	0.006
09/25/2006	10:54:51	0.005
09/25/2006	11:09:51	0.005
09/25/2006	11:24:51	0.005
09/25/2006	11:39:51	0.004
09/25/2006	11:54:51	0.008
09/25/2006	12:09:51	0.007
09/25/2006	12:24:51	0.017
09/25/2006	12:39:51	0.005
09/25/2006	12:54:51	0.004
09/25/2006	13:09:51	0.005
09/25/2006	13:24:51	0.010
09/25/2006	13:39:51	0.037
09/25/2006	13:54:51	0.027
09/25/2006	14:09:51	0.008
09/25/2006	14:24:51	0.010
09/25/2006	14:39:51	0.015

TrakPro v3.6.2, Test: Test001, Date: 09/25/2006 07:39:51
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/25/2006	14:54:51	0.029
09/25/2006	15:09:51	0.010
09/25/2006	15:24:51	0.009
09/25/2006	15:39:51	0.021
09/25/2006	15:54:51	0.010
09/25/2006	16:09:51	0.009
09/25/2006	16:24:51	0.015
09/25/2006	16:39:51	0.022
09/25/2006	16:54:51	0.019
09/25/2006	17:09:51	0.014
09/25/2006	17:24:51	0.012
09/25/2006	17:39:51	0.012
09/25/2006	17:54:51	0.008

09.25.06



SYR-B5-GIS PRO TIR LI ON-A OFF-REF
F: ACTIVE-DWG-ACT1306100113061001.dwg
PROJECTNAME: IMAGES:
REFS: 13061000
13061001
SAVED: 6/27/2006 6:04 PM LAYOUT: Layout1 PAGES: 1 OF 1 PLOT: 1 OF 1
PRINTED: 7/6/2006 12:53 PM BY: KARTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING
THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED.
INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED
WHEN DRAWINGS ARE REPRODUCED.
USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE
ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed
Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL I&M

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

TrakPro v3.6.2, Test: Test001, Date: 09/26/2006 07:16:49
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

9/26/06 WPWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/26/2006	07:31:49	0.004
09/26/2006	07:46:49	0.004
09/26/2006	08:01:49	0.005
09/26/2006	08:16:49	0.007
09/26/2006	08:31:49	0.006
09/26/2006	08:46:49	0.005
09/26/2006	09:01:49	0.006
09/26/2006	09:16:49	0.004
09/26/2006	09:31:49	0.005
09/26/2006	09:46:49	0.005
09/26/2006	10:01:49	0.008
09/26/2006	10:16:49	0.004
09/26/2006	10:31:49	0.006
09/26/2006	10:46:49	0.003
09/26/2006	11:01:49	0.006
09/26/2006	11:16:49	0.016
09/26/2006	11:31:49	0.010
09/26/2006	11:46:49	0.011
09/26/2006	12:01:49	0.002
09/26/2006	12:16:49	0.004
09/26/2006	12:31:49	0.004
09/26/2006	12:46:49	0.003
09/26/2006	13:01:49	0.004
09/26/2006	13:16:49	0.003
09/26/2006	13:31:49	0.004
09/26/2006	13:46:49	0.003
09/26/2006	14:01:49	0.002
09/26/2006	14:16:49	0.002

TrakPro v3.6.2, Test: Test001, Date: 09/26/2006 07:16:49
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/26/2006	14:31:49	0.003
09/26/2006	14:46:49	0.003
09/26/2006	15:01:49	0.003
09/26/2006	15:16:49	0.003
09/26/2006	15:31:49	0.005
09/26/2006	15:46:49	0.005
09/26/2006	16:01:49	0.003
09/26/2006	16:16:49	0.003
09/26/2006	16:31:49	0.002
09/26/2006	16:46:49	0.008
09/26/2006	17:01:49	0.004
09/26/2006	17:16:49	0.008
09/26/2006	17:31:49	0.004

TrakPro v3.6.2, Test: Test001, Date: 09/26/2006 07:24:04
Serial Number: 85201
Cal. Date: Aerosol
06/07/2006

9/26/06 DI

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/26/2006	07:39:04	0.004
09/26/2006	07:54:04	0.012
09/26/2006	08:09:04	0.018
09/26/2006	08:24:04	0.020
09/26/2006	08:39:04	0.014
09/26/2006	08:54:04	0.020
09/26/2006	09:09:04	0.013
09/26/2006	09:24:04	0.009
09/26/2006	09:39:04	0.006
09/26/2006	09:54:04	0.003
09/26/2006	10:09:04	0.008
09/26/2006	10:24:04	0.000
09/26/2006	10:39:04	0.001
09/26/2006	10:54:04	0.003
09/26/2006	11:09:04	0.013
09/26/2006	11:24:04	0.014
09/26/2006	11:39:04	0.023
09/26/2006	11:54:04	0.000
09/26/2006	12:09:04	0.002
09/26/2006	12:24:04	0.021
09/26/2006	12:39:04	0.004
09/26/2006	12:54:04	0.001
09/26/2006	13:09:04	0.001
09/26/2006	13:24:04	0.001
09/26/2006	13:39:04	0.013
09/26/2006	13:54:04	0.001
09/26/2006	14:09:04	0.002
09/26/2006	14:24:04	0.006

TrakPro v3.6.2, Test: Test001, Date: 09/26/2006 07:24:04
Serial Number: 85201
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/26/2006	14:39:04	0.004
09/26/2006	14:54:04	0.002
09/26/2006	15:09:04	0.002
09/26/2006	15:24:04	0.002
09/26/2006	15:39:04	0.009
09/26/2006	15:54:04	0.009
09/26/2006	16:09:04	0.001
09/26/2006	16:24:04	0.004
09/26/2006	16:39:04	0.009
09/26/2006	16:54:04	0.005
09/26/2006	17:09:04	0.003
09/26/2006	17:24:04	0.005

TrakPro v3.6.2, Test: Test001, Date: 09/26/2006 07:31:36
 Serial Number: 85201529
 Cal. Date: Aerosol
 06/06/2006


9/26/06 D2

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/26/2006	07:46:36	0.008
09/26/2006	08:01:36	0.014
09/26/2006	08:16:36	0.023
09/26/2006	08:31:36	0.019
09/26/2006	08:46:36	0.018
09/26/2006	09:01:36	0.021
09/26/2006	09:16:36	0.014
09/26/2006	09:31:36	0.010
09/26/2006	09:46:36	0.004
09/26/2006	10:01:36	0.004
09/26/2006	10:16:36	0.002
09/26/2006	10:31:36	0.004
09/26/2006	10:46:36	0.007
09/26/2006	11:01:36	0.011
09/26/2006	11:16:36	0.015
09/26/2006	11:31:36	0.009
09/26/2006	11:46:36	0.009
09/26/2006	12:01:36	0.005
09/26/2006	12:16:36	0.011
09/26/2006	12:31:36	0.005
09/26/2006	12:46:36	0.005
09/26/2006	13:01:36	0.002
09/26/2006	13:16:36	0.003
09/26/2006	13:31:36	0.009
09/26/2006	13:46:36	0.007
09/26/2006	14:01:36	0.005
09/26/2006	14:16:36	0.007
09/26/2006	14:31:36	0.003

TrakPro v3.6.2, Test: Test001, Date: 09/26/2006 07:31:36
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/26/2006	14:46:36	0.004
09/26/2006	15:01:36	0.007
09/26/2006	15:16:36	0.032
09/26/2006	15:31:36	0.021
09/26/2006	15:46:36	0.007
09/26/2006	16:01:36	0.018
09/26/2006	16:16:36	0.010
09/26/2006	16:31:36	0.004
09/26/2006	16:46:36	0.007
09/26/2006	17:01:36	0.003
09/26/2006	17:16:36	0.006

SYR--85-GHS PRO TUR L: ON= OFF=REF
 SAVED: 6/27/2006 6:04 PM LAYOUT: Layout1 PAGESETUP: CDL2B-KIP--SYR PENTABLE: PLTCONT1.CTB PRINTED: 7/6/2006 12:53 PM BY: KSARTORI

[illegible]

Professional Engineer's Name			
MARGARET A. CARRILLO-SHERIDAN			
Professional Engineer's No.			
082251			
State		Date Signed	
NY			
Project Mgr.	Designed by	Drawn by	

BBL®
an ARCADIS company

NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL RM

SITE PLAN WITH UTILITIES

BBL Project No. 130.61
Date JUNE 28, 2006
Biasland, Bouck & Lee, Inc. on Arcadis company 6723 Towpath Road Syracuse, NY 13214 315-446-9120

Projects 130,704.00

Date: 09.27.01

Monitoring Instruments

Air Monitor: D. B. [unclear]

Activity

Level of Protection

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 09/27/2006 07:14:20
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

9/27/06 UPWIND

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/27/2006	07:29:20	0.005
09/27/2006	07:44:20	0.006
09/27/2006	07:59:20	0.006
09/27/2006	08:14:20	0.006
09/27/2006	08:29:20	0.006
09/27/2006	08:44:20	0.006
09/27/2006	08:59:20	0.006
09/27/2006	09:14:20	0.006
09/27/2006	09:29:20	0.006
09/27/2006	09:44:20	0.008
09/27/2006	09:59:20	0.006
09/27/2006	10:14:20	0.006
09/27/2006	10:29:20	0.006
09/27/2006	10:44:20	0.007
09/27/2006	10:59:20	0.007
09/27/2006	11:14:20	0.007
09/27/2006	11:29:20	0.005
09/27/2006	11:44:20	0.008
09/27/2006	11:59:20	0.005
09/27/2006	12:14:20	0.013
09/27/2006	12:29:20	0.015
09/27/2006	12:44:20	0.049
09/27/2006	12:59:20	0.019
09/27/2006	13:14:20	0.038
09/27/2006	13:29:20	0.030
09/27/2006	13:44:20	0.022
09/27/2006	13:59:20	0.012
09/27/2006	14:14:20	0.021

TrakPro v3.6.2, Test: Test001, Date: 09/27/2006 07:14:20
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/27/2006	14:29:20	0.023
09/27/2006	14:44:20	0.030
09/27/2006	14:59:20	0.017
09/27/2006	15:14:20	0.012
09/27/2006	15:29:20	0.011
09/27/2006	15:44:20	0.011
09/27/2006	15:59:20	0.018
09/27/2006	16:14:20	0.011
09/27/2006	16:29:20	0.015
09/27/2006	16:44:20	0.015
09/27/2006	16:59:20	0.013
09/27/2006	17:14:20	0.011
09/27/2006	17:29:20	0.012
09/27/2006	17:44:20	0.011
09/27/2006	17:59:20	0.011

TrakPro v3.6.2, Test: Test001, Date: 09/27/2006 07:26:29
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

9/27/06 D1

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/27/2006	07:41:29	0.004
09/27/2006	07:56:29	0.006
09/27/2006	08:11:29	0.007
09/27/2006	08:26:29	0.006
09/27/2006	08:41:29	0.005
09/27/2006	08:56:29	0.005
09/27/2006	09:11:29	0.005
09/27/2006	09:26:29	0.006
09/27/2006	09:41:29	0.006
09/27/2006	09:56:29	0.006
09/27/2006	10:11:29	0.005
09/27/2006	10:26:29	0.006
09/27/2006	10:41:29	0.005
09/27/2006	10:56:29	0.004
09/27/2006	11:11:29	0.008
09/27/2006	11:26:29	0.007
09/27/2006	11:41:29	0.004
09/27/2006	11:56:29	0.003
09/27/2006	12:11:29	0.006
09/27/2006	12:26:29	0.012
09/27/2006	12:41:29	0.021
09/27/2006	12:56:29	0.016
09/27/2006	13:11:29	0.023
09/27/2006	13:26:29	0.016
09/27/2006	13:41:29	0.026
09/27/2006	13:56:29	0.015
09/27/2006	14:11:29	0.015
09/27/2006	14:26:29	0.017

TrakPro v3.6.2, Test: Test001, Date: 09/27/2006 07:26:29
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/27/2006	14:41:29	0.015
09/27/2006	14:56:29	0.017
09/27/2006	15:11:29	0.013
09/27/2006	15:26:29	0.010
09/27/2006	15:41:29	0.013
09/27/2006	15:56:29	0.015
09/27/2006	16:11:29	0.011
09/27/2006	16:26:29	0.017
09/27/2006	16:41:29	0.024
09/27/2006	16:56:29	0.018
09/27/2006	17:11:29	0.017
09/27/2006	17:26:29	0.017
09/27/2006	17:41:29	0.015
09/27/2006	17:56:29	0.016
09/27/2006	18:11:29	0.014

TrakPro v3.6.2, Test: Test001, Date: 09/27/2006 07:34:34
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

9/27/06 D2

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/27/2006	07:49:34	0.004
09/27/2006	08:04:34	0.005
09/27/2006	08:19:34	0.004
09/27/2006	08:34:34	0.003
09/27/2006	08:49:34	0.003
09/27/2006	09:04:34	0.003
09/27/2006	09:19:34	0.004
09/27/2006	09:34:34	0.003
09/27/2006	09:49:34	0.004
09/27/2006	10:04:34	0.004
09/27/2006	10:19:34	0.003
09/27/2006	10:34:34	0.003
09/27/2006	10:49:34	0.004
09/27/2006	11:04:34	0.003
09/27/2006	11:19:34	0.003
09/27/2006	11:34:34	0.003
09/27/2006	11:49:34	0.004
09/27/2006	12:04:34	0.006
09/27/2006	12:19:34	0.006
09/27/2006	12:34:34	0.005
09/27/2006	12:49:34	0.005
09/27/2006	13:04:34	0.008
09/27/2006	13:19:34	0.006
09/27/2006	13:34:34	0.004
09/27/2006	13:49:34	0.005
09/27/2006	14:04:34	0.005
09/27/2006	14:19:34	0.005
09/27/2006	14:34:34	0.007

TrakPro v3.6.2, Test: Test001, Date: 09/27/2006 07:34:34
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/27/2006	14:49:34	0.006
09/27/2006	15:04:34	0.008
09/27/2006	15:19:34	0.006
09/27/2006	15:34:34	0.007
09/27/2006	15:49:34	0.007
09/27/2006	16:04:34	0.006
09/27/2006	16:19:34	0.006
09/27/2006	16:34:34	0.007
09/27/2006	16:49:34	0.006
09/27/2006	17:04:34	0.006
09/27/2006	17:19:34	0.006
09/27/2006	17:34:34	0.005
09/27/2006	17:49:34	0.005
09/27/2006	18:04:34	0.005
09/27/2006	18:19:34	0.005

SYR-B5-GHS PRO JUR L: ON=*, CH=*,REL
F:\ACTIVE\~DWG\ACT\13061G01.dwg SAVED: 5/27/2006 6:04 PM LAYOUT: Layout1 PENTABLE: PLTCONT1.CTB PRINTED: 7/5/2006 12:53 PM BY: KSARTORI





Project

Date _____

Monitoring Instruments

Air Monitor

Activity

Level of Protection

04/28/06
https://www.mybbl.com/MyBBL/FileArchive/CorporateForms/HealthSafetyStandard_BBLES_HASP_Forms.doc

TrakPro v3.6.2, Test: Test001, Date: 09/28/2006 06:58:05
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

9/28/06 upwind

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/28/2006	07:13:05	0.006
09/28/2006	07:28:05	0.006
09/28/2006	07:43:05	0.006
09/28/2006	07:58:05	0.006
09/28/2006	08:13:05	0.006
09/28/2006	08:28:05	0.006
09/28/2006	08:43:05	0.006
09/28/2006	08:58:05	0.006
09/28/2006	09:13:05	0.006
09/28/2006	09:28:05	0.006
09/28/2006	09:43:05	0.006
09/28/2006	09:58:05	0.010
09/28/2006	10:13:05	0.009
09/28/2006	10:28:05	0.012
09/28/2006	10:43:05	0.007
09/28/2006	10:58:05	0.010
09/28/2006	11:13:05	0.010
09/28/2006	11:28:05	0.010
09/28/2006	11:43:05	0.009
09/28/2006	11:58:05	0.007
09/28/2006	12:13:05	0.010
09/28/2006	12:28:05	0.012
09/28/2006	12:43:05	0.014
09/28/2006	12:58:05	0.011
09/28/2006	13:13:05	0.009
09/28/2006	13:28:05	0.008
09/28/2006	13:43:05	0.011
09/28/2006	13:58:05	0.007

TrakPro v3.6.2, Test: Test001, Date: 09/28/2006 06:58:05
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
09/28/2006	14:13:05	0.009
09/28/2006	14:28:05	0.009
09/28/2006	14:43:05	0.009
09/28/2006	14:58:05	0.009
09/28/2006	15:13:05	0.007
09/28/2006	15:28:05	0.007
09/28/2006	15:43:05	0.007
09/28/2006	15:58:05	0.007
09/28/2006	16:13:05	0.008
09/28/2006	16:28:05	0.007
09/28/2006	16:43:05	0.007

TrakPro v3.6.2, Test: Test001, Date: 09/28/2006 07:02:10
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

9/28/06 DI

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/28/2006	07:17:10	0.017
09/28/2006	07:32:10	0.018
09/28/2006	07:47:10	0.020
09/28/2006	08:02:10	0.022
09/28/2006	08:17:10	0.023
09/28/2006	08:32:10	0.019
09/28/2006	08:47:10	0.021
09/28/2006	09:02:10	0.020
09/28/2006	09:17:10	0.018
09/28/2006	09:32:10	0.022
09/28/2006	09:47:10	0.023
09/28/2006	10:02:10	0.025
09/28/2006	10:17:10	0.027
09/28/2006	10:32:10	0.030
09/28/2006	10:47:10	0.023
09/28/2006	11:02:10	0.027
09/28/2006	11:17:10	0.030
09/28/2006	11:32:10	0.031
09/28/2006	11:47:10	0.028
09/28/2006	12:02:10	0.028
09/28/2006	12:17:10	0.029
09/28/2006	12:32:10	0.033
09/28/2006	12:47:10	0.042
09/28/2006	13:02:10	0.033
09/28/2006	13:17:10	0.036
09/28/2006	13:32:10	0.033
09/28/2006	13:47:10	0.034
09/28/2006	14:02:10	0.028

TrakPro v3.6.2, Test: Test001, Date: 09/28/2006 07:02:10
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/28/2006	14:17:10	0.054
09/28/2006	14:32:10	0.033
09/28/2006	14:47:10	0.030
09/28/2006	15:02:10	0.037
09/28/2006	15:17:10	0.025
09/28/2006	15:32:10	0.029
09/28/2006	15:47:10	0.026
09/28/2006	16:02:10	0.022
09/28/2006	16:17:10	0.024
09/28/2006	16:32:10	0.024
09/28/2006	16:47:10	0.027

TrakPro v3.6.2, Test: Test001, Date: 09/28/2006 07:08:54
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006 9/28/06 D2


Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
09/28/2006	07:23:54	0.018
09/28/2006	07:38:54	0.017
09/28/2006	07:53:54	0.022
09/28/2006	08:08:54	0.022
09/28/2006	08:23:54	0.021
09/28/2006	08:38:54	0.019
09/28/2006	08:53:54	0.022
09/28/2006	09:08:54	0.024
09/28/2006	09:23:54	0.020
09/28/2006	09:38:54	0.025
09/28/2006	09:53:54	0.049
09/28/2006	10:08:54	0.047
09/28/2006	10:23:54	0.029
09/28/2006	10:38:54	0.028
09/28/2006	10:53:54	0.040
09/28/2006	11:08:54	0.028
09/28/2006	11:23:54	0.026
09/28/2006	11:38:54	0.038
09/28/2006	11:53:54	0.029
09/28/2006	12:08:54	0.032
09/28/2006	12:23:54	0.038
09/28/2006	12:38:54	0.042
09/28/2006	12:53:54	0.069
09/28/2006	13:08:54	0.080
09/28/2006	13:23:54	0.117
09/28/2006	13:38:54	0.335
09/28/2006	13:53:54	0.183
09/28/2006	14:08:54	0.110

TrakPro v3.6.2, Test: Test001, Date: 09/28/2006 07:08:54
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
09/28/2006	14:23:54	0.078
09/28/2006	14:38:54	0.068
09/28/2006	14:53:54	0.108
09/28/2006	15:08:54	0.049
09/28/2006	15:23:54	0.135
09/28/2006	15:38:54	0.047
09/28/2006	15:53:54	0.024
09/28/2006	16:08:54	0.027
09/28/2006	16:23:54	0.038
09/28/2006	16:38:54	0.033
09/28/2006	16:53:54	0.038

04/28/06
https://www.mybbl.com/MyBBL/FileArchive/Corporate Forms/Health Safety/Standard_BBLES_HASP_Forms.doc

09.28.06



- LEGEND:**
- EXISTING RAILROAD TRACKS
 - ABANDONED RAILROAD TRACKS
 - EXISTING FENCE LINE
 - EXISTING SURFACE CONTOUR
 - EXISTING CURB
 - EXISTING MANHOLE LOCATION
 - EXISTING LIGHT POLE
 - EXISTING UTILITY POLE
 - EXISTING POTABLE WATER SUPPLY LINE
 - EXISTING STORM DRAIN LINE
 - EXISTING SANITARY SEWER
 - EXISTING UNDERGROUND ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC AND TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING NATURAL GAS TRANSMISSION LINE
 - RETIRED NATURAL GAS TRANSMISSION LINE

NOTE:

1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

SITE PLAN

0 30' 60'

SCALE: 1"=30'

S:\95-GIS-PRO\T\1: On* OFF=REF
F:\ACTIVE-DB\ACT\13061001\13061001.dwg
PAGESETUP:CDL2B-MP-SYR
PENTABLE:PLTCONT1.CTB
PRINTED:7/6/2006 12:53 PM
BY:KSARTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed
Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

TrakPro v3.6.2, Test: Test001, Date: 10/02/2006 07:30:57
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/2/06 UPWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/02/2006	07:45:57	0.006
10/02/2006	08:00:57	0.007
10/02/2006	08:15:57	0.008
10/02/2006	08:30:57	0.009
10/02/2006	08:45:57	0.009
10/02/2006	09:00:57	0.008
10/02/2006	09:15:57	0.007
10/02/2006	09:30:57	0.008
10/02/2006	09:45:57	0.009
10/02/2006	10:00:57	0.010
10/02/2006	10:15:57	0.008
10/02/2006	10:30:57	0.007
10/02/2006	10:45:57	0.004
10/02/2006	11:00:57	0.004
10/02/2006	11:15:57	0.005
10/02/2006	11:30:57	0.003
10/02/2006	11:45:57	0.003
10/02/2006	12:00:57	0.002
10/02/2006	12:15:57	0.002
10/02/2006	12:30:57	0.002
10/02/2006	12:45:57	0.002
10/02/2006	13:00:57	0.003
10/02/2006	13:15:57	0.002
10/02/2006	13:30:57	0.002
10/02/2006	13:45:57	0.002
10/02/2006	14:00:57	0.002
10/02/2006	14:15:57	0.002
10/02/2006	14:30:57	0.002

TrakPro v3.6.2, Test: Test001, Date: 10/02/2006 07:30:57
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/02/2006	14:45:57	0.002
10/02/2006	15:00:57	0.002
10/02/2006	15:15:57	0.002
10/02/2006	15:30:57	0.002
10/02/2006	15:45:57	0.002
10/02/2006	16:00:57	0.002
10/02/2006	16:15:57	0.002
10/02/2006	16:30:57	0.002
10/02/2006	16:45:57	0.003
10/02/2006	17:00:57	0.002
10/02/2006	17:15:57	0.003
10/02/2006	17:30:57	0.002
10/02/2006	17:45:57	0.002
10/02/2006	18:00:57	0.002

TrakPro v3.6.2, Test: Test001, Date: 10/02/2006 07:36:47
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006 10/2/06 DI

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/02/2006	07:51:47	0.019
10/02/2006	08:06:47	0.022
10/02/2006	08:21:47	0.024
10/02/2006	08:36:47	0.032
10/02/2006	08:51:47	0.027
10/02/2006	09:06:47	0.027
10/02/2006	09:21:47	0.029
10/02/2006	09:36:47	0.028
10/02/2006	09:51:47	0.028
10/02/2006	10:06:47	0.039
10/02/2006	10:21:47	0.023
10/02/2006	10:36:47	0.017
10/02/2006	10:51:47	0.015
10/02/2006	11:06:47	0.023
10/02/2006	11:21:47	0.025
10/02/2006	11:36:47	0.006
10/02/2006	11:51:47	0.010
10/02/2006	12:06:47	0.005
10/02/2006	12:21:47	0.007
10/02/2006	12:36:47	0.004
10/02/2006	12:51:47	0.008
10/02/2006	13:06:47	0.012
10/02/2006	13:21:47	0.007
10/02/2006	13:36:47	0.005
10/02/2006	13:51:47	0.016
10/02/2006	14:06:47	0.008
10/02/2006	14:21:47	0.001
10/02/2006	14:36:47	0.006

TrakPro v3.6.2, Test: Test001, Date: 10/02/2006 07:36:47
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/02/2006	14:51:47	0.000
10/02/2006	15:06:47	0.008
10/02/2006	15:21:47	0.002
10/02/2006	15:36:47	0.013
10/02/2006	15:51:47	0.009
10/02/2006	16:06:47	0.004
10/02/2006	16:21:47	0.001
10/02/2006	16:36:47	0.004
10/02/2006	16:51:47	0.018
10/02/2006	17:06:47	0.009
10/02/2006	17:21:47	0.000
10/02/2006	17:36:47	-0.001
10/02/2006	17:51:47	-0.001
10/02/2006	18:06:47	0.000


TrakPro v3.6.2, Test: Test001, Date: 10/02/2006 07:41:25
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006 10/2/06 D2

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
10/02/2006	07:56:25	0.016
10/02/2006	08:11:25	0.020
10/02/2006	08:26:25	0.022
10/02/2006	08:41:25	0.027
10/02/2006	08:56:25	0.019
10/02/2006	09:11:25	0.021
10/02/2006	09:26:25	0.019
10/02/2006	09:41:25	0.023
10/02/2006	09:56:25	0.021
10/02/2006	10:11:25	0.019
10/02/2006	10:26:25	0.016
10/02/2006	10:41:25	0.010
10/02/2006	10:56:25	0.005
10/02/2006	11:11:25	0.005
10/02/2006	11:26:25	0.003
10/02/2006	11:41:25	0.001
10/02/2006	11:56:25	0.002
10/02/2006	12:11:25	0.001
10/02/2006	12:26:25	0.002
10/02/2006	12:41:25	0.001
10/02/2006	12:56:25	0.002
10/02/2006	13:11:25	0.001
10/02/2006	13:26:25	0.002
10/02/2006	13:41:25	0.005
10/02/2006	13:56:25	0.003
10/02/2006	14:11:25	0.004
10/02/2006	14:26:25	0.012
10/02/2006	14:41:25	0.004

TrakPro v3.6.2, Test: Test001, Date: 10/02/2006 07:41:25
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/02/2006	14:56:25	0.001
10/02/2006	15:11:25	0.001
10/02/2006	15:26:25	0.004
10/02/2006	15:41:25	0.004
10/02/2006	15:56:25	0.001
10/02/2006	16:11:25	0.002
10/02/2006	16:26:25	0.005
10/02/2006	16:41:25	0.008
10/02/2006	16:56:25	0.004
10/02/2006	17:11:25	0.006
10/02/2006	17:26:25	0.003
10/02/2006	17:41:25	0.001
10/02/2006	17:56:25	0.002
10/02/2006	18:11:25	0.001

10.02.06



S:\25-015 PRO TIR L: ON=1 OFF=REF
F:\ACTIVE\DWG\ACT\13061001\13061001.dwg
PROJECTNAME: 13061001
XREFS: 13061001
13061001
13061001
SAVED: 6/27/2006 6:04 PM LAYOUT: Layout1
PAGESETUP: 002B-KIP-SVR
PENTABLE: PLTCONT1.CTB
PRINTED: 7/6/2006 12:53 PM BY: KARTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed

Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120



Date: 0.05.20

Air Monitor: DiKoo, H

Activity: Research a new team sport.

Level of Protection

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 10/03/2006 07:28:44
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/3/06 UPRWIND

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/03/2006	07:43:44	0.004
10/03/2006	07:58:44	0.005
10/03/2006	08:13:44	0.007
10/03/2006	08:28:44	0.006
10/03/2006	08:43:44	0.005
10/03/2006	08:58:44	0.006
10/03/2006	09:13:44	0.006
10/03/2006	09:28:44	0.007
10/03/2006	09:43:44	0.007
10/03/2006	09:58:44	0.006
10/03/2006	10:13:44	0.006
10/03/2006	10:28:44	0.007
10/03/2006	10:43:44	0.006
10/03/2006	10:58:44	0.006
10/03/2006	11:13:44	0.006
10/03/2006	11:28:44	0.007
10/03/2006	11:43:44	0.006
10/03/2006	11:58:44	0.005
10/03/2006	12:13:44	0.005
10/03/2006	12:28:44	0.006
10/03/2006	12:43:44	0.006
10/03/2006	12:58:44	0.005
10/03/2006	13:13:44	0.005
10/03/2006	13:28:44	0.005
10/03/2006	13:43:44	0.005
10/03/2006	13:58:44	0.006
10/03/2006	14:13:44	0.004
10/03/2006	14:28:44	0.006

TrakPro v3.6.2, Test: Test001, Date: 10/03/2006 07:28:44
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/03/2006	14:43:44	0.007
10/03/2006	14:58:44	0.005
10/03/2006	15:13:44	0.006
10/03/2006	15:28:44	0.005
10/03/2006	15:43:44	0.008
10/03/2006	15:58:44	0.008
10/03/2006	16:13:44	0.008
10/03/2006	16:28:44	0.009
10/03/2006	16:43:44	0.006
10/03/2006	16:58:44	0.008
10/03/2006	17:13:44	0.007
10/03/2006	17:28:44	0.008
10/03/2006	17:43:44	0.006
10/03/2006	17:58:44	0.006

TrakPro v3.6.2, Test: Test001, Date: 10/03/2006 07:21:13
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006


10/3/06 D1

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/03/2006	07:36:13	0.005
10/03/2006	07:51:13	0.009
10/03/2006	08:06:13	0.009
10/03/2006	08:21:13	0.010
10/03/2006	08:36:13	0.021
10/03/2006	08:51:13	0.013
10/03/2006	09:06:13	0.012
10/03/2006	09:21:13	0.019
10/03/2006	09:36:13	0.018
10/03/2006	09:51:13	0.013
10/03/2006	10:06:13	0.024
10/03/2006	10:21:13	0.035
10/03/2006	10:36:13	0.013
10/03/2006	10:51:13	0.020
10/03/2006	11:06:13	0.034
10/03/2006	11:21:13	0.026
10/03/2006	11:36:13	0.033
10/03/2006	11:51:13	0.027
10/03/2006	12:06:13	0.015
10/03/2006	12:21:13	0.020
10/03/2006	12:36:13	0.022
10/03/2006	12:51:13	0.024
10/03/2006	13:06:13	0.016
10/03/2006	13:21:13	0.018
10/03/2006	13:36:13	0.011
10/03/2006	13:51:13	0.016
10/03/2006	14:06:13	0.019
10/03/2006	14:21:13	0.014

TrakPro v3.6.2, Test: Test001, Date: 10/03/2006 07:21:13
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/03/2006	14:36:13	0.049
10/03/2006	14:51:13	0.049
10/03/2006	15:06:13	0.054
10/03/2006	15:21:13	0.024
10/03/2006	15:36:13	0.068
10/03/2006	15:51:13	0.039
10/03/2006	16:06:13	0.049
10/03/2006	16:21:13	0.058
10/03/2006	16:36:13	0.070
10/03/2006	16:51:13	0.051
10/03/2006	17:06:13	0.027
10/03/2006	17:21:13	0.046
10/03/2006	17:36:13	0.025
10/03/2006	17:51:13	0.023

10.03.06



SITE PLAN
SCALE: 1"=30'

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed

Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MCP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

Project: 33-10001
 Monitoring Instruments: EnviroScan
 Air Monitor: RAE 3000
 Level of Protection: 2

Date: 10-04-06

Activity: Boatman Training
Excavation
Decontamination

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 10/04/2006 07:26:46
 Serial Number: 85201544
 Cal. Date: Aerosol
 06/14/2006

10/4/06 UPWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/04/2006	07:41:46	0.005
10/04/2006	07:56:46	0.006
10/04/2006	08:11:46	0.005
10/04/2006	08:26:46	0.007
10/04/2006	08:41:46	0.007
10/04/2006	08:56:46	0.008
10/04/2006	09:11:46	0.008
10/04/2006	09:26:46	0.008
10/04/2006	09:41:46	0.008
10/04/2006	09:56:46	0.009
10/04/2006	10:11:46	0.008
10/04/2006	10:26:46	0.008
10/04/2006	10:41:46	0.008
10/04/2006	10:56:46	0.009
10/04/2006	11:11:46	0.007
10/04/2006	11:26:46	0.007
10/04/2006	11:41:46	0.008
10/04/2006	11:56:46	0.007
10/04/2006	12:11:46	0.007
10/04/2006	12:26:46	0.007
10/04/2006	12:41:46	0.007
10/04/2006	12:56:46	0.007
10/04/2006	13:11:46	0.007
10/04/2006	13:26:46	0.008
10/04/2006	13:41:46	0.008
10/04/2006	13:56:46	0.008
10/04/2006	14:11:46	0.007
10/04/2006	14:26:46	0.007

TrakPro v3.6.2, Test: Test001, Date: 10/04/2006 07:26:46
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/04/2006	14:41:46	0.013
10/04/2006	14:56:46	0.008
10/04/2006	15:11:46	0.011
10/04/2006	15:26:46	0.008
10/04/2006	15:41:46	0.009

TrakPro v3.6.2, Test: Test001, Date: 10/04/2006 07:30:52
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006 10/4/06 01

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/04/2006	07:45:52	0.016
10/04/2006	08:00:52	0.021
10/04/2006	08:15:52	0.026
10/04/2006	08:30:52	0.026
10/04/2006	08:45:52	0.026
10/04/2006	09:00:52	0.032
10/04/2006	09:15:52	0.031
10/04/2006	09:30:52	0.031
10/04/2006	09:45:52	0.030
10/04/2006	10:00:52	0.031
10/04/2006	10:15:52	0.032
10/04/2006	10:30:52	0.032
10/04/2006	10:45:52	0.027
10/04/2006	11:00:52	0.028
10/04/2006	11:15:52	0.023
10/04/2006	11:30:52	0.021
10/04/2006	11:45:52	0.023
10/04/2006	12:00:52	0.026
10/04/2006	12:15:52	0.030
10/04/2006	12:30:52	0.025
10/04/2006	12:45:52	0.028
10/04/2006	13:00:52	0.034
10/04/2006	13:15:52	0.027
10/04/2006	13:30:52	0.027
10/04/2006	13:45:52	0.023
10/04/2006	14:00:52	0.031
10/04/2006	14:15:52	0.019
10/04/2006	14:30:52	0.023

TrakPro v3.6.2, Test: Test001, Date: 10/04/2006 07:30:52
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/04/2006	14:45:52	0.027
10/04/2006	15:00:52	0.028
10/04/2006	15:15:52	0.025
10/04/2006	15:30:52	0.026

TrakPro v3.6.2, Test: Test001, Date: 10/04/2006 07:36:58
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

10/4/06 D2

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/04/2006	07:51:58	0.015
10/04/2006	08:06:58	0.017
10/04/2006	08:21:58	0.022
10/04/2006	08:36:58	0.025
10/04/2006	08:51:58	0.027
10/04/2006	09:06:58	0.026
10/04/2006	09:21:58	0.026
10/04/2006	09:36:58	0.030
10/04/2006	09:51:58	0.033
10/04/2006	10:06:58	0.033
10/04/2006	10:21:58	0.034
10/04/2006	10:36:58	0.028
10/04/2006	10:51:58	0.025
10/04/2006	11:06:58	0.027
10/04/2006	11:21:58	0.022
10/04/2006	11:36:58	0.022
10/04/2006	11:51:58	0.023
10/04/2006	12:06:58	0.022
10/04/2006	12:21:58	0.023
10/04/2006	12:36:58	0.025
10/04/2006	12:51:58	0.026
10/04/2006	13:06:58	0.026
10/04/2006	13:21:58	0.029
10/04/2006	13:36:58	0.023
10/04/2006	13:51:58	0.024
10/04/2006	14:06:58	0.028
10/04/2006	14:21:58	0.030
10/04/2006	14:36:58	0.024

TrakPro v3.6.2, Test: Test001, Date: 10/04/2006 07:36:58
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/04/2006	14:51:58	0.024
10/04/2006	15:06:58	0.024
10/04/2006	15:21:58	0.025
10/04/2006	15:36:58	0.030

S:\R-BS-GHS PRO T.R L: ON=*, OFF=REF
F: \ACTIVE-DWG\ACT\3061001\3061001.dwg
SAVED: 4/27/2006 6:04 PM LAYOUT1: Layout1
PAGESETUP: C:\28-KIP-SVR PENTABLE\PICTONTI.CTG PRINTED: 7/6/2006 12:53 PM BY: KSAFTORI



THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED.
INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED
WHEN DRAWINGS ARE REPRODUCED.
USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE
ACTUAL SCALE(S) OF THIS DRAWING.

Professional Engineer's Name		
MARGARET A. CARRILLO-SHERIDAN		
Professional Engineer's No.		
082251		
State	Date Signed	
NY		
Project Mgr.	Designed by	Drawn by
DLM	MCS	CHC

NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

BBL Project No. 130.61
Date JUNE 28, 2006
Blasland, Bouck & Lee, Inc. an Arcadis company 6723 Towpath Road Syracuse, NY 13214 315-446-9120



Project: 100-104000

Date: 10/05/01

Monitoring Instruments: Kinetic Rate Meter

Air Monitor

Activity: Earth, Earth and Beyond

Level of Protection:

04/28/06
[https://www.mybbl.com/MyBBL/FileArchive/Corporate Forms/Health Safety/Standard_BBLES HASP_Forms.doc](https://www.mybbl.com/MyBBL/FileArchive/Corporate Forms/Health Safety/Standard_BBLES_HASP_Forms.doc)

TrakPro v3.6.2, Test: Test001, Date: 10/05/2006 07:18:19
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/5/05 UPRWINB

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/05/2006	07:33:19	0.002
10/05/2006	07:48:19	0.002
10/05/2006	08:03:19	0.002
10/05/2006	08:18:19	0.002
10/05/2006	08:33:19	0.002
10/05/2006	08:48:19	0.002
10/05/2006	09:03:19	0.003
10/05/2006	09:18:19	0.002
10/05/2006	09:33:19	0.002
10/05/2006	09:48:19	0.002
10/05/2006	10:03:19	0.002
10/05/2006	10:18:19	0.002
10/05/2006	10:33:19	0.002
10/05/2006	10:48:19	0.002
10/05/2006	11:03:19	0.003
10/05/2006	11:18:19	0.002
10/05/2006	11:33:19	0.002
10/05/2006	11:48:19	0.002
10/05/2006	12:03:19	0.002
10/05/2006	12:18:19	0.002
10/05/2006	12:33:19	0.002
10/05/2006	12:48:19	0.002
10/05/2006	13:03:19	0.002
10/05/2006	13:18:19	0.002
10/05/2006	13:33:19	0.002
10/05/2006	13:48:19	0.002
10/05/2006	14:03:19	0.003
10/05/2006	14:18:19	0.002

TrakPro v3.6.2, Test: Test001, Date: 10/05/2006 07:18:19
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/05/2006	14:33:19	0.002
10/05/2006	14:48:19	0.002
10/05/2006	15:03:19	0.004
10/05/2006	15:18:19	0.003
10/05/2006	15:33:19	0.002
10/05/2006	15:48:19	0.002
10/05/2006	16:03:19	0.002
10/05/2006	16:18:19	0.002
10/05/2006	16:33:19	0.003
10/05/2006	16:48:19	0.002
10/05/2006	17:03:19	0.002
10/05/2006	17:18:19	0.003
10/05/2006	17:33:19	0.002
10/05/2006	17:48:19	0.002

TrakPro v3.6.2, Test: Test001, Date: 10/05/2006 07:23:57
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

10/5/06 DI

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/05/2006	07:38:57	0.000
10/05/2006	07:53:57	-0.001
10/05/2006	08:08:57	0.002
10/05/2006	08:23:57	0.000
10/05/2006	08:38:57	0.000
10/05/2006	08:53:57	0.000
10/05/2006	09:08:57	0.000
10/05/2006	09:23:57	0.000
10/05/2006	09:38:57	0.000
10/05/2006	09:53:57	-0.001
10/05/2006	10:08:57	0.000
10/05/2006	10:23:57	0.000
10/05/2006	10:38:57	-0.001
10/05/2006	10:53:57	0.000
10/05/2006	11:08:57	0.000
10/05/2006	11:23:57	0.000
10/05/2006	11:38:57	0.000
10/05/2006	11:53:57	0.000
10/05/2006	12:08:57	0.001
10/05/2006	12:23:57	0.000
10/05/2006	12:38:57	0.000
10/05/2006	12:53:57	0.000
10/05/2006	13:08:57	-0.001
10/05/2006	13:23:57	-0.002
10/05/2006	13:38:57	-0.002
10/05/2006	13:53:57	-0.001
10/05/2006	14:08:57	0.016
10/05/2006	14:23:57	0.000

TrakPro v3.6.2, Test: Test001, Date: 10/05/2006 07:23:57
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/05/2006	14:38:57	0.003
10/05/2006	14:53:57	0.004
10/05/2006	15:08:57	-0.001
10/05/2006	15:23:57	0.000
10/05/2006	15:38:57	0.000
10/05/2006	15:53:57	0.000
10/05/2006	16:08:57	0.000
10/05/2006	16:23:57	0.000
10/05/2006	16:38:57	0.000
10/05/2006	16:53:57	0.000
10/05/2006	17:08:57	0.000
10/05/2006	17:23:57	0.001
10/05/2006	17:38:57	0.000
10/05/2006	17:53:57	0.009

TrakPro v3.6.2, Test: Test001, Date: 10/05/2006 07:29:13
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

10/5/05 D2

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/05/2006	07:44:13	0.001
10/05/2006	07:59:13	0.002
10/05/2006	08:14:13	0.001
10/05/2006	08:29:13	0.002
10/05/2006	08:44:13	0.002
10/05/2006	08:59:13	0.001
10/05/2006	09:14:13	0.002
10/05/2006	09:29:13	0.002
10/05/2006	09:44:13	0.001
10/05/2006	09:59:13	0.000
10/05/2006	10:14:13	0.000
10/05/2006	10:29:13	0.001
10/05/2006	10:44:13	0.002
10/05/2006	10:59:13	0.004
10/05/2006	11:14:13	0.001
10/05/2006	11:29:13	0.000
10/05/2006	11:44:13	0.007
10/05/2006	11:59:13	0.007
10/05/2006	12:14:13	0.000
10/05/2006	12:29:13	0.006
10/05/2006	12:44:13	0.002
10/05/2006	12:59:13	0.002
10/05/2006	13:14:13	0.000
10/05/2006	13:29:13	0.003
10/05/2006	13:44:13	0.003
10/05/2006	13:59:13	0.014
10/05/2006	14:14:13	0.005
10/05/2006	14:29:13	0.003

TrakPro v3.6.2, Test: Test001, Date: 10/05/2006 07:29:13
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/05/2006	14:44:13	0.040
10/05/2006	14:59:13	0.001
10/05/2006	15:14:13	0.004
10/05/2006	15:29:13	0.002
10/05/2006	15:44:13	0.002
10/05/2006	15:59:13	0.008
10/05/2006	16:14:13	0.011
10/05/2006	16:29:13	0.000
10/05/2006	16:44:13	0.003
10/05/2006	16:59:13	0.001
10/05/2006	17:14:13	0.009
10/05/2006	17:29:13	0.003
10/05/2006	17:44:13	0.000
10/05/2006	17:59:13	0.001
10/05/2006	18:14:13	0.000

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED.
ACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED
WHEN DRAWINGS ARE REPRODUCED.
USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE
ACTUAL SCALE(S) OF THIS DRAWING.

				Professional Engineer's Name MARGARET A. CARRILLO-SHERIDAN	
				Professional Engineer's No. 082251	
				State NY	
				Date Signed	
No.	Date	Revisions		Init	
NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW					
			Project Mgr.	Designed by	Drawn by



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No. 130.61
Date JUNE 28, 2006
Blasland, Bouck & Lee, Inc. on Arcadis company 6723 Towpath Road

Project: B-74-100
Monitoring Instruments: MiniRAE 3000
Air Monitor: B-13000W
Level of Protection: D

Date: 10-06-00

Activity: Brainstorming
Exercises

Level of Protection

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 10/06/2006 07:38:10
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/6/06 UPWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/06/2006	07:53:10	0.004
10/06/2006	08:08:10	0.004
10/06/2006	08:23:10	0.004
10/06/2006	08:38:10	0.003
10/06/2006	08:53:10	0.004
10/06/2006	09:08:10	0.005
10/06/2006	09:23:10	0.005
10/06/2006	09:38:10	0.004
10/06/2006	09:53:10	0.004
10/06/2006	10:08:10	0.004
10/06/2006	10:23:10	0.004
10/06/2006	10:38:10	0.004
10/06/2006	10:53:10	0.003
10/06/2006	11:08:10	0.004
10/06/2006	11:23:10	0.003
10/06/2006	11:38:10	0.004
10/06/2006	11:53:10	0.004
10/06/2006	12:08:10	0.004
10/06/2006	12:23:10	0.004
10/06/2006	12:38:10	0.003
10/06/2006	12:53:10	0.003
10/06/2006	13:08:10	0.004
10/06/2006	13:23:10	0.003
10/06/2006	13:38:10	0.003
10/06/2006	13:53:10	0.003
10/06/2006	14:08:10	0.003
10/06/2006	14:23:10	0.004
10/06/2006	14:38:10	0.004

TrakPro v3.6.2, Test: Test001, Date: 10/06/2006 07:38:10
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/06/2006	14:53:10	0.004
10/06/2006	15:08:10	0.004
10/06/2006	15:23:10	0.004
10/06/2006	15:38:10	0.003
10/06/2006	15:53:10	0.004
10/06/2006	16:08:10	0.003
10/06/2006	16:23:10	0.003
10/06/2006	16:38:10	0.003
10/06/2006	16:53:10	0.002
10/06/2006	17:08:10	0.003
10/06/2006	17:23:10	0.003
10/06/2006	17:38:10	0.004

TrakPro v3.6.2, Test: Test001, Date: 10/06/2006 07:42:53
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

10/6/06 PI

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/06/2006	07:57:53	0.005
10/06/2006	08:12:53	0.004
10/06/2006	08:27:53	0.011
10/06/2006	08:42:53	0.003
10/06/2006	08:57:53	0.006
10/06/2006	09:12:53	0.088
10/06/2006	09:27:53	0.007
10/06/2006	09:42:53	0.004
10/06/2006	09:57:53	0.004
10/06/2006	10:12:53	0.007
10/06/2006	10:27:53	0.021
10/06/2006	10:42:53	0.004
10/06/2006	10:57:53	0.003
10/06/2006	11:12:53	0.003
10/06/2006	11:27:53	0.004
10/06/2006	11:42:53	0.004
10/06/2006	11:57:53	0.006
10/06/2006	12:12:53	0.006
10/06/2006	12:27:53	0.002
10/06/2006	12:42:53	0.002
10/06/2006	12:57:53	0.001
10/06/2006	13:12:53	0.006
10/06/2006	13:27:53	0.002
10/06/2006	13:42:53	0.006
10/06/2006	13:57:53	0.004
10/06/2006	14:12:53	0.002
10/06/2006	14:27:53	0.001
10/06/2006	14:42:53	0.017

TrakPro v3.6.2, Test: Test001, Date: 10/06/2006 07:42:53
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/06/2006	14:57:53	0.019
10/06/2006	15:12:53	0.014
10/06/2006	15:27:53	0.007
10/06/2006	15:42:53	0.009
10/06/2006	15:57:53	0.013
10/06/2006	16:12:53	0.019
10/06/2006	16:27:53	0.014
10/06/2006	16:42:53	0.008
10/06/2006	16:57:53	0.014
10/06/2006	17:12:53	0.016
10/06/2006	17:27:53	0.039
10/06/2006	17:42:53	0.004
10/06/2006	17:57:53	0.038
10/06/2006	18:12:53	0.030


TrakPro v3.6.2, Test: Test001, Date: 10/06/2006 07:47:34
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

10/06/06 02

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/06/2006	08:02:34	0.015
10/06/2006	08:17:34	0.014
10/06/2006	08:32:34	0.016
10/06/2006	08:47:34	0.017
10/06/2006	09:02:34	0.017
10/06/2006	09:17:34	0.015
10/06/2006	09:32:34	0.010
10/06/2006	09:47:34	0.012
10/06/2006	10:02:34	0.007
10/06/2006	10:17:34	0.009
10/06/2006	10:32:34	0.007
10/06/2006	10:47:34	0.006
10/06/2006	11:02:34	0.006
10/06/2006	11:17:34	0.004
10/06/2006	11:32:34	0.004
10/06/2006	11:47:34	0.005
10/06/2006	12:02:34	0.005
10/06/2006	12:17:34	0.006
10/06/2006	12:32:34	0.010
10/06/2006	12:47:34	0.007
10/06/2006	13:02:34	0.006
10/06/2006	13:17:34	0.004
10/06/2006	13:32:34	0.004
10/06/2006	13:47:34	0.002
10/06/2006	14:02:34	0.006
10/06/2006	14:17:34	0.002
10/06/2006	14:32:34	0.002
10/06/2006	14:47:34	0.008

TrakPro v3.6.2, Test: Test001, Date: 10/06/2006 07:47:34
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/06/2006	15:02:34	0.013
10/06/2006	15:17:34	0.010
10/06/2006	15:32:34	0.001
10/06/2006	15:47:34	0.002
10/06/2006	16:02:34	0.003
10/06/2006	16:17:34	0.007
10/06/2006	16:32:34	0.001
10/06/2006	16:47:34	0.012
10/06/2006	17:02:34	0.001
10/06/2006	17:17:34	0.002
10/06/2006	17:32:34	0.006
10/06/2006	17:47:34	0.009
10/06/2006	18:02:34	0.002
10/06/2006	18:17:34	0.001



THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED.
INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED
WHEN DRAWINGS ARE REPRODUCED.
USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE
ACTUAL SCALE(S) OF THIS DRAWING.

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209
SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Project Mgr.	Designed by	Drawn by
DLM	MCS	GHS



SITE PLAN WITH UTILITIES

Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpoth Road
Syracuse, NY 13214
315-446-9120

TrakPro v3.6.2, Test: Test001, Date: 10/07/2006 07:22:03
 Serial Number: 85201544
 Cal. Date: Aerosol
 06/14/2006

10/7/06 UPWIND

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/07/2006	07:37:03	0.004
10/07/2006	07:52:03	0.004
10/07/2006	08:07:03	0.004
10/07/2006	08:22:03	0.004
10/07/2006	08:37:03	0.004
10/07/2006	08:52:03	0.005
10/07/2006	09:07:03	0.004
10/07/2006	09:22:03	0.004
10/07/2006	09:37:03	0.005
10/07/2006	09:52:03	0.005
10/07/2006	10:07:03	0.003
10/07/2006	10:22:03	0.004
10/07/2006	10:37:03	0.004
10/07/2006	10:52:03	0.004
10/07/2006	11:07:03	0.002
10/07/2006	11:22:03	0.003
10/07/2006	11:37:03	0.003
10/07/2006	11:52:03	0.003
10/07/2006	12:07:03	0.003
10/07/2006	12:22:03	0.002
10/07/2006	12:37:03	0.002
10/07/2006	12:52:03	0.002
10/07/2006	13:07:03	0.002
10/07/2006	13:22:03	0.002
10/07/2006	13:37:03	0.002
10/07/2006	13:52:03	0.002
10/07/2006	14:07:03	0.002
10/07/2006	14:22:03	0.002

TrakPro v3.6.2, Test: Test001, Date: 10/07/2006 07:22:03
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/07/2006	14:37:03	0.003
10/07/2006	14:52:03	0.002
10/07/2006	15:07:03	0.002
10/07/2006	15:22:03	0.002
10/07/2006	15:37:03	0.002
10/07/2006	15:52:03	0.002
10/07/2006	16:07:03	0.002
10/07/2006	16:22:03	0.002
10/07/2006	16:37:03	0.002
10/07/2006	16:52:03	0.002

TrakPro v3.6.2, Test: Test001, Date: 10/07/2006 07:26:11
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

10/7/06 DI

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/07/2006	07:41:11	0.007
10/07/2006	07:56:11	0.010
10/07/2006	08:11:11	0.006
10/07/2006	08:26:11	0.005
10/07/2006	08:41:11	0.006
10/07/2006	08:56:11	0.019
10/07/2006	09:11:11	0.019
10/07/2006	09:26:11	0.010
10/07/2006	09:41:11	0.006
10/07/2006	09:56:11	0.002
10/07/2006	10:11:11	0.001
10/07/2006	10:26:11	0.001
10/07/2006	10:41:11	0.003
10/07/2006	10:56:11	0.003
10/07/2006	11:11:11	0.000
10/07/2006	11:26:11	0.000
10/07/2006	11:41:11	0.000
10/07/2006	11:56:11	0.001
10/07/2006	12:11:11	-0.001
10/07/2006	12:26:11	-0.001
10/07/2006	12:41:11	-0.001
10/07/2006	12:56:11	-0.001
10/07/2006	13:11:11	-0.001
10/07/2006	13:26:11	0.000
10/07/2006	13:41:11	-0.002
10/07/2006	13:56:11	-0.001
10/07/2006	14:11:11	-0.001
10/07/2006	14:26:11	-0.002

TrakPro v3.6.2, Test: Test001, Date: 10/07/2006 07:26:11
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/07/2006	14:41:11	-0.002
10/07/2006	14:56:11	-0.001
10/07/2006	15:11:11	-0.002
10/07/2006	15:26:11	-0.002
10/07/2006	15:41:11	-0.002
10/07/2006	15:56:11	-0.002
10/07/2006	16:11:11	-0.002
10/07/2006	16:26:11	-0.002
10/07/2006	16:41:11	-0.002

TrakPro v3.6.2, Test: Test001, Date: 10/07/2006 07:31:21
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006


10/7/06 D2

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/07/2006	07:46:21	0.008
10/07/2006	08:01:21	0.015
10/07/2006	08:16:21	0.007
10/07/2006	08:31:21	0.012
10/07/2006	08:46:21	0.008
10/07/2006	09:01:21	0.008
10/07/2006	09:16:21	0.029
10/07/2006	09:31:21	0.006
10/07/2006	09:46:21	0.017
10/07/2006	10:01:21	0.005
10/07/2006	10:16:21	0.003
10/07/2006	10:31:21	0.003
10/07/2006	10:46:21	0.002
10/07/2006	11:01:21	0.003
10/07/2006	11:16:21	0.007
10/07/2006	11:31:21	0.006
10/07/2006	11:46:21	0.007
10/07/2006	12:01:21	0.009
10/07/2006	12:16:21	0.004
10/07/2006	12:31:21	0.004
10/07/2006	12:46:21	0.000
10/07/2006	13:01:21	0.001
10/07/2006	13:16:21	0.004
10/07/2006	13:31:21	0.003
10/07/2006	13:46:21	0.001
10/07/2006	14:01:21	0.008
10/07/2006	14:16:21	0.006
10/07/2006	14:31:21	0.003

TrakPro v3.6.2, Test: Test001, Date: 10/07/2006 07:31:21
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/07/2006	14:46:21	0.001
10/07/2006	15:01:21	0.000
10/07/2006	15:16:21	0.000
10/07/2006	15:31:21	0.000
10/07/2006	15:46:21	0.000
10/07/2006	16:01:21	0.001
10/07/2006	16:16:21	0.000
10/07/2006	16:31:21	0.001
10/07/2006	16:46:21	0.001

10.07.06



- LEGEND:**
- EXISTING RAILROAD TRACKS
 - ABANDONED RAILROAD TRACKS
 - EXISTING FENCE LINE
 - EXISTING SURFACE CONTOUR
 - EXISTING CURB
 - EXISTING MANHOLE LOCATION
 - EXISTING LIGHT POLE
 - EXISTING UTILITY POLE
 - EXISTING POTABLE WATER SUPPLY LINE
 - EXISTING STORM DRAIN LINE
 - EXISTING SANITARY SEWER
 - EXISTING UNDERGROUND ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC AND TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING NATURAL GAS TRANSMISSION LINE
 - RETIRED NATURAL GAS TRANSMISSION LINE

NOTE:

1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

SITE PLAN

0 30' 60'

SCALE: 1"=30'

SYN-05-CUS PRO TIR LI ON-4 QTY-487F
PROJECTNAME: 13061X00 13061X01
F:\ACTIVE\DWG\ACT\13061X01.dwg
PAGESETUP:CDLJB-KIP-SYR
PENTABLE:PLTCONT1.CTB
PRINTED: 7/6/2005 12:53 PM BY:KSARTORI
SAVED: 6/27/2005 6:04 PM LAYOUT: Layout1
PAGESETUP:CDLJB-KIP-SYR

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

Professional Engineer's Name		MARGARET A. CARRILLO-SHERIDAN	
Professional Engineer's No.		082251	
State		NY	
Date Signed			
No.	Date	Revisions	Init
NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW			
Project Mgr.		Designed by	Drawn by
DLM		MCS	GHS

BBL
an ARCADIS company

NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL I/RM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Bisland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

Project 133, 74, 201

Date: 03.03.00

Monitoring Instruments

WILLIAM PATRICK

Air Monitor

SECRET

Activity

1990

Level of Protection

1998

Exercises

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 10/08/2006 07:21:06
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

10/8/06 upwind

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/08/2006	07:36:06	0.009
10/08/2006	07:51:06	0.008
10/08/2006	08:06:06	0.032
10/08/2006	08:21:06	0.013
10/08/2006	08:36:06	0.012
10/08/2006	08:51:06	0.013
10/08/2006	09:06:06	0.010
10/08/2006	09:21:06	0.010
10/08/2006	09:36:06	0.008
10/08/2006	09:51:06	0.011
10/08/2006	10:06:06	0.010
10/08/2006	10:21:06	0.006
10/08/2006	10:36:06	0.006
10/08/2006	10:51:06	0.004
10/08/2006	11:06:06	0.003
10/08/2006	11:21:06	0.004

TrakPro v3.6.2, Test: Test001, Date: 10/08/2006 07:26:08
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

10/8/06 DI


Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/08/2006	07:41:08	0.009
10/08/2006	07:56:08	0.008
10/08/2006	08:11:08	0.008
10/08/2006	08:26:08	0.012
10/08/2006	08:41:08	0.012
10/08/2006	08:56:08	0.009
10/08/2006	09:11:08	0.008
10/08/2006	09:26:08	0.009
10/08/2006	09:41:08	0.009
10/08/2006	09:56:08	0.008
10/08/2006	10:11:08	0.004
10/08/2006	10:26:08	0.003
10/08/2006	10:41:08	0.003
10/08/2006	10:56:08	0.006
10/08/2006	11:11:08	0.003
10/08/2006	11:26:08	0.004

TrakPro v3.6.2, Test: Test001, Date: 10/08/2006 07:33:19
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/8/06 DZ

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/08/2006	07:48:19	0.006
10/08/2006	08:03:19	0.009
10/08/2006	08:18:19	0.008
10/08/2006	08:33:19	0.008
10/08/2006	08:48:19	0.007
10/08/2006	09:03:19	0.007
10/08/2006	09:18:19	0.005
10/08/2006	09:33:19	0.006
10/08/2006	09:48:19	0.006
10/08/2006	10:03:19	0.005
10/08/2006	10:18:19	0.005
10/08/2006	10:33:19	0.005
10/08/2006	10:48:19	0.004
10/08/2006	11:03:19	0.005
10/08/2006	11:18:19	0.003

10.08.06



SITE PLAN

0 30' 60'
SCALE: 1"=30'

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed
Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS

BBL
an ARCADIS company

NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120



Project

Date _____

Monitoring Instruments

Air Monitor

Activity

Level of Protection

04/28/06
<https://www.mybbl.com/MyBBL/FileArchive/Corporate Forms/Health Safety/Standard BBLES HASP Forms.doc>

TrakPro v3.6.2, Test: Test001, Date: 10/09/2006 07:33:17
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/11/06 UPRWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/09/2006	07:48:17	0.005
10/09/2006	08:03:17	0.005
10/09/2006	08:18:17	0.006
10/09/2006	08:33:17	0.006
10/09/2006	08:48:17	0.010
10/09/2006	09:03:17	0.006
10/09/2006	09:18:17	0.006
10/09/2006	09:33:17	0.006
10/09/2006	09:48:17	0.007
10/09/2006	10:03:17	0.013
10/09/2006	10:18:17	0.007
10/09/2006	10:33:17	0.006
10/09/2006	10:48:17	0.021
10/09/2006	11:03:17	0.007
10/09/2006	11:18:17	0.006
10/09/2006	11:33:17	0.007
10/09/2006	11:48:17	0.007
10/09/2006	12:03:17	0.006
10/09/2006	12:18:17	0.011
10/09/2006	12:33:17	0.011
10/09/2006	12:48:17	0.006
10/09/2006	13:03:17	0.032
10/09/2006	13:18:17	0.005
10/09/2006	13:33:17	0.009
10/09/2006	13:48:17	0.014
10/09/2006	14:03:17	0.019
10/09/2006	14:18:17	0.009
10/09/2006	14:33:17	0.011

TrakPro v3.6.2, Test: Test001, Date: 10/09/2006 07:33:17
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/09/2006	14:48:17	0.033
10/09/2006	15:03:17	0.029
10/09/2006	15:18:17	0.025

TrakPro v3.6.2, Test: Test001, Date: 10/09/2006 07:43:59
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

10/9/06 DI

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/09/2006	07:58:59	0.009
10/09/2006	08:13:59	0.010
10/09/2006	08:28:59	0.022
10/09/2006	08:43:59	0.032
10/09/2006	08:58:59	0.054
10/09/2006	09:13:59	0.031
10/09/2006	09:28:59	0.070
10/09/2006	09:43:59	0.029
10/09/2006	09:58:59	0.036
10/09/2006	10:13:59	0.043
10/09/2006	10:28:59	0.028
10/09/2006	10:43:59	0.056
10/09/2006	10:58:59	0.063
10/09/2006	11:13:59	0.046
10/09/2006	11:28:59	0.036
10/09/2006	11:43:59	0.024
10/09/2006	11:58:59	0.023
10/09/2006	12:13:59	0.045
10/09/2006	12:28:59	0.023
10/09/2006	12:43:59	0.009
10/09/2006	12:58:59	0.003
10/09/2006	13:13:59	0.003
10/09/2006	13:28:59	0.013
10/09/2006	13:43:59	0.011
10/09/2006	13:58:59	0.008
10/09/2006	14:13:59	0.006
10/09/2006	14:28:59	0.003
10/09/2006	14:43:59	0.016

TrakPro v3.6.2, Test: Test001, Date: 10/09/2006 07:43:59
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/09/2006	14:58:59	0.014
10/09/2006	15:13:59	0.022

TrakPro v3.6.2, Test: Test001, Date: 10/09/2006 07:51:12
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006


10/9/06 D2

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
10/09/2006	08:06:12	0.015
10/09/2006	08:21:12	0.011
10/09/2006	08:36:12	0.015
10/09/2006	08:51:12	0.015
10/09/2006	09:06:12	0.016
10/09/2006	09:21:12	0.019
10/09/2006	09:36:12	0.015
10/09/2006	09:51:12	0.018
10/09/2006	10:06:12	0.016
10/09/2006	10:21:12	0.018
10/09/2006	10:36:12	0.015
10/09/2006	10:51:12	0.015
10/09/2006	11:06:12	0.018
10/09/2006	11:21:12	0.012
10/09/2006	11:36:12	0.015
10/09/2006	11:51:12	0.016
10/09/2006	12:06:12	0.013
10/09/2006	12:21:12	0.008
10/09/2006	12:36:12	0.008
10/09/2006	12:51:12	0.006
10/09/2006	13:06:12	0.005
10/09/2006	13:21:12	0.004
10/09/2006	13:36:12	0.003
10/09/2006	13:51:12	0.003
10/09/2006	14:06:12	0.003
10/09/2006	14:21:12	0.003
10/09/2006	14:36:12	0.004
10/09/2006	14:51:12	0.003

TrakPro v3.6.2, Test: Test001, Date: 10/09/2006 07:51:12
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/YYYY	hh:mm:ss	mg/m ³
10/09/2006	15:06:12	0.004
10/09/2006	15:21:12	0.006

SYS-BS-GWS PRO TUR L: ON=*, OFF=*REF
F: ACTIVE-DWG ACT/13061601.dwg
PAGESETUP: C028-KIP-SVR
LAYOUT: Layout1
PLOT: 6/27/2006 6:04 PM
PENTABLE: PLOTCONT.CTB
BY: KARTORI



No.	Date		Revisions		In
NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW					



SITE PLAN WITH UTILITIES

1

Project: 03-791551
Bryce Cooper ET

Date: 10-10-06

Monitoring Instruments

Air Monitor: D. G. Deros

Activity Handwritten Exercise

Level of Protection: 15

MEMBERS

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 10/10/2006 07:20:11
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/10/06 UPMIND

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/10/2006	07:50:11	0.006
10/10/2006	08:20:11	0.009
10/10/2006	08:50:11	0.012
10/10/2006	09:20:11	0.011
10/10/2006	09:50:11	0.009
10/10/2006	10:20:11	0.009
10/10/2006	10:50:11	0.014
10/10/2006	11:20:11	0.016
10/10/2006	11:50:11	0.016
10/10/2006	12:20:11	0.010
10/10/2006	12:50:11	0.008
10/10/2006	13:20:11	0.009
10/10/2006	13:50:11	0.008
10/10/2006	14:20:11	0.006

TrakPro v3.6.2, Test: Test001, Date: 10/10/2006 07:22:49
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

10/10/06 DI

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/10/2006	07:37:49	0.016
10/10/2006	07:52:49	0.051
10/10/2006	08:07:49	0.037
10/10/2006	08:22:49	0.024
10/10/2006	08:37:49	0.037
10/10/2006	08:52:49	0.038
10/10/2006	09:07:49	0.047
10/10/2006	09:22:49	0.040
10/10/2006	09:37:49	0.053
10/10/2006	09:52:49	0.037
10/10/2006	10:07:49	0.029
10/10/2006	10:22:49	0.104
10/10/2006	10:37:49	0.087
10/10/2006	10:52:49	0.092
10/10/2006	11:07:49	0.121
10/10/2006	11:22:49	0.071
10/10/2006	11:37:49	0.051
10/10/2006	11:52:49	0.054
10/10/2006	12:07:49	0.039
10/10/2006	12:22:49	0.030
10/10/2006	12:37:49	0.027
10/10/2006	12:52:49	0.019
10/10/2006	13:07:49	0.044
10/10/2006	13:22:49	0.042
10/10/2006	13:37:49	0.018
10/10/2006	13:52:49	0.018
10/10/2006	14:07:49	0.019
10/10/2006	14:22:49	0.014

TrakPro v3.6.2, Test: Test001, Date: 10/10/2006 07:22:49
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006


Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/10/2006	14:37:49	0.012

TrakPro v3.6.2, Test: Test001, Date: 10/10/2006 07:28:12
 Serial Number: 85201529
 Cal. Date: Aerosol
 06/06/2006

10/10/06 DZ

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/10/2006	07:43:12	0.013
10/10/2006	07:58:12	0.018
10/10/2006	08:13:12	0.019
10/10/2006	08:28:12	0.025
10/10/2006	08:43:12	0.027
10/10/2006	08:58:12	0.034
10/10/2006	09:13:12	0.033
10/10/2006	09:28:12	0.030
10/10/2006	09:43:12	0.027
10/10/2006	09:58:12	0.031
10/10/2006	10:13:12	0.028
10/10/2006	10:28:12	0.040
10/10/2006	10:43:12	0.046
10/10/2006	10:58:12	0.048
10/10/2006	11:13:12	0.046
10/10/2006	11:28:12	0.044
10/10/2006	11:43:12	0.023
10/10/2006	11:58:12	0.025
10/10/2006	12:13:12	0.025
10/10/2006	12:28:12	0.019
10/10/2006	12:43:12	0.018
10/10/2006	12:58:12	0.015
10/10/2006	13:13:12	0.011
10/10/2006	13:28:12	0.013
10/10/2006	13:43:12	0.013
10/10/2006	13:58:12	0.020
10/10/2006	14:13:12	0.017
10/10/2006	14:28:12	0.021

10.10.06



- LEGEND:
- EXISTING RAILROAD TRACKS
 - ABANDONED RAILROAD TRACKS
 - EXISTING FENCE LINE
 - EXISTING SURFACE CONTOUR
 - EXISTING CURB
 - EXISTING MANHOLE LOCATION
 - EXISTING LIGHT POLE
 - EXISTING UTILITY POLE
 - EXISTING POTABLE WATER SUPPLY LINE
 - EXISTING STORM DRAIN LINE
 - EXISTING SANITARY SEWER
 - EXISTING UNDERGROUND ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC AND TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING NATURAL GAS TRANSMISSION LINE
 - RETIRED NATURAL GAS TRANSMISSION LINE

NOTE:
1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

SITE PLAN
SCALE: 1"=30'

SYN-95-015 PRO. TYP. L. ON-A. OFE-0001
P:\ACTIVE\DWG\ACT\13081001\13081001.dwg
PROJECTNAME: IMAGES
13081001
13081001
13081001
SAVED: 6/27/2006 6:04 PM LAYOUT: L00011 PAPERSETUP: C02B-MP-SVR PENTABLE: PLOTTING CTD PRINTED: 7/6/2006 12:53 PM BY: KSANTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed

Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

Project: 150,7400

Date: 12/13/2014

Monitoring Instruments: M15, BOD, ZOD


Air Monitor: Super 14

Activity 10: Look-out for Extraneous

Level of Protection: 

[illegible]

10.12.06



SITE PLAN
SCALE: 1"=30'

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed

Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

TrakPro v3.6.2, Test: Test001, Date: 10/13/2006 07:14:33
 Serial Number: 85201544
 Cal. Date: Aerosol
 06/14/2006

10/13/06 UPWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/13/2006	07:44:33	0.002
10/13/2006	08:14:33	0.003
10/13/2006	08:44:33	0.005
10/13/2006	09:14:33	0.005
10/13/2006	09:44:33	0.003
10/13/2006	10:14:33	0.005
10/13/2006	10:44:33	0.006
10/13/2006	11:14:33	0.005
10/13/2006	11:44:33	0.005
10/13/2006	12:14:33	0.005
10/13/2006	12:44:33	0.009
10/13/2006	13:14:33	0.006
10/13/2006	13:44:33	0.005
10/13/2006	14:14:33	0.006
10/13/2006	14:44:33	0.005

TrakPro v3.6.2, Test: Test001, Date: 10/13/2006 07:19:35
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

10/13/06 DI

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/13/2006	07:34:35	0.001
10/13/2006	07:49:35	0.004
10/13/2006	08:04:35	0.021
10/13/2006	08:19:35	0.012
10/13/2006	08:34:35	0.006
10/13/2006	08:49:35	0.018
10/13/2006	09:04:35	0.015
10/13/2006	09:19:35	0.028
10/13/2006	09:34:35	0.014
10/13/2006	09:49:35	0.020
10/13/2006	10:04:35	0.007
10/13/2006	10:19:35	0.014
10/13/2006	10:34:35	0.011
10/13/2006	10:49:35	0.011
10/13/2006	11:04:35	0.024
10/13/2006	11:19:35	0.008
10/13/2006	11:34:35	0.005
10/13/2006	11:49:35	0.007
10/13/2006	12:04:35	0.007
10/13/2006	12:19:35	0.005
10/13/2006	12:34:35	0.004
10/13/2006	12:49:35	0.003
10/13/2006	13:04:35	0.006
10/13/2006	13:19:35	0.002
10/13/2006	13:34:35	0.002
10/13/2006	13:49:35	0.005
10/13/2006	14:04:35	0.002
10/13/2006	14:19:35	0.006

TrakPro v3.6.2, Test: Test001, Date: 10/13/2006 07:19:35
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/13/2006	14:34:35	0.004
10/13/2006	14:49:35	0.002

TrakPro v3.6.2, Test: Test001, Date: 10/13/2006 07:26:36
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006


10/13/06 P2-

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/13/2006	07:41:36	0.007
10/13/2006	07:56:36	0.005
10/13/2006	08:11:36	0.003
10/13/2006	08:26:36	0.003
10/13/2006	08:41:36	0.003
10/13/2006	08:56:36	0.003
10/13/2006	09:11:36	0.003
10/13/2006	09:26:36	0.002
10/13/2006	09:41:36	0.002
10/13/2006	09:56:36	0.002
10/13/2006	10:11:36	0.002
10/13/2006	10:26:36	0.002
10/13/2006	10:41:36	0.001
10/13/2006	10:56:36	0.001
10/13/2006	11:11:36	0.001
10/13/2006	11:26:36	0.001
10/13/2006	11:41:36	0.001
10/13/2006	11:56:36	0.001
10/13/2006	12:11:36	0.001
10/13/2006	12:26:36	0.001
10/13/2006	12:41:36	0.001
10/13/2006	12:56:36	0.001
10/13/2006	13:11:36	0.000
10/13/2006	13:26:36	0.000
10/13/2006	13:41:36	0.001
10/13/2006	13:56:36	0.000
10/13/2006	14:11:36	0.000
10/13/2006	14:26:36	0.001

TrakPro v3.6.2, Test: Test001, Date: 10/13/2006 07:26:36
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/13/2006	14:41:36	0.000

10.13.06



SITE PLAN
SCALE: 1"=30'

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed

Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION - BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Biosland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

Project: 30-70-001
Bug Carrot

Date: 10-16-06

Monitoring Instruments: *Miyagi PAC 2400*

LEADERSHIP CHALLENGES

Air Monitor: Dr. E. J. Pappas

Activity: *PowerPoint*

Level of Protection	Design
Level 1	Level 1
Level 2	Level 2
Level 3	Level 3
Level 4	Level 4
Level 5	Level 5
Level 6	Level 6
Level 7	Level 7
Level 8	Level 8
Level 9	Level 9
Level 10	Level 10
Level 11	Level 11
Level 12	Level 12
Level 13	Level 13
Level 14	Level 14
Level 15	Level 15
Level 16	Level 16
Level 17	Level 17
Level 18	Level 18
Level 19	Level 19
Level 20	Level 20
Level 21	Level 21
Level 22	Level 22
Level 23	Level 23
Level 24	Level 24
Level 25	Level 25
Level 26	Level 26
Level 27	Level 27
Level 28	Level 28
Level 29	Level 29
Level 30	Level 30
Level 31	Level 31
Level 32	Level 32
Level 33	Level 33
Level 34	Level 34
Level 35	Level 35
Level 36	Level 36
Level 37	Level 37
Level 38	Level 38
Level 39	Level 39
Level 40	Level 40
Level 41	Level 41
Level 42	Level 42
Level 43	Level 43
Level 44	Level 44
Level 45	Level 45
Level 46	Level 46
Level 47	Level 47
Level 48	Level 48
Level 49	Level 49
Level 50	Level 50
Level 51	Level 51
Level 52	Level 52
Level 53	Level 53
Level 54	Level 54
Level 55	Level 55
Level 56	Level 56
Level 57	Level 57
Level 58	Level 58
Level 59	Level 59
Level 60	Level 60
Level 61	Level 61
Level 62	Level 62
Level 63	Level 63
Level 64	Level 64
Level 65	Level 65
Level 66	Level 66
Level 67	Level 67
Level 68	Level 68
Level 69	Level 69
Level 70	Level 70
Level 71	Level 71
Level 72	Level 72
Level 73	Level 73
Level 74	Level 74
Level 75	Level 75
Level 76	Level 76
Level 77	Level 77
Level 78	Level 78
Level 79	Level 79
Level 80	Level 80
Level 81	Level 81
Level 82	Level 82
Level 83	Level 83
Level 84	Level 84
Level 85	Level 85
Level 86	Level 86
Level 87	Level 87
Level 88	Level 88
Level 89	Level 89
Level 90	Level 90
Level 91	Level 91
Level 92	Level 92
Level 93	Level 93
Level 94	Level 94
Level 95	Level 95
Level 96	Level 96
Level 97	Level 97
Level 98	Level 98
Level 99	Level 99
Level 100	Level 100

WANTON VIOLENCE

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 10/16/2006 07:09:24
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/16/06 UPRWIND

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/16/2006	07:39:24	0.006
10/16/2006	08:09:24	0.006
10/16/2006	08:39:24	0.006
10/16/2006	09:09:24	0.006
10/16/2006	09:39:24	0.006
10/16/2006	10:09:24	0.006
10/16/2006	10:39:24	0.006
10/16/2006	11:09:24	0.005
10/16/2006	11:39:24	0.005
10/16/2006	12:09:24	0.006
10/16/2006	12:39:24	0.005
10/16/2006	13:09:24	0.004
10/16/2006	13:39:24	0.004
10/16/2006	14:09:24	0.004
10/16/2006	14:39:24	0.004
10/16/2006	15:09:24	0.003
10/16/2006	15:39:24	0.007
10/16/2006	16:09:24	0.003
10/16/2006	16:39:24	0.003
10/16/2006	17:09:24	0.003
10/16/2006	17:39:24	0.003

TrakPro v3.6.2, Test: Test001, Date: 10/16/2006 07:12:22
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

10/16/06 DI

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/16/2006	07:27:22	0.010
10/16/2006	07:42:22	0.008
10/16/2006	07:57:22	0.014
10/16/2006	08:12:22	0.019
10/16/2006	08:27:22	0.012
10/16/2006	08:42:22	0.042
10/16/2006	08:57:22	0.020
10/16/2006	09:12:22	0.015
10/16/2006	09:27:22	0.022
10/16/2006	09:42:22	0.037
10/16/2006	09:57:22	0.038
10/16/2006	10:12:22	0.012
10/16/2006	10:27:22	0.038
10/16/2006	10:42:22	0.036
10/16/2006	10:57:22	0.014
10/16/2006	11:12:22	0.011
10/16/2006	11:27:22	0.014
10/16/2006	11:42:22	0.026
10/16/2006	11:57:22	0.022
10/16/2006	12:12:22	0.013
10/16/2006	12:27:22	0.011
10/16/2006	12:42:22	0.005
10/16/2006	12:57:22	0.007
10/16/2006	13:12:22	0.006
10/16/2006	13:27:22	0.007
10/16/2006	13:42:22	0.004
10/16/2006	13:57:22	0.005
10/16/2006	14:12:22	0.003

TrakPro v3.6.2, Test: Test001, Date: 10/16/2006 07:12:22
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/16/2006	14:27:22	0.002
10/16/2006	14:42:22	0.007
10/16/2006	14:57:22	0.001
10/16/2006	15:12:22	0.002
10/16/2006	15:27:22	0.009
10/16/2006	15:42:22	0.002
10/16/2006	15:57:22	0.024
10/16/2006	16:12:22	0.005
10/16/2006	16:27:22	0.003
10/16/2006	16:42:22	0.002
10/16/2006	16:57:22	0.002
10/16/2006	17:12:22	0.001
10/16/2006	17:27:22	0.011
10/16/2006	17:42:22	0.002
10/16/2006	17:57:22	0.001

TrakPro v3.6.2, Test: Test001, Date: 10/16/2006 07:22:06
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006


10/16/06 02

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/16/2006	07:37:06	0.010
10/16/2006	07:52:06	0.010
10/16/2006	08:07:06	0.012
10/16/2006	08:22:06	0.015
10/16/2006	08:37:06	0.014
10/16/2006	08:52:06	0.015
10/16/2006	09:07:06	0.016
10/16/2006	09:22:06	0.016
10/16/2006	09:37:06	0.022
10/16/2006	09:52:06	0.016
10/16/2006	10:07:06	0.013
10/16/2006	10:22:06	0.015
10/16/2006	10:37:06	0.016
10/16/2006	10:52:06	0.014
10/16/2006	11:07:06	0.014
10/16/2006	11:22:06	0.011
10/16/2006	11:37:06	0.011
10/16/2006	11:52:06	0.016
10/16/2006	12:07:06	0.012
10/16/2006	12:22:06	0.011
10/16/2006	12:37:06	0.007
10/16/2006	12:52:06	0.006
10/16/2006	13:07:06	0.005
10/16/2006	13:22:06	0.005
10/16/2006	13:37:06	0.007
10/16/2006	13:52:06	0.004
10/16/2006	14:07:06	0.003
10/16/2006	14:22:06	0.002

TrakPro v3.6.2, Test: Test001, Date: 10/16/2006 07:22:06
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/16/2006	14:37:06	0.003
10/16/2006	14:52:06	0.002
10/16/2006	15:07:06	0.002
10/16/2006	15:22:06	0.003
10/16/2006	15:37:06	0.003
10/16/2006	15:52:06	0.003
10/16/2006	16:07:06	0.003
10/16/2006	16:22:06	0.002
10/16/2006	16:37:06	0.004
10/16/2006	16:52:06	0.003
10/16/2006	17:07:06	0.004
10/16/2006	17:22:06	0.003
10/16/2006	17:37:06	0.004
10/16/2006	17:52:06	0.004

10.16.06



SITE PLAN
SCALE: 1"=30'

NOTE:
1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

SR-85-AIS PRO. TIR. L. CH-1 OFF-REF
PROJECTNAME: 13061001
DATE: 6/27/2006 6:04 PM
LAYOUT: Layout1
PAGESETUP: C012B-HP-SR
PENTABLE: PLOTCONT1.CTB
PRINTED: 7/6/2006 12:53 PM BY: KSARTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251

State
NY

Date Signed

Project Mgr.
DLM

Designed by
MCS

Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61

Date
JUNE 28, 2006

Biosland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

Page 10 of 100

Date: 10-17-01

Monitoring Instruments

Bill Ragsdale

Air Monitor

DISCUSSION

ACTIVITY

Level of Protection

100

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 10/17/2006 07:32:40
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/17/06 09KIND

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/17/2006	08:02:40	0.004
10/17/2006	08:32:40	0.004
10/17/2006	09:02:40	0.005
10/17/2006	09:32:40	0.004
10/17/2006	10:02:40	0.005
10/17/2006	10:32:40	0.004
10/17/2006	11:02:40	0.004
10/17/2006	11:32:40	0.004

TrakPro v3.6.2, Test: Test001, Date: 10/17/2006 07:35:48
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

10/17/06 D1


Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/17/2006	07:50:48	0.007
10/17/2006	08:05:48	0.009
10/17/2006	08:20:48	0.011
10/17/2006	08:35:48	0.009
10/17/2006	08:50:48	0.009
10/17/2006	09:05:48	0.008
10/17/2006	09:20:48	0.008
10/17/2006	09:35:48	0.006
10/17/2006	09:50:48	0.008
10/17/2006	10:05:48	0.017
10/17/2006	10:20:48	0.013
10/17/2006	10:35:48	0.006
10/17/2006	10:50:48	0.006
10/17/2006	11:05:48	0.005
10/17/2006	11:20:48	0.004

TrakPro v3.6.2, Test: Test001, Date: 10/17/2006 07:39:58
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

10/17/06 D2

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/17/2006	07:54:58	0.006
10/17/2006	08:09:58	0.006
10/17/2006	08:24:58	0.006
10/17/2006	08:39:58	0.010
10/17/2006	08:54:58	0.009
10/17/2006	09:09:58	0.011
10/17/2006	09:24:58	0.011
10/17/2006	09:39:58	0.009
10/17/2006	09:54:58	0.009
10/17/2006	10:09:58	0.006
10/17/2006	10:24:58	0.013
10/17/2006	10:39:58	0.010
10/17/2006	10:54:58	0.014
10/17/2006	11:09:58	0.006
10/17/2006	11:24:58	0.007

10.17.06



SITE PLAN
SCALE: 1"=30'

NOTE:
1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

SYN-B5-GAS PRO TIR L: 0N+ OFF-REF
F:\ACTIVE\DWG\ACT\13061001\13061001.dwg
PROJECTNAME: 13061001
REFS: 13061000
13061001
13061001
LAYOUT: 6/27/2006 6:04 PM
PAGESETUP: COL2B-HIP-SIR
PRINTED: 7/6/2006 12:53 PM
BY: KSARTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed

Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

Project

WYK

Monitoring Instruments

Ar Monitor

Activity

Level of Protection

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 10/18/2006 07:19:53
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/18/06 UPRWIND

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/18/2006	07:49:53	0.007
10/18/2006	08:19:53	0.007
10/18/2006	08:49:53	0.005
10/18/2006	09:19:53	0.005
10/18/2006	09:49:53	0.004
10/18/2006	10:19:53	0.004
10/18/2006	10:49:53	0.005
10/18/2006	11:19:53	0.004
10/18/2006	11:49:53	0.004
10/18/2006	12:19:53	0.004
10/18/2006	12:49:53	0.004
10/18/2006	13:19:53	0.007
10/18/2006	13:49:53	0.005
10/18/2006	14:19:53	0.004
10/18/2006	14:49:53	0.004

TrakPro v3.6.2, Test: Test001, Date: 10/18/2006 07:23:41
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

10/18/06 01

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/18/2006	07:38:41	0.019
10/18/2006	07:53:41	0.015
10/18/2006	08:08:41	0.021
10/18/2006	08:23:41	0.015
10/18/2006	08:38:41	0.009
10/18/2006	08:53:41	0.010
10/18/2006	09:08:41	0.006
10/18/2006	09:23:41	0.006
10/18/2006	09:38:41	0.006
10/18/2006	09:53:41	0.005
10/18/2006	10:08:41	0.005
10/18/2006	10:23:41	0.006
10/18/2006	10:38:41	0.006
10/18/2006	10:53:41	0.010
10/18/2006	11:08:41	0.004
10/18/2006	11:23:41	0.006
10/18/2006	11:38:41	0.006
10/18/2006	11:53:41	0.002
10/18/2006	12:08:41	0.005
10/18/2006	12:23:41	0.003
10/18/2006	12:38:41	0.006
10/18/2006	12:53:41	0.004
10/18/2006	13:08:41	0.005
10/18/2006	13:23:41	0.007
10/18/2006	13:38:41	0.005
10/18/2006	13:53:41	0.012
10/18/2006	14:08:41	0.010
10/18/2006	14:23:41	0.011

TrakPro v3.6.2, Test: Test001, Date: 10/18/2006 07:23:41
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/18/2006	14:38:41	0.009
10/18/2006	14:53:41	0.007

TrakPro v3.6.2, Test: Test001, Date: 10/18/2006 07:29:12
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006


10/18/06 02

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/18/2006	07:44:12	0.017
10/18/2006	07:59:12	0.013
10/18/2006	08:14:12	0.015
10/18/2006	08:29:12	0.013
10/18/2006	08:44:12	0.011
10/18/2006	08:59:12	0.007
10/18/2006	09:14:12	0.006
10/18/2006	09:29:12	0.006
10/18/2006	09:44:12	0.006
10/18/2006	09:59:12	0.005
10/18/2006	10:14:12	0.006
10/18/2006	10:29:12	0.007
10/18/2006	10:44:12	0.009
10/18/2006	10:59:12	0.008
10/18/2006	11:14:12	0.006
10/18/2006	11:29:12	0.007
10/18/2006	11:44:12	0.008
10/18/2006	11:59:12	0.007
10/18/2006	12:14:12	0.008
10/18/2006	12:29:12	0.006
10/18/2006	12:44:12	0.007
10/18/2006	12:59:12	0.009
10/18/2006	13:14:12	0.009
10/18/2006	13:29:12	0.012
10/18/2006	13:44:12	0.006
10/18/2006	13:59:12	0.011
10/18/2006	14:14:12	0.009
10/18/2006	14:29:12	0.014

TrakPro v3.6.2, Test: Test001, Date: 10/18/2006 07:29:12
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/18/2006	14:44:12	0.011

10.18.06



SITE PLAN
SCALE: 1"=30'

NOTE:
1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

- LEGEND:**
- EXISTING RAILROAD TRACKS
 - ABANDONED RAILROAD TRACKS
 - EXISTING FENCE LINE
 - EXISTING SURFACE CONTOUR
 - EXISTING CURB
 - EXISTING MANHOLE LOCATION
 - EXISTING LIGHT POLE
 - EXISTING UTILITY POLE
 - EXISTING POTABLE WATER SUPPLY LINE
 - EXISTING STORM DRAIN LINE
 - EXISTING SANITARY SEWER
 - EXISTING UNDERGROUND ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC AND TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING NATURAL GAS TRANSMISSION LINE
 - RETIRED NATURAL GAS TRANSMISSION LINE

S:\SR-45-045-045 PRO TUR L: 01-11-06 OFF-REF
P:\ACT\ACT-045-045\13061001.dwg
PROJECTNAME: 13061001
XREFS: 13061001
13061001
SAVED: 6/27/2006 6:04 PM LAYOUT: Layout1
PAGESETUP: C:\28-045-SR
PENTABLE: PLTCONT1.CTB
PRINTED: 7/6/2006 12:53 PM BY: KSARTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed

Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MCP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Tawpath Road
Syracuse, NY 13214
315-446-9120

FIGURE 1

BY

Monitoring Instruments

Activity

Level of Protection

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 10/19/2006 07:19:07
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/19/06 upwind

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/19/2006	07:49:07	0.008
10/19/2006	08:19:07	0.007
10/19/2006	08:49:07	0.007
10/19/2006	09:19:07	0.006
10/19/2006	09:49:07	0.005
10/19/2006	10:19:07	0.004
10/19/2006	10:49:07	0.005
10/19/2006	11:19:07	0.007
10/19/2006	11:49:07	0.011
10/19/2006	12:19:07	0.011
10/19/2006	12:49:07	0.010
10/19/2006	13:19:07	0.010
10/19/2006	13:49:07	0.011
10/19/2006	14:19:07	0.015
10/19/2006	14:49:07	0.014
10/19/2006	15:19:07	0.014

TrakPro v3.6.2, Test: Test001, Date: 10/19/2006 07:25:37
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

10/19/06 01

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/19/2006	07:40:37	0.015
10/19/2006	07:55:37	0.016
10/19/2006	08:10:37	0.017
10/19/2006	08:25:37	0.016
10/19/2006	08:40:37	0.016
10/19/2006	08:55:37	0.013
10/19/2006	09:10:37	0.008
10/19/2006	09:25:37	0.005
10/19/2006	09:40:37	0.007
10/19/2006	09:55:37	0.012
10/19/2006	10:10:37	0.006
10/19/2006	10:25:37	0.004
10/19/2006	10:40:37	0.004
10/19/2006	10:55:37	0.008
10/19/2006	11:10:37	0.014
10/19/2006	11:25:37	0.019
10/19/2006	11:40:37	0.016
10/19/2006	11:55:37	0.020
10/19/2006	12:10:37	0.018
10/19/2006	12:25:37	0.024
10/19/2006	12:40:37	0.027
10/19/2006	12:55:37	0.015
10/19/2006	13:10:37	0.020
10/19/2006	13:25:37	0.020
10/19/2006	13:40:37	0.019
10/19/2006	13:55:37	0.019
10/19/2006	14:10:37	0.018
10/19/2006	14:25:37	0.020

TrakPro v3.6.2, Test: Test001, Date: 10/19/2006 07:25:37
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
10/19/2006	14:40:37	0.022
10/19/2006	14:55:37	0.021
10/19/2006	15:10:37	0.023
10/19/2006	15:25:37	0.024

TrakPro v3.6.2, Test: Test001, Date: 10/19/2006 07:28:50
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006


10/19/06 D2

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/19/2006	07:43:50	0.013
10/19/2006	07:58:50	0.014
10/19/2006	08:13:50	0.013
10/19/2006	08:28:50	0.012
10/19/2006	08:43:50	0.013
10/19/2006	08:58:50	0.009
10/19/2006	09:13:50	0.006
10/19/2006	09:28:50	0.006
10/19/2006	09:43:50	0.007
10/19/2006	09:58:50	0.007
10/19/2006	10:13:50	0.003
10/19/2006	10:28:50	0.004
10/19/2006	10:43:50	0.005
10/19/2006	10:58:50	0.006
10/19/2006	11:13:50	0.010
10/19/2006	11:28:50	0.013
10/19/2006	11:43:50	0.016
10/19/2006	11:58:50	0.016
10/19/2006	12:13:50	0.018
10/19/2006	12:28:50	0.019
10/19/2006	12:43:50	0.019
10/19/2006	12:58:50	0.017
10/19/2006	13:13:50	0.020
10/19/2006	13:28:50	0.019
10/19/2006	13:43:50	0.019
10/19/2006	13:58:50	0.018
10/19/2006	14:13:50	0.018
10/19/2006	14:28:50	0.017

TrakPro v3.6.2, Test: Test001, Date: 10/19/2006 07:28:50
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/19/2006	14:43:50	0.018
10/19/2006	14:58:50	0.024
10/19/2006	15:13:50	0.019
10/19/2006	15:28:50	0.027

10.19.06



PROJECT: 13061201
DATE: 10/19/06
DRAWN BY: GHS
CHECKED BY: MCS
DESIGNED BY: DLM
PROJECT MGR: DLM
STATE: NY
DATE SIGNED: 10/19/06
PROFESSIONAL ENGINEER'S NO. 082251
MARGARET A. CARRILLO-SHERIDAN
NEW YORK STATE ELECTRIC & GAS CORPORATION - BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL I/RM

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Professional Engineer's Name	MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.	082251
State	NY
Date Signed	10/19/06
Project Mgr.	DLM
Designed by	MCS
Drawn by	GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION - BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL I/RM

SITE PLAN WITH UTILITIES

BBL Project No. 130.61
Date JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

Project: 2010-2011
 Date: 12/07/00

Date: 10-5-2001

Monitoring Instruments: MACH-BAY 6000

Air Monitor: D. B. Jones

Activity: Decorate your fish

Level of Protection

5105 SPRINGFIELD AVE

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 10/31/2006 08:18:08
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

10/31/04 upwind

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
10/31/2006	08:48:08	0.005
10/31/2006	09:18:08	0.007
10/31/2006	09:48:08	0.005
10/31/2006	10:18:08	0.005
10/31/2006	10:48:08	0.005
10/31/2006	11:18:08	0.005
10/31/2006	11:48:08	0.005
10/31/2006	12:18:08	0.005
10/31/2006	12:48:08	0.006
10/31/2006	13:18:08	0.007
10/31/2006	13:48:08	0.006
10/31/2006	14:18:08	0.009
10/31/2006	14:48:08	0.005
10/31/2006	15:18:08	0.005
10/31/2006	15:48:08	0.013

TrakPro v3.6.2, Test: Test001, Date: 10/31/2006 08:23:17
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

10/31/06 01

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/31/2006	08:38:17	0.006
10/31/2006	08:53:17	0.006
10/31/2006	09:08:17	0.005
10/31/2006	09:23:17	0.005
10/31/2006	09:38:17	0.007
10/31/2006	09:53:17	0.009
10/31/2006	10:08:17	0.011
10/31/2006	10:23:17	0.011
10/31/2006	10:38:17	0.019
10/31/2006	10:53:17	0.009
10/31/2006	11:08:17	0.003
10/31/2006	11:23:17	0.005
10/31/2006	11:38:17	0.009
10/31/2006	11:53:17	0.013
10/31/2006	12:08:17	0.000
10/31/2006	12:23:17	0.001
10/31/2006	12:38:17	0.002
10/31/2006	12:53:17	0.005
10/31/2006	13:08:17	0.002
10/31/2006	13:23:17	0.001
10/31/2006	13:38:17	0.001
10/31/2006	13:53:17	0.002
10/31/2006	14:08:17	0.001
10/31/2006	14:23:17	0.001
10/31/2006	14:38:17	0.002
10/31/2006	14:53:17	0.002
10/31/2006	15:08:17	0.001
10/31/2006	15:23:17	0.001

TrakPro v3.6.2, Test: Test001, Date: 10/31/2006 08:23:17
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/31/2006	15:38:17	0.003
10/31/2006	15:53:17	0.005

TrakPro v3.6.2, Test: Test001, Date: 10/31/2006 08:26:20
 Serial Number: 85201529
 Cal. Date: Aerosol
 06/06/2006


10/31/06 02

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/31/2006	08:41:20	0.013
10/31/2006	08:56:20	0.014
10/31/2006	09:11:20	0.023
10/31/2006	09:26:20	0.007
10/31/2006	09:41:20	0.024
10/31/2006	09:56:20	0.020
10/31/2006	10:11:20	0.018
10/31/2006	10:26:20	0.013
10/31/2006	10:41:20	0.011
10/31/2006	10:56:20	0.010
10/31/2006	11:11:20	0.006
10/31/2006	11:26:20	0.050
10/31/2006	11:41:20	0.012
10/31/2006	11:56:20	0.010
10/31/2006	12:11:20	0.006
10/31/2006	12:26:20	0.008
10/31/2006	12:41:20	0.009
10/31/2006	12:56:20	0.020
10/31/2006	13:11:20	0.012
10/31/2006	13:26:20	0.008
10/31/2006	13:41:20	0.009
10/31/2006	13:56:20	0.009
10/31/2006	14:11:20	0.008
10/31/2006	14:26:20	0.007
10/31/2006	14:41:20	0.008
10/31/2006	14:56:20	0.007
10/31/2006	15:11:20	0.006
10/31/2006	15:26:20	0.006

TrakPro v3.6.2, Test: Test001, Date: 10/31/2006 08:26:20
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/31/2006	15:41:20	0.008
10/31/2006	15:56:20	0.009

10.31.06



SITE PLAN
0 30' 60'
SCALE: 1"=30'

NOTE:
1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

- LEGEND:**
- EXISTING RAILROAD TRACKS
 - ABANDONED RAILROAD TRACKS
 - EXISTING FENCE LINE
 - EXISTING SURFACE CONTOUR
 - EXISTING CURB
 - EXISTING MANHOLE LOCATION
 - EXISTING LIGHT POLE
 - EXISTING UTILITY POLE
 - EXISTING POTABLE WATER SUPPLY LINE
 - EXISTING STORM DRAIN LINE
 - EXISTING SANITARY SEWER
 - EXISTING UNDERGROUND ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC AND TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING NATURAL GAS TRANSMISSION LINE
 - RETIRED NATURAL GAS TRANSMISSION LINE

SYN-BE-GHS PRO TOR L: 01-11-07-REF
P: ACTIVE-DWG ACT 13061001-13061001.dwg
PROJECTNAME: IMAGES:
XREFS: 13061000
13061001
SAVED: 6/27/2006 8:04 PM LAYOUT: Layout1 PAGES: 0128-MP-SVR PENTABLE: PLOTCONTI.DTG PRINTED: 7/6/2006 12:53 PM BY: KSARTORI

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

No.	Date	Revisions	Init

NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Professional Engineer's Name
MARGARET A. CARRILLO-SHERIDAN
Professional Engineer's No.
082251
State
NY
Date Signed
Project Mgr.
DLM
Designed by
MCS
Drawn by
GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL IRM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

1002

2016

Monitoring Instruments

Air Monitor

Activity

Level of Protection

[illegible]

TrakPro v3.6.2, Test: Test001, Date: 11/01/2006 08:08:44
 Serial Number: 85201544
 Cal. Date: Aerosol
 06/14/2006

11/1/06 UPWIND

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
11/01/2006	08:38:44	0.008
11/01/2006	09:08:44	0.009
11/01/2006	09:38:44	0.009
11/01/2006	10:08:44	0.007
11/01/2006	10:38:44	0.007
11/01/2006	11:08:44	0.007
11/01/2006	11:38:44	0.007
11/01/2006	12:08:44	0.007
11/01/2006	12:38:44	0.007
11/01/2006	13:08:44	0.006
11/01/2006	13:38:44	0.005
11/01/2006	14:08:44	0.005
11/01/2006	14:38:44	0.005
11/01/2006	15:08:44	0.004
11/01/2006	15:38:44	0.005
11/01/2006	16:08:44	0.006
11/01/2006	16:38:44	0.006

TrakPro v3.6.2, Test: Test001, Date: 11/01/2006 08:20:50
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

11/1/06 PI

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/01/2006	08:35:50	0.016
11/01/2006	08:50:50	0.026
11/01/2006	09:05:50	0.022
11/01/2006	09:20:50	0.020
11/01/2006	09:35:50	0.040
11/01/2006	09:50:50	0.017
11/01/2006	10:05:50	0.025
11/01/2006	10:20:50	0.026
11/01/2006	10:35:50	0.017
11/01/2006	10:50:50	0.020
11/01/2006	11:05:50	0.013
11/01/2006	11:20:50	0.041
11/01/2006	11:35:50	0.018
11/01/2006	11:50:50	0.022
11/01/2006	12:05:50	0.215
11/01/2006	12:20:50	0.081
11/01/2006	12:35:50	0.021
11/01/2006	12:50:50	0.023
11/01/2006	13:05:50	0.153
11/01/2006	13:20:50	0.085
11/01/2006	13:35:50	0.055
11/01/2006	13:50:50	0.080
11/01/2006	14:05:50	0.008
11/01/2006	14:20:50	0.021
11/01/2006	14:35:50	0.021
11/01/2006	14:50:50	0.029
11/01/2006	15:05:50	0.081
11/01/2006	15:20:50	0.007

TrakPro v3.6.2, Test: Test001, Date: 11/01/2006 08:20:50
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
11/01/2006	15:35:50	0.006
11/01/2006	15:50:50	0.016
11/01/2006	16:05:50	0.012
11/01/2006	16:20:50	0.021
11/01/2006	16:35:50	0.023
11/01/2006	16:50:50	0.026

TrakPro v3.6.2, Test: Test001, Date: 11/01/2006 08:24:49
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006


11/1/00 02

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/01/2006	08:39:49	0.017
11/01/2006	08:54:49	0.018
11/01/2006	09:09:49	0.023
11/01/2006	09:24:49	0.026
11/01/2006	09:39:49	0.023
11/01/2006	09:54:49	0.017
11/01/2006	10:09:49	0.015
11/01/2006	10:24:49	0.018
11/01/2006	10:39:49	0.013
11/01/2006	10:54:49	0.017
11/01/2006	11:09:49	0.014
11/01/2006	11:24:49	0.021
11/01/2006	11:39:49	0.017
11/01/2006	11:54:49	0.025
11/01/2006	12:09:49	0.040
11/01/2006	12:24:49	0.014
11/01/2006	12:39:49	0.018
11/01/2006	12:54:49	0.015
11/01/2006	13:09:49	0.060
11/01/2006	13:24:49	0.029
11/01/2006	13:39:49	0.033
11/01/2006	13:54:49	0.030
11/01/2006	14:09:49	0.008
11/01/2006	14:24:49	0.036
11/01/2006	14:39:49	0.024
11/01/2006	14:54:49	0.016
11/01/2006	15:09:49	0.027
11/01/2006	15:24:49	0.016

TrakPro v3.6.2, Test: Test001, Date: 11/01/2006 08:24:49
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
11/01/2006	15:39:49	0.009
11/01/2006	15:54:49	0.014
11/01/2006	16:09:49	0.008
11/01/2006	16:24:49	0.012
11/01/2006	16:39:49	0.029

SYS-BS-GHS PRO TUR L: ON=*, OFF=REF
F: VACTIVE -DWS VACT\13051001\13051001.dwg
SAVED: 8/27/2005 8:04 PM LAYOUT1: Layer11 PAGES: 10/28-KIP-SVR
PAGESETUP: CUI28-KIP-SVR PENTABLE: P1CONT1.COT PRINTED: 7/6/2005 12:53 PM BY: KANSANTORI



THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED.
INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED
WHEN DRAWINGS ARE REPRODUCED.
USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE
ACTUAL SCALE(S) OF THIS DRAWING.

Professional Engineer's Name MARGARET A. CARRILLO-SHERIDAN		
Professional Engineer's No. 082251		
State NY	Date Signed	
Project Mgr. DLM	Designed by MCS	Drawn by CMC

 an **ARCADIS** company

SITE PLAN WITH UTILITIES

Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

TrakPro v3.6.2, Test: Test001, Date: 11/02/2006 08:03:33
Serial Number: 85201544
Cal. Date: Aerosol
06/14/2006

11/2/06 UPWIND

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/02/2006	08:33:33	0.006
11/02/2006	09:03:33	0.008
11/02/2006	09:33:33	0.009
11/02/2006	10:03:33	0.009
11/02/2006	10:33:33	0.007
11/02/2006	11:03:33	0.006
11/02/2006	11:33:33	0.007
11/02/2006	12:03:33	0.006
11/02/2006	12:33:33	0.006
11/02/2006	13:03:33	0.005
11/02/2006	13:33:33	0.005
11/02/2006	14:03:33	0.004
11/02/2006	14:33:33	0.005
11/02/2006	15:03:33	0.006
11/02/2006	15:33:33	0.004
11/02/2006	16:03:33	0.006
11/02/2006	16:33:33	0.006

TrakPro v3.6.2, Test: Test001, Date: 11/02/2006 08:20:20
 Serial Number: 85201531
 Cal. Date: Aerosol
 06/07/2006

11/2/06 D1

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/02/2006	08:35:20	0.012
11/02/2006	08:50:20	0.013
11/02/2006	09:05:20	0.014
11/02/2006	09:20:20	0.014
11/02/2006	09:35:20	0.020
11/02/2006	09:50:20	0.018
11/02/2006	10:05:20	0.019
11/02/2006	10:20:20	0.017
11/02/2006	10:35:20	0.016
11/02/2006	10:50:20	0.014
11/02/2006	11:05:20	0.013
11/02/2006	11:20:20	0.012
11/02/2006	11:35:20	0.010
11/02/2006	11:50:20	0.011
11/02/2006	12:05:20	0.009
11/02/2006	12:20:20	0.006
11/02/2006	12:35:20	0.005
11/02/2006	12:50:20	0.007
11/02/2006	13:05:20	0.005
11/02/2006	13:20:20	0.005
11/02/2006	13:35:20	0.004
11/02/2006	13:50:20	0.004
11/02/2006	14:05:20	0.004
11/02/2006	14:20:20	0.002
11/02/2006	14:35:20	0.002
11/02/2006	14:50:20	0.000
11/02/2006	15:05:20	0.001
11/02/2006	15:20:20	0.004

TrakPro v3.6.2, Test: Test001, Date: 11/02/2006 08:20:20
Serial Number: 85201531
Cal. Date: Aerosol
06/07/2006

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
11/02/2006	15:35:20	0.000
11/02/2006	15:50:20	0.004
11/02/2006	16:05:20	0.001
11/02/2006	16:20:20	0.000
11/02/2006	16:35:20	0.001

TrakPro v3.6.2, Test: Test001, Date: 11/02/2006 08:24:51
 Serial Number: 85201529
 Cal. Date: Aerosol
 06/06/2006


11/2/06 D2

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/02/2006	08:39:51	0.013
11/02/2006	08:54:51	0.021
11/02/2006	09:09:51	0.015
11/02/2006	09:24:51	0.015
11/02/2006	09:39:51	0.016
11/02/2006	09:54:51	0.016
11/02/2006	10:09:51	0.015
11/02/2006	10:24:51	0.015
11/02/2006	10:39:51	0.015
11/02/2006	10:54:51	0.014
11/02/2006	11:09:51	0.013
11/02/2006	11:24:51	0.013
11/02/2006	11:39:51	0.012
11/02/2006	11:54:51	0.024
11/02/2006	12:09:51	0.013
11/02/2006	12:24:51	0.012
11/02/2006	12:39:51	0.019
11/02/2006	12:54:51	0.009
11/02/2006	13:09:51	0.012
11/02/2006	13:24:51	0.008
11/02/2006	13:39:51	0.011
11/02/2006	13:54:51	0.004
11/02/2006	14:09:51	0.008
11/02/2006	14:24:51	0.013
11/02/2006	14:39:51	0.007
11/02/2006	14:54:51	0.017
11/02/2006	15:09:51	0.014
11/02/2006	15:24:51	0.014

TrakPro v3.6.2, Test: Test001, Date: 11/02/2006 08:24:51
Serial Number: 85201529
Cal. Date: Aerosol
06/06/2006

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/02/2006	15:39:51	0.006
11/02/2006	15:54:51	0.005
11/02/2006	16:09:51	0.010
11/02/2006	16:24:51	0.003
11/02/2006	16:39:51	0.005

11.02.07



SITE PLAN
SCALE: 1"=30'

- LEGEND:**
- EXISTING RAILROAD TRACKS
 - ABANDONED RAILROAD TRACKS
 - EXISTING FENCE LINE
 - EXISTING SURFACE CONTOUR
 - EXISTING CURB
 - EXISTING MANHOLE LOCATION
 - EXISTING LIGHT POLE
 - EXISTING UTILITY POLE
 - EXISTING POTABLE WATER SUPPLY LINE
 - EXISTING STORM DRAIN LINE
 - EXISTING SANITARY SEWER
 - EXISTING UNDERGROUND ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC TRANSMISSION LINE
 - EXISTING OVERHEAD TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING OVERHEAD ELECTRIC AND TELECOMMUNICATION TRANSMISSION LINE
 - EXISTING NATURAL GAS TRANSMISSION LINE
 - RETIRED NATURAL GAS TRANSMISSION LINE

NOTE:
1. ALL EXISTING SUBSURFACE AND OVERHEAD UTILITIES MAY NOT BE SHOWN. ADDITIONAL UTILITIES WILL BE IDENTIFIED/LOCATED DURING PRE-TRENCHING ACTIVITIES TO BE CONDUCTED ALONG THE PATH OF THE NAPL BARRIER WALL.

ORIGINAL SCALE APPLIES TO 22"x34" DRAWING

THIS DRAWING WAS PREPARED AT THE SCALE(S) INDICATED. INACCURACIES IN THE STATED SCALE(S) MAY BE INTRODUCED WHEN DRAWINGS ARE REPRODUCED. USE THE GRAPHIC SCALE BAR(S) TO DETERMINE THE ACTUAL SCALE(S) OF THIS DRAWING.

Professional Engineer's Name MARGARET A. CARRILLO-SHERIDAN	
Professional Engineer's No. 082251	
State NY	Date Signed
Project Mgr. DLM	Designed by MCS
	Drawn by GHS



NEW YORK STATE ELECTRIC & GAS CORPORATION • BINGHAMTON, NEW YORK
BINGHAMTON COURT STREET FORMER MGP SITE
NAPL BARRIER WALL I/RM

SITE PLAN WITH UTILITIES

BBL Project No.
130.61
Date
JUNE 28, 2006
Blasland, Bouck & Lee, Inc.
an Arcadis company
6723 Towpath Road
Syracuse, NY 13214
315-446-9120

Appendix K

Analytical Results for Confirmation
Wipe Samples for Frac Tanks



Joe Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090

FAX: (585) 385-4198

Laboratory Analysis Report For

Blasland, Bouck & Lee, Inc.

Client Project ID:

130.74.001

LSL Project ID: **0619204**

Receive Date/Time: 11/01/06 17:13

Project Received by: RD

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

- (1) LSL Central Lab, East Syracuse, NY
- (2) LSL North Lab, Waddington, NY
- (3) LSL Finger Lakes Lab, Wayland, NY
- (4) LSL Southern Tier Lab, Cuba, NY
- (5) LSL MidLakes Lab, Canandaigua, NY
- (6) LSL Brittonfield Lab, East Syracuse, NY

(315) 445-1105
(315) 388-4476
(585) 728-3320
(585) 968-2640
(585) 396-0270
(315) 437-0200

NYS DOH ELAP #10248 PA DEP #68-2556
NYS DOH ELAP #10900
NYS DOH ELAP #11667
NYS DOH ELAP #10760
NYS DOH ELAP #11369
NYS DOH ELAP #10155

This report was reviewed by:

J. Edmunds, QA
Life Science Laboratories, Inc.

Date:

11/3/06

A copy of this report was sent to:

Jason Golubski

Page 1 of 3

Date Printed:

11/3/06

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: WS1A259289-110106 LSL Sample ID: 0619204-001
Location:
Sampled: 11/01/06 10:30 Sampled By: Client
Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8082 PCB's					
Aroclor-1016	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1221	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1232	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1242	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1248	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1254	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1260	<0.5	ug/wipe	11/2/06	11/2/06	BW
Surrogate (DCB)	87	%R	11/2/06	11/2/06	BW

Sample ID: WS2A259289-110106 LSL Sample ID: 0619204-002
Location:
Sampled: 11/01/06 10:30 Sampled By: Client
Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8082 PCB's					
Aroclor-1016	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1221	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1232	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1242	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1248	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1254	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1260	<0.5	ug/wipe	11/2/06	11/2/06	BW
Surrogate (DCB)	84	%R	11/2/06	11/2/06	BW

Sample ID: WS3A259289-110106 LSL Sample ID: 0619204-003
Location:
Sampled: 11/01/06 10:30 Sampled By: Client
Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8082 PCB's					
Aroclor-1016	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1221	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1232	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1242	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1248	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1254	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1260	<0.5	ug/wipe	11/2/06	11/2/06	BW
Surrogate (DCB)	78	%R	11/2/06	11/2/06	BW

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: WS4A259289-110106

LSL Sample ID: 0619204-004

Location:

Sampled: 11/01/06 10:30

Sampled By: Client

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8082 PCB's					
Aroclor-1016	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1221	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1232	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1242	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1248	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1254	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1260	<0.5	ug/wipe	11/2/06	11/2/06	BW
Surrogate (DCB)	92	%R	11/2/06	11/2/06	BW

Sample ID: WS5A259289-110106

LSL Sample ID: 0619204-005

Location:

Sampled: 11/01/06 10:30

Sampled By: Client

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8082 PCB's					
Aroclor-1016	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1221	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1232	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1242	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1248	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1254	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1260	<0.5	ug/wipe	11/2/06	11/2/06	BW
Surrogate (DCB)	90	%R	11/2/06	11/2/06	BW



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery



LSL Southern Tier Lab
30 East Main Street
Cuba, NY 14727
Phone: (585) 968-2640
Fax: (585) 968-0906
Email: lsst@lsl-inc.com

0619204
BBLFS_Fairport

[illegible]

***	Complement marked.	Received intact:	Y	N	Sample
All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner IN PEN ON! Y***					

Reg COC.XLS



Jason Bolubski
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

Client Project ID:

130.74.001

LSL Project ID: **0619372**

Receive Date/Time: 11/03/06 15:05


Project Received by: MW

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

(1) LSL Central Lab, East Syracuse, NY	(315) 445-1105	NYS DOH ELAP #10248 PA DEP #68-2556
(2) LSL North Lab, Waddington, NY	(315) 388-4476	NYS DOH ELAP #10900
(3) LSL Finger Lakes Lab, Wayland, NY	(585) 728-3320	NYS DOH ELAP #11667
(4) LSL Southern Tier Lab, Cuba, NY	(585) 968-2640	NYS DOH ELAP #10760
(5) LSL MidLakes Lab, Canandaigua, NY	(585) 396-0270	NYS DOH ELAP #11369
(6) LSL Brittonfield Lab, East Syracuse, NY	(315) 437-0200	NYS DOH ELAP #10155

This report was reviewed by:


Life Science Laboratories, Inc.

Date:

11/17/06

A copy of this report was sent to:

Date Printed:

Page 1 of 5

11/6/06

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: WS1B254156-110306 LSL Sample ID: 0619372-001
Location:
Sampled: 11/03/06 10:15 Sampled By: Client
Sample Matrix: SHW as Recd, Wipe

Analytical Method	Prep	Analysis	Analyst
Analyte	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes			
Aroclor-1016	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1221	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1232	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1242	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1248	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1254	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1260	<0.5 ug/wipe	11/3/06 11/4/06	BW
Surrogate (DCB)	94 %R	11/3/06 11/4/06	BW

Sample ID: WS2B254156-110306 LSL Sample ID: 0619372-002
Location:
Sampled: 11/03/06 10:15 Sampled By: Client
Sample Matrix: SHW as Recd, Wipe

Analytical Method	Prep	Analysis	Analyst
Analyte	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes			
Aroclor-1016	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1221	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1232	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1242	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1248	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1254	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1260	<0.5 ug/wipe	11/3/06 11/4/06	BW
Surrogate (DCB)	70 %R	11/3/06 11/4/06	BW

Sample ID: WS3B254156-110306 LSL Sample ID: 0619372-003
Location:
Sampled: 11/03/06 10:15 Sampled By: Client
Sample Matrix: SHW as Recd, Wipe

Analytical Method	Prep	Analysis	Analyst
Analyte	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes			
Aroclor-1016	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1221	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1232	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1242	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1248	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1254	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1260	<0.5 ug/wipe	11/3/06 11/4/06	BW
Surrogate (DCB)	96 %R	11/3/06 11/4/06	BW

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: WS4B254156-110306

LSL Sample ID: 0619372-004

Location:

Sampled: 11/03/06 10:15 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	<0.5	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	102	%R	11/3/06	11/4/06	BW

Sample ID: WS5B254156-110306

LSL Sample ID: 0619372-005

Location:

Sampled: 11/03/06 10:15 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	<0.5	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	92	%R	11/3/06	11/4/06	BW

Sample ID: WS1C254102-110306

LSL Sample ID: 0619372-006

Location:

Sampled: 11/03/06 10:30 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	<0.5	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	84	%R	11/3/06	11/4/06	BW

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: WS2C254102-110306 LSL Sample ID: 0619372-007
Location:
Sampled: 11/03/06 10:30 Sampled By: Client
Sample Matrix: SHW as Recd, Wipe

Analytical Method	Prep	Analysis	Analyst
Analyte	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes			
Aroclor-1016	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1221	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1232	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1242	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1248	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1254	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1260	<0.5 ug/wipe	11/3/06 11/4/06	BW
Surrogate (DCB)	98 %R	11/3/06 11/4/06	BW

Sample ID: WS3C254102-110306 LSL Sample ID: 0619372-008
Location:
Sampled: 11/03/06 10:30 Sampled By: Client
Sample Matrix: SHW as Recd, Wipe

Analytical Method	Prep	Analysis	Analyst
Analyte	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes			
Aroclor-1016	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1221	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1232	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1242	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1248	1.1 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1254	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1260	0.86 ug/wipe	11/3/06 11/4/06	BW
Surrogate (DCB)	88 %R	11/3/06 11/4/06	BW

Sample ID: WS4C254102-110306 LSL Sample ID: 0619372-009
Location:
Sampled: 11/03/06 10:30 Sampled By: Client
Sample Matrix: SHW as Recd, Wipe

Analytical Method	Prep	Analysis	Analyst
Analyte	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes			
Aroclor-1016	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1221	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1232	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1242	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1248	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1254	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1260	<0.5 ug/wipe	11/3/06 11/4/06	BW
Surrogate (DCB)	96 %R	11/3/06 11/4/06	BW

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairfield, NY

Sample ID: WS5C254102-110306

LSL Sample ID: 0619372-010

Location:

Sampled: 11/03/06 10:30 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	<0.5	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	78	%R	11/3/06	11/4/06	BW



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery



Life Science Laboratories, Inc.

CHAIN OF CUSTODY RECORD

LSL Central Lab
5854 Butternut Drive
East Syracuse, NY 13057
Phone: (315) 445-1105
Fax: (315) 445-1301
Email: lsicentral@lsl-inc.com

LSL North Lab
131 St Lawrence Ave
Waddington, NY 13694
Phone: (315) 388-4476
Fax: (315) 388-4081
Email: lsinfo@lsl-inc.com

LSL Finger Lakes Lab
16 North Main Street
Wayland, NY 14572
Phone: (585) 728-3320
Fax: (585) 728-2711
Email: lsfl@lsl-inc.com

LSL Southern Tier Lab
30 East Main Street
Cuba, NY 14727
Phone: (585) 968-2640
Fax: (585) 968-0906
Email: lsst@lsl-inc.com

0619372

BRIEF_Fairport

Fax: (585) 968-0906
Email: lsst@lsl-inc.com

Report Address: Name: _____ Company: BLASLAND, BOUCK & CURE, INC. Street: 295 WOODCLIFF DR. City/State: FAIRPORT N.Y. Phone: 585 385 0090 Email: _____		Turnaround Time Normal <input type="checkbox"/> 14 DAY <input type="checkbox"/> 3-Day * <input checked="" type="checkbox"/> 7-Day * <input type="checkbox"/> *Additional Charges may apply	
Date Needed or Special Instructions: FINAL REPORTS TO JASON GOLURSKI AT JGOLURSKI@BBL-INC.COM		Authorization or P.O. # 13074.001	
LSL Project Number: 130.74.001			
Client's Sample Identifications			
WS1B254156-110306	Sample Date 11.03.06	Sample Time 10:15A	Matrix WPL
WS2B254156-110306	Sample Date 11.03.06	Sample Time 10:15A	Matrix ↓
WS3B254156-110306	Sample Date 11.03.06	Sample Time 10:15A	Matrix ↓
WS4B254156-110306	Sample Date 11.03.06	Sample Time 10:15A	Matrix ↓
WS5B254156-110306	Sample Date 11.03.06	Sample Time 10:15A	Matrix ↓
Containers			
#		size/type	Analyses
1		PCB BY NYSDOT 312-3	LSL ID# 001 A
2		PCB BY NYSDOT 312-3	LSL ID# 002
3		PCB BY NYSDOT 312-3	LSL ID# 003
4		PCB BY NYSDOT 312-3	LSL ID# 004
5		PCB BY NYSDOT 312-3	LSL ID# 005
Custody Transfers			
Sampled By: M.B. L		Received By: Paul Forth	
Relinquished By: M.B. L		Received By: Paul Forth	
Relinquished By: Paul Forth		Rec'd for Lab By: M	
Shipment Method: 11-03-06		Received Intact: Y N	
Containers this C-O-C		Sample Temp 10°C	

*** All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner IN PEN ONLY ***

Reg COC.XLS



LSL Southern Tier Lab
30 East Main Street
Cuba, NY 14727
Phone: (585) 968-2640
Fax: (585) 968-0906
Email: lsst@lsl-inc.com

0619372
BBLES_Fairport
-inc.com

[illegible]

Complaints and Complaints	Received Intact:	Y	N	Sample
*** All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner IN PEN ONLY ***				

Reg COC.XLS

Appendix L

Analytical Results for Waste
Characterization Soil Samples



Joe Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090

FAX: (585) 385-4198

Laboratory Analysis Report For

Blasland, Bouck & Lee, Inc.

Client Project ID:

130.74.001

LSL Project ID: **0619204**

Receive Date/Time: 11/01/06 17:13

Project Received by: RD

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

- (1) LSL Central Lab, East Syracuse, NY
- (2) LSL North Lab, Waddington, NY
- (3) LSL Finger Lakes Lab, Wayland, NY
- (4) LSL Southern Tier Lab, Cuba, NY
- (5) LSL MidLakes Lab, Canandaigua, NY
- (6) LSL Brittonfield Lab, East Syracuse, NY

(315) 445-1105
(315) 388-4476
(585) 728-3320
(585) 968-2640
(585) 396-0270
(315) 437-0200

NYS DOH ELAP #10248 PA DEP #68-2556
NYS DOH ELAP #10900
NYS DOH ELAP #11667
NYS DOH ELAP #10760
NYS DOH ELAP #11369
NYS DOH ELAP #10155

This report was reviewed by:

J. Edmunds, QA
Life Science Laboratories, Inc.

Date:

11/3/06

A copy of this report was sent to:

Jason Golubski

Page 1 of 3

Date Printed:

11/3/06

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: WS1A259289-110106

LSL Sample ID: 0619204-001

Location:

Sampled: 11/01/06 10:30

Sampled By: Client

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8082 PCB's					
Aroclor-1016	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1221	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1232	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1242	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1248	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1254	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1260	<0.5	ug/wipe	11/2/06	11/2/06	BW
Surrogate (DCB)	87	%R	11/2/06	11/2/06	BW

Sample ID: WS2A259289-110106

LSL Sample ID: 0619204-002

Location:

Sampled: 11/01/06 10:30

Sampled By: Client

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8082 PCB's					
Aroclor-1016	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1221	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1232	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1242	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1248	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1254	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1260	<0.5	ug/wipe	11/2/06	11/2/06	BW
Surrogate (DCB)	84	%R	11/2/06	11/2/06	BW

Sample ID: WS3A259289-110106

LSL Sample ID: 0619204-003

Location:

Sampled: 11/01/06 10:30

Sampled By: Client

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8082 PCB's					
Aroclor-1016	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1221	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1232	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1242	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1248	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1254	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1260	<0.5	ug/wipe	11/2/06	11/2/06	BW
Surrogate (DCB)	78	%R	11/2/06	11/2/06	BW

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: WS4A259289-110106

LSL Sample ID: 0619204-004

Location:

Sampled: 11/01/06 10:30

Sampled By: Client

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8082 PCB's					
Aroclor-1016	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1221	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1232	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1242	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1248	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1254	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1260	<0.5	ug/wipe	11/2/06	11/2/06	BW
Surrogate (DCB)	92	%R	11/2/06	11/2/06	BW

Sample ID: WS5A259289-110106

LSL Sample ID: 0619204-005

Location:

Sampled: 11/01/06 10:30

Sampled By: Client

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8082 PCB's					
Aroclor-1016	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1221	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1232	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1242	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1248	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1254	<0.5	ug/wipe	11/2/06	11/2/06	BW
Aroclor-1260	<0.5	ug/wipe	11/2/06	11/2/06	BW
Surrogate (DCB)	90	%R	11/2/06	11/2/06	BW



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery



LSL Southern Tier Lab
30 East Main Street
Cuba, NY 14727
Phone: (585) 968-2640
Fax: (585) 968-0906
Email: lsst@lsl-inc.com

0619204
BBLFS_Fairport

[illegible]

***	Complement marked.	Received intact:	Y	N	Sample
All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner IN PEN ON! Y***					

Reg COC.XLS



Jason Bolubski
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

Client Project ID:

130.74.001

LSL Project ID: **0619372**

Receive Date/Time: 11/03/06 15:05


Project Received by: MW

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

(1) LSL Central Lab, East Syracuse, NY	(315) 445-1105	NYS DOH ELAP #10248 PA DEP #68-2556
(2) LSL North Lab, Waddington, NY	(315) 388-4476	NYS DOH ELAP #10900
(3) LSL Finger Lakes Lab, Wayland, NY	(585) 728-3320	NYS DOH ELAP #11667
(4) LSL Southern Tier Lab, Cuba, NY	(585) 968-2640	NYS DOH ELAP #10760
(5) LSL MidLakes Lab, Canandaigua, NY	(585) 396-0270	NYS DOH ELAP #11369
(6) LSL Brittonfield Lab, East Syracuse, NY	(315) 437-0200	NYS DOH ELAP #10155

This report was reviewed by:


Life Science Laboratories, Inc.

Date:

11/17/06

A copy of this report was sent to:

Date Printed:

Page 1 of 5

11/6/06

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: WS1B254156-110306 LSL Sample ID: 0619372-001
Location:
Sampled: 11/03/06 10:15 Sampled By: Client
Sample Matrix: SHW as Recd, Wipe

Analytical Method	Prep	Analysis	Analyst
Analyte	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes			
Aroclor-1016	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1221	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1232	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1242	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1248	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1254	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1260	<0.5 ug/wipe	11/3/06 11/4/06	BW
Surrogate (DCB)	94 %R	11/3/06 11/4/06	BW

Sample ID: WS2B254156-110306 LSL Sample ID: 0619372-002
Location:
Sampled: 11/03/06 10:15 Sampled By: Client
Sample Matrix: SHW as Recd, Wipe

Analytical Method	Prep	Analysis	Analyst
Analyte	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes			
Aroclor-1016	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1221	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1232	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1242	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1248	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1254	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1260	<0.5 ug/wipe	11/3/06 11/4/06	BW
Surrogate (DCB)	70 %R	11/3/06 11/4/06	BW

Sample ID: WS3B254156-110306 LSL Sample ID: 0619372-003
Location:
Sampled: 11/03/06 10:15 Sampled By: Client
Sample Matrix: SHW as Recd, Wipe

Analytical Method	Prep	Analysis	Analyst
Analyte	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes			
Aroclor-1016	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1221	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1232	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1242	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1248	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1254	<0.5 ug/wipe	11/3/06 11/4/06	BW
Aroclor-1260	<0.5 ug/wipe	11/3/06 11/4/06	BW
Surrogate (DCB)	96 %R	11/3/06 11/4/06	BW

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: WS4B254156-110306

LSL Sample ID: 0619372-004

Location:

Sampled: 11/03/06 10:15 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	<0.5	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	102	%R	11/3/06	11/4/06	BW

Sample ID: WS5B254156-110306

LSL Sample ID: 0619372-005

Location:

Sampled: 11/03/06 10:15 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	<0.5	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	92	%R	11/3/06	11/4/06	BW

Sample ID: WS1C254102-110306

LSL Sample ID: 0619372-006

Location:

Sampled: 11/03/06 10:30 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	<0.5	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	84	%R	11/3/06	11/4/06	BW

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: WS2C254102-110306

LSL Sample ID: 0619372-007

Location:

Sampled: 11/03/06 10:30 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	<0.5	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	98	%R	11/3/06	11/4/06	BW

Sample ID: WS3C254102-110306

LSL Sample ID: 0619372-008

Location:

Sampled: 11/03/06 10:30 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	1.1	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	0.86	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	88	%R	11/3/06	11/4/06	BW

Sample ID: WS4C254102-110306

LSL Sample ID: 0619372-009

Location:

Sampled: 11/03/06 10:30 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	<0.5	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	96	%R	11/3/06	11/4/06	BW

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairfield, NY

Sample ID: WS5C254102-110306

LSL Sample ID: 0619372-010

Location:

Sampled: 11/03/06 10:30 Sampled By: Client

Sample Matrix: SHW as Recd, Wipe

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) NYSDOH 312-3M/EPA 8082 PCB's in Wipes					
Aroclor-1016	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1221	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1232	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1242	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1248	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1254	<0.5	ug/wipe	11/3/06	11/4/06	BW
Aroclor-1260	<0.5	ug/wipe	11/3/06	11/4/06	BW
Surrogate (DCB)	78	%R	11/3/06	11/4/06	BW



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery



Life Science Laboratories, Inc.

CHAIN OF CUSTODY RECORD

LSL Central Lab
5854 Butternut Drive
East Syracuse, NY 13057
Phone: (315) 445-1105
Fax: (315) 445-1301
Email: lsicentral@lsl-inc.com

LSL North Lab
131 St Lawrence Ave
Waddington, NY 13694
Phone: (315) 388-4476
Fax: (315) 388-4081
Email: lsinfo@lsl-inc.com

LSL Finger Lakes Lab
16 North Main Street
Wayland, NY 14572
Phone: (585) 728-3320
Fax: (585) 728-2711
Email: lsfl@lsl-inc.com

LSL Southern Tier Lab
30 East Main Street
Cuba, NY 14727
Phone: (585) 968-2640
Fax: (585) 968-0906
Email: lsstl@lsl-inc.com

0619372

BRIEF_Fairport

Fax: (585) 968-0906
Email: lsstl@lsl-inc.com

Report Address: Name: _____ Company: BLASLAND, BOUCK & CURE, INC. Street: 295 WOODCLIFF DR. City/State: FAIRPORT N.Y. Phone: 585 385 0090 Email: _____		Turnaround Time Normal <input type="checkbox"/> 14 DAY <input type="checkbox"/> 3-Day * <input checked="" type="checkbox"/> 7-Day * <input type="checkbox"/> *Additional Charges may apply							
Date Needed or Special Instructions: FINAL REPORTS TO JASON GOLURSKI AT JGOLURSKI@BBL-INC.COM		Authorization or P.O. # 13074.001							
LSL Project Number: 130.74.001									
Client Project ID/Client Site ID 130.74.001									
Client's Sample Identifications	Sample Date	Sample Time	Type grab/comp	Matrix	Preserv Added	Containers #	Analyses	Preserv Check	LSL ID#
WS1B254156-110306	11.03.06	10:15A		Wipe			PCB BY NYSDOT 312-3		001 A
WS2B254156-110306	11.03.06	10:15A					PCB BY NYSDOT 312-3		002
WS3B254156-110306	11.03.06	10:15A					PCB BY NYSDOT 312-3		003
WS4B254156-110306	11.03.06	10:15A					PCB BY NYSDOT 312-3		004
WS5B254156-110306	11.03.06	10:15A					PCB BY NYSDOT 312-3		005
LSL use only:									
Custody Transfers									
Sampled By: M.B. L...									
Relinquished By: M.B. L...									
Relinquished By: Paul Forth...									
Shipment Method: 11-03-06 15:05 IN									
Containers this C-O-C									
Date Time									
11.03.06 10:15A									
11.03.06 12:00									
15:05 IN									
Sample Temp 10°C									

*** All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner IN PEN ONLY ***

Reg COC.XLS



LSL Southern Tier Lab
30 East Main Street
Cuba, NY 14727
Phone: (585) 968-2640
Fax: (585) 968-0906
Email: lsst@lsl-inc.com

22910

BBLES Fairport

Email: lsml@sl-inc.com

[illegible]

Complaint type	Y	N	Sample
*** All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner in PEN ONI Y***			

Reg COC.XLS



Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

LSL Project ID: 0614361

Receive Date/Time: 08/17/06 16:59

Project Received by: MW

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

(1) LSL Central Lab, East Syracuse, NY	(315) 445-1105	NYS DOH ELAP #10248 PA DEP #68-2556
(2) LSL North Lab, Waddington, NY	(315) 388-4476	NYS DOH ELAP #10900
(3) LSL Finger Lakes Lab, Wayland, NY	(585) 728-3320	NYS DOH ELAP #11667
(4) LSL Southern Tier Lab, Cuba, NY	(585) 968-2640	NYS DOH ELAP #10760
(5) LSL MidLakes Lab, Canandaigua, NY	(585) 396-0270	NYS DOH ELAP #11369
(6) LSL Brittonfield Lab, East Syracuse, NY	(315) 437-0200	NYS DOH ELAP #10155

This report was reviewed by:

Rebecca Annunzio, CPA
Life Science Laboratories, Inc.

Date:

8/25/06

A copy of this report was sent to:

Page 1 of 4

Date Printed:

8/25/06

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: RFR Tank 254102 - Grab LSL Sample ID: 0614361-001

Location:

Sampled: 08/17/06 10:00 Sampled By: WKD

Sample Matrix: NPW

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(5) EPA 1010 Ignitability					
Ignitability	>60	degrees C		8/18/06	ASL
(1) EPA 608 PCB's					
Aroclor-1016	<0.05	ug/l	8/23/06	8/24/06	BW
Aroclor-1221	<0.05	ug/l	8/23/06	8/24/06	BW
Aroclor-1232	<0.05	ug/l	8/23/06	8/24/06	BW
Aroclor-1242	<0.05	ug/l	8/23/06	8/24/06	BW
Aroclor-1248	0.26	ug/l	8/23/06	8/24/06	BW
<i>This target analyte appears to be biologically degraded and/or environmentally weathered.</i>					
Aroclor-1254	<0.05	ug/l	8/23/06	8/24/06	BW
Aroclor-1260	<0.05	ug/l	8/23/06	8/24/06	BW
Surrogate (DCB)	95	%R	8/23/06	8/24/06	BW
<i>TCMX reported due to interference with DCB peak.</i>					
(1) EPA 624 Volatiles					
Benzene	<1	ug/l		8/23/06	BD
Surrogate (1,2-DCA-d4)	107	%R		8/23/06	BD
Surrogate (Tol-d8)	98	%R		8/23/06	BD
Surrogate (4-BFB)	100	%R		8/23/06	BD

Sample ID: Trip Blank - 081706 - Grab LSL Sample ID: 0614361-002

Location:

Sampled: 08/17/06 0:00 Sampled By:

Sample Matrix: TB

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 624 Volatiles					
Benzene	<1	ug/l		8/22/06	BD
Surrogate (1,2-DCA-d4)	115	%R		8/22/06	BD
Surrogate (Tol-d8)	101	%R		8/22/06	BD
Surrogate (4-BFB)	101	%R		8/22/06	BD

Water sample does not
relate to soil sample.

Science Laboratories, Inc.

Page 2 of 4

Date Printed: 8/25/06

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP1-081706 - Composite

LSL Sample ID: 0614361-003

Location:

Sampled: 08/17/06 10:30

Sampled By: WKD

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(5) ASTM E-502-84 Ignitability					
Ignitability	>60	Degrees C.		8/18/06	ASL
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				8/21/06	MFJ
(1) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				8/21/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l	8/22/06	8/22/06	DP
Barium	<5	mg/l	8/22/06	8/22/06	DP
Cadmium	<0.5	mg/l	8/22/06	8/22/06	DP
Chromium	<0.5	mg/l	8/22/06	8/22/06	DP
Lead	<0.5	mg/l	8/22/06	8/22/06	DP
Selenium	<0.5	mg/l	8/22/06	8/22/06	DP
Silver	<1	mg/l	8/22/06	8/22/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l	8/22/06	8/22/06	DP
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		8/23/06	CA
Carbon tetrachloride	<0.05	mg/l		8/23/06	CA
Chlorobenzene	<0.05	mg/l		8/23/06	CA
Chloroform	<0.05	mg/l		8/23/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		8/23/06	CA
1,2-Dichloroethane	<0.05	mg/l		8/23/06	CA
1,1-Dichloroethene	<0.05	mg/l		8/23/06	CA
2-Butanone (MEK)	<0.1	mg/l		8/23/06	CA
Tetrachloroethene	<0.05	mg/l		8/23/06	CA
Trichloroethene	<0.05	mg/l		8/23/06	CA
Vinyl chloride	<0.02	mg/l		8/23/06	CA
Surrogate (1,2-DCA-d4)	97	%R		8/23/06	CA
Surrogate (Tol-d8)	97	%R		8/23/06	CA
Surrogate (4-BFB)	100	%R		8/23/06	CA
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	8/23/06	8/24/06	CRT
2,4-Dinitrotoluene	<0.01	mg/l	8/23/06	8/24/06	CRT
Hexachlorobenzene	<0.01	mg/l	8/23/06	8/24/06	CRT
Hexachlorobutadiene	<0.01	mg/l	8/23/06	8/24/06	CRT
Hexachloroethane	<0.01	mg/l	8/23/06	8/24/06	CRT
Nitrobenzene	<0.01	mg/l	8/23/06	8/24/06	CRT
Pentachlorophenol	<0.02	mg/l	8/23/06	8/24/06	CRT
Pyridine	<0.02	mg/l	8/23/06	8/24/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	8/23/06	8/24/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	8/23/06	8/24/06	CRT
Surrogate (2-Fluorophenol)	46	%R	8/23/06	8/24/06	CRT
Surrogate (Phenol-d5)	33	%R	8/23/06	8/24/06	CRT
Surrogate (2,4,6-Tribromophenol)	82	%R	8/23/06	8/24/06	CRT

Life Science Laboratories, Inc.

Page 3 of 4

Date Printed: 8/25/06

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP1-081706 - Composite

LSL Sample ID: 0614361-003

Location:

Sampled: 08/17/06 10:30

Sampled By: WKD

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCLP Semi-Volatiles					
Surrogate (Nitrobenzene-d5)	75	%R	8/23/06	8/24/06	CRT
Surrogate (2-Fluorobiphenyl)	73	%R	8/23/06	8/24/06	CRT
Surrogate (Terphenyl-d14)	74	%R	8/23/06	8/24/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		8/23/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	59	mg/kg		8/23/06	AJS
(1) EPA 9045 Water Extractable pH					
pH	11.7	Std. Units		8/22/06	MP
pH Measurement Temperature	25	Degrees C		8/22/06	MP
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				8/22/06 12:40	MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery



CHAIN OF CUSTODY RECORD

LSL Central Lab
5854 Butternut Drive
East Syracuse, NY 13057
Phone: (315) 445-1105
Fax: (315) 445-1301
Email: lslcentral@lsl-inc.com

LSL North Lab
131 St Lawrence Ave
Waddington, NY 13694
Phone: (315) 388-4476
Fax: (315) 388-4081
Email: lsinfo@sl-inc.com

LSL Finger Lakes Lab
16 North Main Street
Wayland, NY 14572
Phone: (585) 728-3320
Fax: (585) 728-2711
Email: lsfl@lsl-inc.com

L
6
C
P
F
E

LSL Southern Tier Lab
30 East Main Street
Cuba, NY 14727
Phone: (585) 968-2640
Fax: (585) 968-0906
Email: lstl@lst-inc.com

0614361

BIBLES Fairport

Report Address:						
Name:	Joseph Molina III, P.E.					
Company:	Blasland, Bouck & Lee, Inc.					
Street:	295 Woodcliff Drive, Third Floor, Suite 301					
City/State:	Fairport, NY	14450	Zip:	14450		
Phone:	(585) 385-0650		Fax:	(585) 385-4198		
Email:						
Client Project ID/Client Site ID 130,74,001						
Turnaround Time	Normal	Pre-Authorized	Next Day*	2-Day*	7-Day*	*Additional Charges may apply
14 DAY	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Date Needed or Special Instructions:	8/24/06					
Authorization or P.O. #	130,74,001					
LSL Project Number:						
Containers	#	size/type	Analyses	Preserv Check	LSL ID#	
BFR Tank 254102	2	40ml/vial	Benzene		w. AB	
Trip Blank - 081706	2	40ml/biol	Benzene		w. AB	
RFR Tank 254102	1	750ml Amber	PCBs (608)		w. C	
RFR Tank 254102	1	250 ml Amber	Flash Point *		w. D	
SP1-081706	1	750ml Clear	TCLP SVOC's, TCLP Metals, Corrosivity, Reactivity, Flashpoint		w. A	
SP1-081706	1	100ml Clear	TCLP Volatiles		w. D	
Custody Transfers						
Sampled By:	Wayne K. DeCarv					
Relinquished By:	Wayne K. DeCarv					
Relinquished By:	Wayne K. DeCarv					
Shipment Method:	Shipper's Label					
Containers this C-O-C	Containers this C-O-C					
*** All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner in PEN ONI Y***						

Req COC.XLS



QUICK RESPONSE FAX OF LABORATORY RESULTS

9-15-06

Today's Date

PROJECT ID: 293 Court St., Binghamton, NY

TO:

COPY TO:

Joseph Molina

Blasland, Bouck & Lee, Inc.

5853854198

FROM:

LIFE SCIENCE LABORATORIES, INC.

LSL PROJECT ID:

0616109

NUMBER OF PAGES TRANSMITTED:
(INCLUDING COVER PAGE)

4

COMMENTS:

Thank you for the opportunity to be of service to you. We appreciate your business. If you need further assistance, please don't hesitate to contact us.

Need help with ...

Questions About Your Results

Price Quotations

Requests for Sample Kits or Scheduling Pickup of Samples

Status of Samples Currently Being Analyzed

Please Ask For ...

The Quality Department

The Client Services Department

The Field Services Department

The Technical Services Department

This facsimile contains CONFIDENTIAL INFORMATION which may also be legally privileged and is intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is prohibited. If you have received this facsimile in error, please notify us by telephone and return the original to us via the U. S. Postal Service. Thank You.

If you did not receive all of the pages please contact us immediately at (315) 445-1105.

LIFE SCIENCE LABORATORIES, INC.
5854 Butternut Drive, E. Syracuse, NY 13057



Laboratory Analysis Report For Blasland, Bouck & Lee, Inc.

Client Project ID: 293 Court St., Binghamton, NY

LSL Project ID: 0616109

Phone: (585) 385-0090

FAX: (585) 385-4198

Authorization: PO #130.74.001

Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

A copy of this report was sent to:

Sample ID: SP1A-091306 - Composite
Location: 293 Court St., Binghamton, NY
Sampled: 09/13/06 11:30
Sampled By: DMB

LSL Sample ID: 0616109-001
Receive Date/Time: 09/13/06 16:29
Project Rec'd by: MW

Matrix: SHW as Recd

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1221	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1232	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1242	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1248	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1254	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1260	<0.02	mg/kg	9/14/06	9/15/06	BW
Surrogate (DCB)	102	%R	9/14/06	9/15/06	BW

Life Science Laboratories, Inc.

gEdmunds QA
Reviewed by

(1) LSL Central Lab, East Syracuse, NY	(315) 445-1105	NYS DOH ELAP #10248	PA DEP #68-2556
(2) LSL North Lab, Waddington, NY	(315) 388-4476	NYS DOH ELAP #10900	
(3) LSL Finger Lakes Lab, Wayland, NY	(585) 728-3320	NYS DOH ELAP #11667	
(4) LSL Southern Tier Lab, Cuba, NY	(585) 968-2640	NYS DOH ELAP #10760	
(5) LSL MidLakes Lab, Canandaigua, NY	(585) 396-0270	NYS DOH ELAP #11369	
(6) LSL Brittonfield Lab, East Syracuse, NY	(315) 437-0200	NYS DOH ELAP #10155	

9/15/06
Date


Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery



5854 Butternut Drive

East Syracuse, NY 13057

Phone # (315) 445-1105

Telefax # (315) 445-1301

Client: Blasland, Bouck & Lee, Inc.

Phone # 585-385-0090

Address: 295 Woodcliff Drive

Fax # 585-385-4198

Fairport, NY 14450

130.74.001

Authorization:

[illegible]

Notes and Hazard identifications:

Custody Transfers

Date _____ Time _____

Received By: *Dr. R. L. L.*
89.13.22

Received By:

081326

Relinquished By: W B L Received By: Bill Donelson 09.13.06 1340

Received By:

09.13.06

09-13-06 16:29 IN

00-13+06 163

Shipment Method:

Samples Received	Intact:	Y	N
1	1	0	0
2	1	0	0
3	1	0	0
4	1	0	0
5	1	0	0
6	1	0	0
7	1	0	0
8	1	0	0
9	1	0	0
10	1	0	0
11	1	0	0
12	1	0	0
13	1	0	0
14	1	0	0
15	1	0	0
16	1	0	0
17	1	0	0
18	1	0	0
19	1	0	0
20	1	0	0
21	1	0	0
22	1	0	0
23	1	0	0
24	1	0	0
25	1	0	0
26	1	0	0
27	1	0	0
28	1	0	0
29	1	0	0
30	1	0	0
31	1	0	0
32	1	0	0
33	1	0	0
34	1	0	0
35	1	0	0
36	1	0	0
37	1	0	0
38	1	0	0
39	1	0	0
40	1	0	0
41	1	0	0
42	1	0	0
43	1	0	0
44	1	0	0
45	1	0	0
46	1	0	0
47	1	0	0
48	1	0	0
49	1	0	0
50	1	0	0
51	1	0	0
52	1	0	0
53	1	0	0
54	1	0	0
55	1	0	0
56	1	0	0
57	1	0	0
58	1	0	0
59	1	0	0
60	1	0	0
61	1	0	0
62	1	0	0
63	1	0	0
64	1	0	0
65	1	0	0
66	1	0	0
67	1	0	0
68	1	0	0
69	1	0	0
70	1	0	0
71	1	0	0
72	1	0	0
73	1	0	0
74	1	0	0
75	1	0	0
76	1	0	0
77	1	0	0
78	1	0	0
79	1	0	0
80	1	0	0
81	1	0	0
82	1	0	0
83	1	0	0
84	1	0	0
85	1	0	0
86	1	0	0
87	1	0	0
88	1	0	0
89	1	0	0
90	1	0	0
91	1	0	0
92	1	0	0
93	1	0	0
94	1	0	0
95	1	0	0
96	1	0	0
97	1	0	0
98	1	0	0
99	1	0	0
100	1	0	0

14



QUICK RESPONSE FAX OF LABORATORY RESULTS

9/9/06
Today's Date

PROJECT ID: 293 Court St., Binghamton, NY

TO:

COPY TO:

Joseph Molina
Blasland, Bouck & Lee, Inc.
5853854198

FROM: **LIFE SCIENCE LABORATORIES, INC.**

LSL PROJECT ID: 0615252

NUMBER OF PAGES TRANSMITTED:
(INCLUDING COVER PAGE)

7

COMMENTS: _____

Thank you for the opportunity to be of service to you. We appreciate your business. If you need further assistance, please don't hesitate to contact us.

Need help with ...

Questions About Your Results
Price Quotations
Requests for Sample Kits or Scheduling Pickup of Samples
Status of Samples Currently Being Analyzed

Please Ask For ...

The Quality Department
The Client Services Department
The Field Services Department
The Technical Services Department

This facsimile contains CONFIDENTIAL INFORMATION which may also be legally privileged and is intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is prohibited. If you have received this facsimile in error, please notify us by telephone and return the original to us via the U. S. Postal Service. Thank You.

If you did not receive all of the pages please contact us immediately at (315) 445-1105.

LIFE SCIENCE LABORATORIES, INC.
5854 Butternut Drive, E. Syracuse, NY 13057



Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

Client Project ID:

293 Court St., Binghamton, NY

LSL Project ID: 0615252

Receive Date/Time: 09/01/06 15:09

Project Received by: RD

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

- (1) LSL Central Lab, East Syracuse, NY
- (2) LSL North Lab, Waddington, NY
- (3) LSL Finger Lakes Lab, Wayland, NY
- (4) LSL Southern Tier Lab, Cuba, NY
- (5) LSL MidLakes Lab, Canandaigua, NY
- (6) LSL Brittonfield Lab, East Syracuse, NY

- (315) 445-1105
- (315) 388-4476
- (585) 728-3320
- (585) 968-2640
- (585) 396-0270
- (315) 437-0200

- NYS DOH ELAP #10248 PA DEP #68-2556
- NYS DOH ELAP #10900
- NYS DOH ELAP #11667
- NYS DOH ELAP #10760
- NYS DOH ELAP #11369
- NYS DOH ELAP #10155

This report was reviewed by:

J. Edmunds, QA
Life Science Laboratories, Inc.

Date:

9/7/06

A copy of this report was sent to:

Page 1 of 3

Date Printed:

9/7/06

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP2-090106 - Composite LSL Sample ID: 0615252-001

Location:

Sampled: 09/01/06 12:30 Sampled By: JMB

Sample Matrix: SHW as Recd, Soil

Analytical Method Analyte	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
(6) ASTM E-502-84 Ignitability					
Ignitability	<1	mm/sec		9/7/06 10:14	BL
<i>Analysis performed at LSL-BL by method EPA 1030. Result is <1 mm/sec.</i>					
(1) EPA 1311 TCLP Extraction				9/4/06	MFJ
TCLP Non-Volatile Extraction					
(1) EPA 1311 TCLP Z.H. Extraction				9/4/06	MFJ
TCLP Zero Headspace Extraction					
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l	9/5/06	9/6/06	DP
Barium	<5	mg/l	9/5/06	9/6/06	DP
Cadmium	<0.5	mg/l	9/5/06	9/6/06	DP
Chromium	<1	mg/l	9/5/06	9/6/06	DP
Lead	<1	mg/l	9/5/06	9/6/06	DP
Selenium	<0.5	mg/l	9/5/06	9/6/06	DP
Silver	<1	mg/l	9/5/06	9/6/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l	9/6/06	9/7/06	DP
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		9/5/06	CA
Carbon tetrachloride	<0.05	mg/l		9/5/06	CA
Chlorobenzene	<0.05	mg/l		9/5/06	CA
Chloroform	<0.05	mg/l		9/5/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		9/5/06	CA
1,2-Dichloroethane	<0.05	mg/l		9/5/06	CA
1,1-Dichloroethene	<0.05	mg/l		9/5/06	CA
2-Butanone (MEK)	<0.1	mg/l		9/5/06	CA
Tetrachloroethene	<0.05	mg/l		9/5/06	CA
Trichloroethene	<0.05	mg/l		9/5/06	CA
Vinyl chloride	<0.02	mg/l		9/5/06	CA
Surrogate (1,2-DCA-d4)	97	%R		9/5/06	CA
Surrogate (Tol-d8)	102	%R		9/5/06	CA
Surrogate (4-BFB)	101	%R		9/5/06	CA
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	9/5/06	9/6/06	CRT
2,4-Dinitrotoluene	<0.01	mg/l	9/5/06	9/6/06	CRT
Hexachlorobenzene	<0.01	mg/l	9/5/06	9/6/06	CRT
Hexachlorobutadiene	<0.01	mg/l	9/5/06	9/6/06	CRT
Hexachloroethane	<0.01	mg/l	9/5/06	9/6/06	CRT
Nitrobenzene	<0.01	mg/l	9/5/06	9/6/06	CRT
Pentachlorophenol	<0.02	mg/l	9/5/06	9/6/06	CRT
Pyridine	<0.02	mg/l	9/5/06	9/6/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	9/5/06	9/6/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	9/5/06	9/6/06	CRT
Surrogate (2-Fluorophenol)	15	%R	9/5/06	9/6/06	CRT
Surrogate (Phenol-d5)	10	%R	9/5/06	9/6/06	CRT

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP2-090106 - Composite LSL Sample ID: 0615252-001
 Location:
 Sampled: 09/01/06 12:30 Sampled By: JMB
 Sample Matrix: SHW as Recd, Soil

Analytical Method Analyte	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
(1) EPA 8270 TCLP Semi-Volatiles					
Surrogate (2,4,6-Tribromophenol)	56	%R	9/5/06	9/6/06	CRT
Surrogate (Nitrobenzene-d5)	50	%R	9/5/06	9/6/06	CRT
Surrogate (2-Fluorobiphenyl)	48	%R	9/5/06	9/6/06	CRT
Surrogate (Terphenyl-d14)	54	%R	9/5/06	9/6/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		9/7/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	58	mg/kg		9/5/06	AF
(1) EPA 9045 Water Extractable pH					
pH	10.6	Std Units		9/7/06 09:31	MK
pH Measurement Temperature	25	Degrees C		9/7/06 09:31	MK
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Pass			9/5/06	MM
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				9/5/06 12:15	MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:

- ug/l = microgram per liter
- ug/kg = microgram per kilogram
- mg/l = milligram per liter
- mg/kg = milligram per kilogram
- %R = Percent Recovery



Life Science Laboratories, Inc.

5000 Brittonfield Parkway, Suite 200

East Syracuse, NY 13057

(315) 437-0200

Analytical Results

StateCertNo: 10155

CLIENT: Life Science Laboratories, Inc.

Project: ILT 9/5/2006

W Order: 0609021

Matrix: SOIL

Inst. ID: WC

ColumnID:

Revision: 09/07/06 10:14

Col Type:

Sample Size: NA

%Moisture:

TestCode IGN1030S

Lab ID: 0609021-001A

Client Sample ID: 0615252-001A

Collection Date: 09/01/06 0:00

Date Received: 09/05/06 10:06

PrepDate:

BatchNo: R6530

FileID: 1-SAMP-

Analyte	Result Qual PQL	Units	DF	Date Analyzed
IGNITABILITY OF SOLIDS		SW1030		
Ignitability	ND	mm/sec	1	09/07/06

Qualifiers:

B. Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Practical Quantitation Limit (PQL)

S Spike Recovery outside accepted recovery limits

E Value exceeds the instrument calibration range

J Analyte detected below the PQL

P Prim./Conf. column %D or RPD exceeds limit

U Not Detected at the MDC or RL



Life Science Laboratories, Inc.

5854 Butternut Drive

East Syracuse, NY 13057

Chain of Custody Record

0615252

Phone # (315) 445-1105

Telefax # (315) 445-1301

Client: Blasland, Bouck & Lee, Inc.

Phone #

585-385-0090

Address: 295 Woodcliff Drive

Fax # 585-385-4198

Fairport, NY 14450

ext. 12

ext. 12

Authorization: 726 TAT

[illegible]

Notes and Hazard Identifications:

Custody Transfers

to Bl.
* spirit sent to MLG

Received By:

Received By: Paul Fello

Polizist Nr. 12

Booked for Lab Day

219

Shipment Method:

Samples Received Intact: Y N

701401



QUICK RESPONSE FAX OF LABORATORY RESULTS

9-11-06

Today's Date

PROJECT ID: **Relog of 0615252 - 293 Court St., Binghamton**

TO:

COPY TO:

Joseph Molina

Blasland, Bouck & Lee, Inc.

5853854198

FROM:

LIFE SCIENCE LABORATORIES, INC.

LSL PROJECT ID:

0615721

NUMBER OF PAGES TRANSMITTED:
(INCLUDING COVER PAGE)

4

COMMENTS:

Thank you for the opportunity to be of service to you. We appreciate your business. If you need further assistance, please don't hesitate to contact us.

Need help with ...

Questions About Your Results

Price Quotations

Requests for Sample Kits or Scheduling Pickup of Samples

Status of Samples Currently Being Analyzed

Please Ask For ...

The Quality Department

The Client Services Department

The Field Services Department

The Technical Services Department

This facsimile contains CONFIDENTIAL INFORMATION which may also be legally privileged and is intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is prohibited. If you have received this facsimile in error, please notify us by telephone and return the original to us via the U. S. Postal Service. Thank You.

If you did not receive all of the pages please contact us immediately at (315) 445-1105.

LIFE SCIENCE LABORATORIES, INC.

5854 Butternut Drive, E. Syracuse, NY 13057



Laboratory Analysis Report For Blasland, Bouck & Lee, Inc.

Date Printed: 9/11/06

Client Project ID: Relog of 0615252 - 293 Court St., Binghamton

LSL Project ID: 0615721

Phone: (585) 385-0090

FAX: (585) 385-4198

Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

A copy of this report was sent to:

Sample ID: SP2-090106 - Composite

LSL Sample ID: 0615721-001

Location:

Receive Date/Time: 09/01/06 15:09

Sampled: 09/01/06 12:30

Project Rec'd by: RD

Sampled By: DMB

Matrix: SHW as Recd

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	9/8/06	9/11/06	BW
Aroclor-1221	<0.02	mg/kg	9/8/06	9/11/06	BW
Aroclor-1232	<0.02	mg/kg	9/8/06	9/11/06	BW
Aroclor-1242	<0.02	mg/kg	9/8/06	9/11/06	BW
Aroclor-1248	<0.02	mg/kg	9/8/06	9/11/06	BW
Aroclor-1254	<0.02	mg/kg	9/8/06	9/11/06	BW
Aroclor-1260	<0.02	mg/kg	9/8/06	9/11/06	BW
Surrogate (DCB)	97	%R	9/8/06	9/11/06	BW

Life Science Laboratories, Inc.

(1) LSL Central Lab, East Syracuse, NY (315) 445-1105 NYS DOH ELAP #10248 PA DEP #68-2556
(2) LSL North Lab, Waddington, NY (315) 388-4476 NYS DOH ELAP #10900
(3) LSL Finger Lakes Lab, Wayland, NY (585) 728-3320 NYS DOH ELAP #11667
(4) LSL Southern Tier Lab, Cuba, NY (585) 968-2640 NYS DOH ELAP #10760
(5) LSL MidLakes Lab, Canandaigua, NY (585) 396-0270 NYS DOH ELAP #11369
(6) LSL Brittonfield Lab, East Syracuse, NY (315) 437-0200 NYS DOH ELAP #10155

Reviewed by

9/11/06
Date

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

Method	Surrogate(s)	Water Limits, %R	SHW Limits, %R
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery

Relog
0615721



5854 Butternut Drive
East Syracuse, NY 13057

Chain of Custody Record

0615252

BBLES Fairport

Telefax # (316) 445-1301

LSL Project #:

Phone # 585-385-0090

Fax # . 585-385-4198

Joe Molina
ext. 12

293 Court St. Binghamton, NY

Authorization: 72 hr TAT

Client's Project I.D.:

[illegible]

Custody Transfers

* split and sent to ML.

Custody Transfers		Date	Time
Sampled By: <i>[Signature]</i>	Received By: <i>[Signature]</i>	9-1-06	12:30
Relinquished By: <i>[Signature]</i>	Received By: <i>[Signature]</i>	9-1-06	12:40
Relinquished By: <i>[Signature]</i>	Received for Lab By: <i>[Signature]</i>	09-01-06	15:09 IN
Shipment Method:	Samples Received Intact: Y N	14:00	

Samples Received Intact: Y N

17.1°C



QUICK RESPONSE FAX OF LABORATORY RESULTS

9-13-06

Today's Date

PROJECT ID: 293 Court St., Binghamton, NY

TO:

COPY TO:

Joseph Molina

Blasland, Bouck & Lee, Inc.

5853854198

FROM:

LIFE SCIENCE LABORATORIES, INC.

LSL PROJECT ID:

0615677

NUMBER OF PAGES TRANSMITTED:
(INCLUDING COVER PAGE)

6

COMMENTS:

Thank you for the opportunity to be of service to you. We appreciate your business. If you need further assistance, please don't hesitate to contact us.

Need help with ...

Questions About Your Results

Price Quotations

Requests for Sample Kits or Scheduling Pickup of Samples

Status of Samples Currently Being Analyzed

Please Ask For ...

The Quality Department

The Client Services Department

The Field Services Department

The Technical Services Department

This facsimile contains CONFIDENTIAL INFORMATION which may also be legally privileged and is intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is prohibited. If you have received this facsimile in error, please notify us by telephone and return the original to us via the U. S. Postal Service. Thank You.

If you did not receive all of the pages please contact us immediately at (315) 445-1105.

LIFE SCIENCE LABORATORIES, INC.

5854 Butternut Drive, E. Syracuse, NY 13057



Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

Client Project ID:

293 Court St., Binghamton, NY

LSL Project ID: 0615677

Receive Date/Time: 09/07/06 16:57

Project Received by: GS

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

- (1) LSL Central Lab, East Syracuse, NY
- (2) LSL North Lab, Waddington, NY
- (3) LSL Finger Lakes Lab, Wayland, NY
- (4) LSL Southern Tier Lab, Cuba, NY
- (5) LSL MidLakes Lab, Canandaigua, NY
- (6) LSL Brittonfield Lab, East Syracuse, NY

(315) 445-1105
(315) 388-4476
(585) 728-3320
(585) 968-2640
(585) 396-0270
(315) 437-0200

NYS DOH ELAP #10248 PA DEP #68-2556
NYS DOH ELAP #10900
NYS DOH ELAP #11667
NYS DOH ELAP #10760
NYS DOH ELAP #11369
NYS DOH ELAP #10155

This report was reviewed by:

J. Edmunds, QA
Life Science Laboratories, Inc.

Date:

9/13/06

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP3-090706 - Composite LSL Sample ID: 0615677-001

Location:

Sampled: 09/07/06 11:00 Sampled By: Client

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(5) ASTM E-502-84 Ignitability					
Ignitability	>60	Degrees C.		9/8/06	ASL
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				9/10/06	MFJ
(2) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				9/10/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l	9/11/06	9/11/06	DP
Barium	<5	mg/l	9/11/06	9/11/06	DP
Cadmium	<0.5	mg/l	9/11/06	9/11/06	DP
Chromium	<1	mg/l	9/11/06	9/11/06	DP
Lead	<1	mg/l	9/11/06	9/11/06	DP
Selenium	<0.5	mg/l	9/11/06	9/11/06	DP
Silver	<1	mg/l	9/11/06	9/11/06	DP
(7) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l	9/11/06	9/12/06	DP
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	9/12/06	9/13/06	BW
Aroclor-1221	<0.02	mg/kg	9/12/06	9/13/06	BW
Aroclor-1232	<0.02	mg/kg	9/12/06	9/13/06	BW
Aroclor-1242	<0.02	mg/kg	9/12/06	9/13/06	BW
Aroclor-1248	<0.02	mg/kg	9/12/06	9/13/06	BW
Aroclor-1254	<0.02	mg/kg	9/12/06	9/13/06	BW
Aroclor-1260	<0.02	mg/kg	9/12/06	9/13/06	BW
Surrogate (DCB)	109	%R	9/12/06	9/13/06	BW
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		9/12/06	BD
Carbon tetrachloride	<0.05	mg/l		9/12/06	BD
Chlorobenzene	<0.05	mg/l		9/12/06	BD
Chloroform	<0.05	mg/l		9/12/06	BD
1,4-Dichlorobenzene	<0.05	mg/l		9/12/06	BD
1,2-Dichloroethane	<0.05	mg/l		9/12/06	BD
1,1-Dichloroethene	<0.05	mg/l		9/12/06	BD
2-Butanone (MEK)	<0.1	mg/l		9/12/06	BD
Tetrachloroethene	<0.05	mg/l		9/12/06	BD
Trichloroethene	<0.05	mg/l		9/12/06	BD
Vinyl chloride	<0.02	mg/l		9/12/06	BD
Surrogate (1,2-DCA-d4)	87	%R		9/12/06	BD
Surrogate (Tol-d8)	93	%R		9/12/06	BD
Surrogate (4-BFB)	99	%R		9/12/06	BD
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	9/11/06	9/12/06	CRT
2,4-Dinitrotoluene	<0.01	mg/l	9/11/06	9/12/06	CRT
Hexachlorobenzene	<0.01	mg/l	9/11/06	9/12/06	CRT
Hexachlorobutadiene	<0.01	mg/l	9/11/06	9/12/06	CRT

Life Science Laboratories, Inc.

Page 2 of 3

Date Printed: 9/13/06

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP3-090706 - Composite LSL Sample ID: 0615677-001

Location:

Sampled: 09/07/06 11:00 Sampled By: Client

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCLP Semi-Volatiles					
Hexachloroethane	<0.01	mg/l	9/11/06	9/12/06	CRT
Nitrobenzene	<0.01	mg/l	9/11/06	9/12/06	CRT
Pentachlorophenol	<0.01	mg/l	9/11/06	9/12/06	CRT
Pyridine	<0.01	mg/l	9/11/06	9/12/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	9/11/06	9/12/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	9/11/06	9/12/06	CRT
Surrogate (2-Fluorophenol)	43	%R	9/11/06	9/12/06	CRT
Surrogate (Phenol-d5)	38	%R	9/11/06	9/12/06	CRT
Surrogate (2,4,6-Tribromophenol)	73	%R	9/11/06	9/12/06	CRT
Surrogate (Nitrobenzene-d5)	56	%R	9/11/06	9/12/06	CRT
Surrogate (2-Fluorobiphenyl)	56	%R	9/11/06	9/12/06	CRT
Surrogate (Terphenyl-d14)	62	%R	9/11/06	9/12/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		9/13/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	51	mg/kg		9/12/06	AF
(1) EPA 9045 Water Extractable pH					
pH	9.2	Std Units		9/11/06 14:50	MK
pH Measurement Temperature	22	Degrees C		9/11/06 14:50	MK
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Pass			9/12/06	MM
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				9/12/06 10:00	MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:
 ug/l = microgram per liter
 ug/kg = microgram per kilogram
 mg/l = milligram per liter
 mg/kg = milligram per kilogram
 %R = Percent Recovery



QUICK RESPONSE FAX OF LABORATORY RESULTS

9-20-06

Today's Date

PROJECT ID: 293 Court St., Binghamton, NY

TO:

COPY TO:

Joseph Molina

Blasland, Bouck & Lee, Inc.

5853854198

FROM:

LIFE SCIENCE LABORATORIES, INC.

LSL PROJECT ID:

0615930

NUMBER OF PAGES TRANSMITTED:
(INCLUDING COVER PAGE)

6

COMMENTS:

Thank you for the opportunity to be of service to you. We appreciate your business. If you need further assistance, please don't hesitate to contact us.

Need help with ...

Questions About Your Results

Price Quotations

Requests for Sample Kits or Scheduling Pickup of Samples

Status of Samples Currently Being Analyzed

Please Ask For ...

The Quality Department

The Client Services Department

The Field Services Department

The Technical Services Department

This facsimile contains CONFIDENTIAL INFORMATION which may also be legally privileged and is intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is prohibited. If you have received this facsimile in error, please notify us by telephone and return the original to us via the U. S. Postal Service. Thank You.

If you did not receive all of the pages please contact us immediately at (315) 445-1105.

LIFE SCIENCE LABORATORIES, INC.

5854 Butternut Drive, E. Syracuse, NY 13057



Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

Client Project ID:

293 Court St., Binghamton, NY

LSL Project ID: 0615930

Receive Date/Time: 09/12/06 14:58

Project Received by: MW

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

(1) LSL Central Lab, East Syracuse, NY	(315) 445-1105	NYS DOH ELAP #10248 PA DEP #68-2556
(2) LSL North Lab, Waddington, NY	(315) 388-4476	NYS DOH ELAP #10900
(3) LSL Finger Lakes Lab, Wayland, NY	(585) 728-3320	NYS DOH ELAP #11667
(4) LSL Southern Tier Lab, Cuba, NY	(585) 968-2640	NYS DOH ELAP #10760
(5) LSL MidLakes Lab, Canandaigua, NY	(585) 396-0270	NYS DOH ELAP #11369
(6) LSL Brittonfield Lab, East Syracuse, NY	(315) 437-0200	NYS DOH ELAP #10155

This report was reviewed by:

Scot Quamman, QA
Life Science Laboratories, Inc.

Date:

9/20/06

A copy of this report was sent to:

Date Printed:

Page 1 of 3

9/20/06

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID:	SP4-091206 - Composite	LSL Sample ID:	0615930-001
Location:	293 Court St., Binghamton, NY		
Sampled:	09/12/06 9:00	Sampled By:	Client
Sample Matrix:	SHW as Recd		

Analytical Method			Prep Date	Analysis Date & Time	Analyst Initials
Analyte	Result	Units			
(5) ASTM E-502-84 Ignitability					
Ignitability	>60	degrees C		9/18/06	ASL
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				9/13/06	MFJ
(1) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				9/13/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l	9/14/06	9/14/06	DP
Barium	<5	mg/l	9/14/06	9/14/06	DP
Cadmium	<0.5	mg/l	9/14/06	9/14/06	DP
Chromium	<1	mg/l	9/14/06	9/14/06	DP
Lead	<1	mg/l	9/14/06	9/14/06	DP
Selenium	<0.5	mg/l	9/14/06	9/14/06	DP
Silver	<1	mg/l	9/14/06	9/14/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l		9/15/06	DP
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1221	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1232	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1242	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1248	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1254	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1260	<0.02	mg/kg	9/14/06	9/15/06	BW
Surrogate (DCB)	106	%R	9/14/06	9/15/06	BW
(1) EPA 8260 TCLP Volatiles					
Benzene	0.24	mg/l		9/15/06	CA
Carbon tetrachloride	<0.05	mg/l		9/15/06	CA
Chlorobenzene	<0.05	mg/l		9/15/06	CA
Chloroform	<0.05	mg/l		9/15/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		9/15/06	CA
1,2-Dichloroethane	<0.05	mg/l		9/15/06	CA
1,1-Dichloroethene	<0.05	mg/l		9/15/06	CA
2-Butanone (MEK)	<0.1	mg/l		9/15/06	CA
Tetrachloroethene	<0.05	mg/l		9/15/06	CA
Trichloroethene	<0.05	mg/l		9/15/06	CA
Vinyl chloride	<0.02	mg/l		9/15/06	CA
Surrogate (1,2-DCA-d4)	64	%R		9/15/06	CA
Surrogate (Tol-d8)	104	%R		9/15/06	CA
Surrogate (4-BFB)	104	%R		9/15/06	CA
<i>A Surrogate recovery for this analysis was below established control limits. Sample results may be biased low.</i>					
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	9/14/06	9/15/06	CRT
2,4-Dinitrotoluene	<0.01	mg/l	9/14/06	9/15/06	CRT
Hexachlorobenzene	<0.01	mg/l	9/14/06	9/15/06	CRT

Life Science Laboratories, Inc.

Page 2 of 3

Date Printed: 9/20/06

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP4-091206 - Composite LSL Sample ID: 0615930-001
Location: 293 Court St., Binghamton, NY
Sampled: 09/12/06 9:00 Sampled By: Client
Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCLP Semi-Volatiles					
Hexachlorobutadiene	<0.01	mg/l	9/14/06	9/15/06	CRT
Hexachloroethane	<0.01	mg/l	9/14/06	9/15/06	CRT
Nitrobenzene	<0.01	mg/l	9/14/06	9/15/06	CRT
Pentachlorophenol	<0.02	mg/l	9/14/06	9/15/06	CRT
Pyridine	<0.02	mg/l	9/14/06	9/15/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	9/14/06	9/15/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	9/14/06	9/15/06	CRT
Surrogate (2-Fluorophenol)	5	%R	9/14/06	9/15/06	CRT
Surrogate (Phenol-d5)	1	%R	9/14/06	9/15/06	CRT
Surrogate (2,4,6-Tribromophenol)	69	%R	9/14/06	9/15/06	CRT
Surrogate (Nitrobenzene-d5)	53	%R	9/14/06	9/15/06	CRT
Surrogate (2-Fluorobiphenyl)	58	%R	9/14/06	9/15/06	CRT
Surrogate (Terphenyl-d14)	75	%R	9/14/06	9/15/06	CRT
Surrogate recoveries for this analysis were below established control limits. Sample results may be biased low.					
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		9/19/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	<50	mg/kg		9/14/06	AF
(1) EPA 9045 Water Extractable pH					
pH	8.1	Std Units		9/15/06	AF
pH Measurement Temperature	23	Degrees C		9/15/06	AF
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Pass			9/14/06	MM
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				9/14/06 12:15	MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:

- ug/l = microgram per liter
- ug/kg = microgram per kilogram
- mg/l = milligram per liter
- mg/kg = milligram per kilogram
- %R = Percent Recovery



QUICK RESPONSE FAX OF LABORATORY RESULTS

10-3-06
Today's Date

PROJECT ID: **293 Court St., Binghamton, NY**

TO:

COPY TO:

Joseph Molina

Blasland, Bouck & Lee, Inc.

5853854198

FROM:

LIFE SCIENCE LABORATORIES, INC.

LSL PROJECT ID:

0616938

NUMBER OF PAGES TRANSMITTED:
(INCLUDING COVER PAGE)

6

COMMENTS: _____

Thank you for the opportunity to be of service to you. We appreciate your business. If you need further assistance, please don't hesitate to contact us.

Need help with ...

Questions About Your Results

Price Quotations

Requests for Sample Kits or Scheduling Pickup of Samples

Status of Samples Currently Being Analyzed

Please Ask For ...

The Quality Department

The Client Services Department


The Field Services Department

The Technical Services Department

This facsimile contains CONFIDENTIAL INFORMATION which may also be legally privileged and is intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is prohibited. If you have received this facsimile in error, please notify us by telephone and return the original to us via the U. S. Postal Service. Thank You.

If you did not receive all of the pages please contact us immediately at (315) 445-1105.

LIFE SCIENCE LABORATORIES, INC.
5854 Butternut Drive, E. Syracuse, NY 13057



Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

Client Project ID:

293 Court St., Binghamton, NY

LSL Project ID: **0616938**

Receive Date/Time: 09/27/06 15:36

Project Received by: MW

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.


Life Science Laboratories, Inc.

- (1) LSL Central Lab, East Syracuse, NY
- (2) LSL North Lab, Waddington, NY
- (3) LSL Finger Lakes Lab, Wayland, NY
- (4) LSL Southern Tier Lab, Cuba, NY
- (5) LSL MidLakes Lab, Canandaigua, NY
- (6) LSL Brittonfield Lab, East Syracuse, NY

(315) 445-1105
(315) 388-4476
(585) 728-3320
(585) 968-2640
(585) 396-0270
(315) 437-0200

NYS DOH ELAP #10248 PA DEP #68-2556
NYS DOH ELAP #10900
NYS DOH ELAP #11667
NYS DOH ELAP #10760
NYS DOH ELAP #11369
NYS DOH ELAP #10155

This report was reviewed by:


Life Science Laboratories, Inc.

Date:

10/3/06

A copy of this report was sent to:

Page 1 of 3

Date Printed:

10/3/06

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID:	SP5-092606 - Composite	LSL Sample ID:	0616938-001
Location:	293 Court St., Binghamton, NY		
Sampled:	09/26/06 18:00	Sampled By:	Client
Sample Matrix:	SHW as Recd		

Analytical Method					
Analyte	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
(5) ASTM E-502-84 Ignitability					
Ignitability	>60	Degrees C.		9/29/06	NJT
(1) Corrosivity as pH					
Corrosivity as pH	10.01	Std Units		10/2/06 09:53	MK
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				9/28/06	MFJ
(1) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				9/28/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l	9/29/06	10/2/06	DP
Barium	<5	mg/l	9/29/06	10/2/06	DP
Cadmium	<0.5	mg/l	9/29/06	10/2/06	DP
Chromium	<1	mg/l	9/29/06	10/2/06	DP
Lead	<1	mg/l	9/29/06	10/2/06	DP
Selenium	<0.5	mg/l	9/29/06	10/2/06	DP
Silver	<1	mg/l	9/29/06	10/2/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l		10/2/06	DP
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	9/28/06	9/28/06	BW
Aroclor-1221	<0.02	mg/kg	9/28/06	9/28/06	BW
Aroclor-1232	<0.02	mg/kg	9/28/06	9/28/06	BW
Aroclor-1242	<0.02	mg/kg	9/28/06	9/28/06	BW
Aroclor-1248	<0.02	mg/kg	9/28/06	9/28/06	BW
Aroclor-1254	<0.02	mg/kg	9/28/06	9/28/06	BW
Aroclor-1260	<0.02	mg/kg	9/28/06	9/28/06	BW
Surrogate (DCB)	97	%R	9/28/06	9/28/06	BW
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		9/29/06	CA
Carbon tetrachloride	<0.05	mg/l		9/29/06	CA
Chlorobenzene	<0.05	mg/l		9/29/06	CA
Chloroform	<0.05	mg/l		9/29/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		9/29/06	CA
1,2-Dichloroethane	<0.05	mg/l		9/29/06	CA
1,1-Dichloroethene	<0.05	mg/l		9/29/06	CA
2-Butanone (MEK)	<0.1	mg/l		9/29/06	CA
Tetrachloroethene	<0.05	mg/l		9/29/06	CA
Trichloroethene	<0.05	mg/l		9/29/06	CA
Vinyl chloride	<0.02	mg/l		9/29/06	CA
Surrogate (1,2-DCA-d4)	93	%R		9/29/06	CA
Surrogate (Tol-d8)	102	%R		9/29/06	CA
Surrogate (4-BFB)	109	%R		9/29/06	CA
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	9/29/06	10/2/06	CRT

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP5-092606 - Composite LSL Sample ID: 0616938-001
Location: 293 Court St., Binghamton, NY
Sampled: 09/26/06 18:00 Sampled By: Client
Sample Matrix: SHW as Recd


Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCLP Semi-Volatiles					
2,4-Dinitrotoluene	<0.01	mg/l	9/29/06	10/2/06	CRT
Hexachlorobenzene	<0.01	mg/l	9/29/06	10/2/06	CRT
Hexachlorobutadiene	<0.01	mg/l	9/29/06	10/2/06	CRT
Hexachloroethane	<0.01	mg/l	9/29/06	10/2/06	CRT
Nitrobenzene	<0.01	mg/l	9/29/06	10/2/06	CRT
Pentachlorophenol	<0.02	mg/l	9/29/06	10/2/06	CRT
Pyridine	<0.02	mg/l	9/29/06	10/2/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	9/29/06	10/2/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	9/29/06	10/2/06	CRT
Surrogate (2-Fluorophenol)	37	%R	9/29/06	10/2/06	CRT
Surrogate (Phenol-d5)	34	%R	9/29/06	10/2/06	CRT
Surrogate (2,4,6-Tribromophenol)	66	%R	9/29/06	10/2/06	CRT
Surrogate (Nitrobenzene-d5)	62	%R	9/29/06	10/2/06	CRT
Surrogate (2-Fluorobiphenyl)	57	%R	9/29/06	10/2/06	CRT
Surrogate (Terphenyl-d14)	62	%R	9/29/06	10/2/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		10/2/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	<50	mg/kg		10/2/06	AF
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Pass			9/29/06	MM
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				9/29/06 10:30	MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery




**Life Science Laboratory
5854 Butternut Drive
East Syracuse, NY 13057**

Chain of Custody Record

0616938
BBLES_Fairport

[illegible]



QUICK RESPONSE FAX OF LABORATORY RESULTS

10-11-06

Today's Date

PROJECT ID: 293 Court St., Binghamton, NY

TO:

COPY TO:

Joseph Molina

Jason Golubski

Blasland, Bouck & Lee, Inc.

5853854198

FROM:

LIFE SCIENCE LABORATORIES, INC.

LSL PROJECT ID:

0617579

NUMBER OF PAGES TRANSMITTED:
(INCLUDING COVER PAGE)

5

COMMENTS:

Thank you for the opportunity to be of service to you. We appreciate your business. If you need further assistance, please don't hesitate to contact us.

Need help with ...

Questions About Your Results

Price Quotations

Requests for Sample Kits or Scheduling Pickup of Samples

Status of Samples Currently Being Analyzed

Please Ask For ...

The Quality Department

The Client Services Department

The Field Services Department

The Technical Services Department

This facsimile contains CONFIDENTIAL INFORMATION which may also be legally privileged and is intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is prohibited. If you have received this facsimile in error, please notify us by telephone and return the original to us via the U. S. Postal Service. Thank You.

If you did not receive all of the pages please contact us immediately at (315) 445-1105.

LIFE SCIENCE LABORATORIES, INC.

5854 Butternut Drive, E. Syracuse, NY 13057



Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

Client Project ID:
293 Court St., Binghamton, NY
LSL Project ID: **0617579**
Receive Date/Time: 10/05/06 16:12
Project Received by: RD

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

(1) LSL Central Lab, East Syracuse, NY	(315) 445-1105	NYS DOH ELAP #10248 PA DEP #68-2556
(2) LSL North Lab, Waddington, NY	(315) 388-4476	NYS DOH ELAP #10900
(3) LSL Finger Lakes Lab, Wayland, NY	(585) 728-3320	NYS DOH ELAP #11667
(4) LSL Southern Tier Lab, Cuba, NY	(585) 968-2640	NYS DOH ELAP #10760
(5) LSL MidLakes Lab, Canandaigua, NY	(585) 396-0270	NYS DOH ELAP #11369
(6) LSL Brittonfield Lab, East Syracuse, NY	(315) 437-0200	NYS DOH ELAP #10155

This report was reviewed by:

gEdmunds, QA
Life Science Laboratories, Inc.

Date:

10/11/06

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP6-100506 - Composite LSL Sample ID: 0617579-001
Location: 293 Court St., Binghamton
Sampled: 10/05/06 10:00 Sampled By: Client
Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) Corrosivity as pH					
Corrosivity as pH	10	Std Units		10/10/06 11:04	MK
(5) EPA 1010 Ignitability					
Ignitability	>60	Degrees C.		10/9/06	ASL
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				10/9/06	MFJ
(1) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				10/9/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l	10/10/06	10/11/06	DP
Barium	<5	mg/l	10/10/06	10/11/06	DP
Cadmium	<0.5	mg/l	10/10/06	10/11/06	DP
Chromium	<1	mg/l	10/10/06	10/11/06	DP
Lead	<1	mg/l	10/10/06	10/11/06	DP
Selenium	<0.5	mg/l	10/10/06	10/11/06	DP
Silver	<1	mg/l	10/10/06	10/11/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l		10/11/06	DP
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	10/10/06	10/11/06	BW
Aroclor-1221	<0.02	mg/kg	10/10/06	10/11/06	BW
Aroclor-1232	<0.02	mg/kg	10/10/06	10/11/06	BW
Aroclor-1242	<0.02	mg/kg	10/10/06	10/11/06	BW
Aroclor-1248	<0.02	mg/kg	10/10/06	10/11/06	BW
Aroclor-1254	<0.02	mg/kg	10/10/06	10/11/06	BW
Aroclor-1260	<0.02	mg/kg	10/10/06	10/11/06	BW
Surrogate (DCB)	101	%R	10/10/06	10/11/06	BW
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		10/10/06	CA
Carbon tetrachloride	<0.05	mg/l		10/10/06	CA
Chlorobenzene	<0.05	mg/l		10/10/06	CA
Chloroform	<0.05	mg/l		10/10/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		10/10/06	CA
1,2-Dichloroethane	<0.05	mg/l		10/10/06	CA
1,1-Dichloroethene	<0.05	mg/l		10/10/06	CA
2-Butanone (MEK)	<0.1	mg/l		10/10/06	CA
Tetrachloroethene	<0.05	mg/l		10/10/06	CA
Trichloroethene	<0.05	mg/l		10/10/06	CA
Vinyl chloride	<0.02	mg/l		10/10/06	CA
Surrogate (1,2-DCA-d4)	88	%R		10/10/06	CA
Surrogate (Tol-d8)	98	%R		10/10/06	CA
Surrogate (4-BFB)	97	%R		10/10/06	CA
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	10/10/06	10/10/06	CRT

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP6-100506 - Composite LSL Sample ID: 0617579-001
Location: 293 Court St., Binghamton
Sampled: 10/05/06 10:00 Sampled By: Client
Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCLP Semi-Volatiles					
2,4-Dinitrotoluene	<0.01	mg/l	10/10/06	10/10/06	CRT
Hexachlorobenzene	<0.01	mg/l	10/10/06	10/10/06	CRT
Hexachlorobutadiene	<0.01	mg/l	10/10/06	10/10/06	CRT
Hexachloroethane	<0.01	mg/l	10/10/06	10/10/06	CRT
Nitrobenzene	<0.01	mg/l	10/10/06	10/10/06	CRT
Pentachlorophenol	<0.02	mg/l	10/10/06	10/10/06	CRT
Pyridine	<0.02	mg/l	10/10/06	10/10/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	10/10/06	10/10/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	10/10/06	10/10/06	CRT
Surrogate (2-Fluorophenol)	28	%R	10/10/06	10/10/06	CRT
Surrogate (Phenol-d5)	20	%R	10/10/06	10/10/06	CRT
Surrogate (2,4,6-Tribromophenol)	66	%R	10/10/06	10/10/06	CRT
Surrogate (Nitrobenzene-d5)	57	%R	10/10/06	10/10/06	CRT
Surrogate (2-Fluorobiphenyl)	55	%R	10/10/06	10/10/06	CRT
Surrogate (Terphenyl-d14)	74	%R	10/10/06	10/10/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		10/11/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	51	mg/kg		10/11/06	AF
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Pass			10/9/06	MM
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				10/9/06 11:45	MM



East Syracuse, NY 13057

Fairport, NY 14450

14.900



QUICK RESPONSE FAX OF LABORATORY RESULTS

10-16-06

Today's Date

PROJECT ID: 293 Court St., Binghamton, NY

TO:

Joseph Molina
Blasland, Bouck & Lee, Inc.
5853854198

COPY TO:

Jason Golubski

FROM:

LIFE SCIENCE LABORATORIES, INC.

LSL PROJECT ID:

0617807

NUMBER OF PAGES TRANSMITTED:
(INCLUDING COVER PAGE)

6

COMMENTS:

Thank you for the opportunity to be of service to you. We appreciate your business. If you need further assistance, please don't hesitate to contact us.

Need help with ...

Questions About Your Results
Price Quotations
Requests for Sample Kits or Scheduling Pickup of Samples
Status of Samples Currently Being Analyzed

Please Ask For ...

The Quality Department
The Client Services Department
The Field Services Department
The Technical Services Department

This facsimile contains CONFIDENTIAL INFORMATION which may also be legally privileged and is intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is prohibited. If you have received this facsimile in error, please notify us by telephone and return the original to us via the U. S. Postal Service. Thank You.

If you did not receive all of the pages please contact us immediately at (315) 445-1105.

LIFE SCIENCE LABORATORIES, INC.
5854 Butternut Drive, E. Syracuse, NY 13057



Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

Client Project ID:

293 Court St., Binghamton, NY

LSL Project ID: 0617807

Receive Date/Time: 10/10/06 15:58

Project Received by: MW

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.


Life Science Laboratories, Inc.

- (1) LSL Central Lab, East Syracuse, NY
- (2) LSL North Lab, Waddington, NY
- (3) LSL Finger Lakes Lab, Wayland, NY
- (4) LSL Southern Tier Lab, Cuba, NY
- (5) LSL MidLakes Lab, Canandaigua, NY
- (6) LSL Brittonfield Lab, East Syracuse, NY

(315) 445-1105
(315) 388-4476
(585) 728-3320
(585) 968-2640
(585) 396-0270
(315) 437-0200

NYS DOH ELAP #10248 PA DEP #68-2556
NYS DOH ELAP #10900
NYS DOH ELAP #11667
NYS DOH ELAP #10760
NYS DOH ELAP #11369
NYS DOH ELAP #10155

This report was reviewed by:


Life Science Laboratories, Inc.

Date:

10/16/06

A copy of this report was sent to: Jason Golubski

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP7-101006 - Composite LSL Sample ID: 0617807-001

Location:

Sampled: 10/10/06 8:00 Sampled By: DMB

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(5) ASTM E-502-84 Ignitability					
Ignitability	>60	Degrees C.		10/13/06	ASL
(1) Corrosivity as pH					
Corrosivity as pH	9.2	Std Units		10/13/06 13:53	MK
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				10/11/06	MFJ
(1) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				10/11/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l	1/12/06	10/16/06	DP
Barium	<5	mg/l	1/12/06	10/16/06	DP
Cadmium	<0.5	mg/l	1/12/06	10/16/06	DP
Chromium	<1	mg/l	1/12/06	10/16/06	DP
Lead	<1	mg/l	1/12/06	10/16/06	DP
Selenium	<0.5	mg/l	1/12/06	10/16/06	DP
Silver	<1	mg/l	1/12/06	10/16/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l		10/12/06	DP
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	10/11/06	10/14/06	BW
Aroclor-1221	<0.02	mg/kg	10/11/06	10/14/06	BW
Aroclor-1232	<0.02	mg/kg	10/11/06	10/14/06	BW
Aroclor-1242	<0.02	mg/kg	10/11/06	10/14/06	BW
Aroclor-1248	<0.02	mg/kg	10/11/06	10/14/06	BW
Aroclor-1254	<0.02	mg/kg	10/11/06	10/14/06	BW
Aroclor-1260	<0.02	mg/kg	10/11/06	10/14/06	BW
Surrogate (DCB)	103	%R	10/11/06	10/14/06	BW
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		10/12/06	CA
Carbon tetrachloride	<0.05	mg/l		10/12/06	CA
Chlorobenzene	<0.05	mg/l		10/12/06	CA
Chloroform	<0.05	mg/l		10/12/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		10/12/06	CA
1,2-Dichloroethane	<0.05	mg/l		10/12/06	CA
1,1-Dichloroethene	<0.05	mg/l		10/12/06	CA
2-Butanone (MEK)	<0.1	mg/l		10/12/06	CA
Tetrachloroethene	<0.05	mg/l		10/12/06	CA
Trichloroethene	<0.05	mg/l		10/12/06	CA
Vinyl chloride	<0.02	mg/l		10/12/06	CA
Surrogate (1,2-DCA-d4)	85	%R		10/12/06	CA
Surrogate (Tol-d8)	102	%R		10/12/06	CA
Surrogate (4-BFB)	96	%R		10/12/06	CA
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	10/12/06	10/12/06	CRT

Life Science Laboratories, Inc.

Page 2 of 3
Date Printed: 10/16/06

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP7-101006 - Composite

LSL Sample ID: 0617807-001

Location:

Sampled: 10/10/06 8:00

Sampled By: DMB

Sample Matrix: SHW as Recd


Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCLP Semi-Volatiles					
2,4-Dinitrotoluene	<0.01	mg/l	10/12/06	10/12/06	CRT
Hexachlorobenzene	<0.01	mg/l	10/12/06	10/12/06	CRT
Hexachlorobutadiene	<0.01	mg/l	10/12/06	10/12/06	CRT
Hexachloroethane	<0.01	mg/l	10/12/06	10/12/06	CRT
Nitrobenzene	<0.01	mg/l	10/12/06	10/12/06	CRT
Pentachlorophenol	<0.02	mg/l	10/12/06	10/12/06	CRT
Pyridine	<0.02	mg/l	10/12/06	10/12/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	10/12/06	10/12/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	10/12/06	10/12/06	CRT
Surrogate (2-Fluorophenol)	37	%R	10/12/06	10/12/06	CRT
Surrogate (Phenol-d5)	28	%R	10/12/06	10/12/06	CRT
Surrogate (2,4,6-Tribromophenol)	64	%R	10/12/06	10/12/06	CRT
Surrogate (Nitrobenzene-d5)	73	%R	10/12/06	10/12/06	CRT
Surrogate (2-Fluorobiphenyl)	67	%R	10/12/06	10/12/06	CRT
Surrogate (Terphenyl-d14)	76	%R	10/12/06	10/12/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		10/11/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	<50	mg/kg		10/11/06	AF
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Fail			10/11/06	MM
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				10/11/06 11:50	MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter ug/kg = microgram per kilogram mg/l = milligram per liter mg/kg = milligram per kilogram %R = Percent Recovery
------------	---



**Life Science Laboratory
5854 Butternut Drive
East Syracuse, NY 13057**

Chain of Custody Record

0617807
BBLES Fairport

[illegible]



Laboratory Analysis Report For Blasland, Bouck & Lee, Inc.

Client Project ID: 293 Court St., Binghamton, NY

LSL Project ID: 0618302

Phone: (585) 385-0090

FAX: (315) 449-4111

Authorization: PO #130.74.001

Jason Golubski
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

A copy of this report was sent to:

Sample ID: SP7B-101706 - Composite

LSL Sample ID: 0618302-001

Location: 293 Court St., Binghamton, NY

Receive Date/Time: 10/17/06 16:39

Sampled: 10/17/06 11:00

Project Rec'd by: MW

Sampled By: LMB

Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Pass			10/19/06	MM
(1) Modified EPA 160.3 Total Solids					
Total Solids @ 103-105 C	78	%		10/19/06	MM

Life Science Laboratories, Inc.

(1) LSL Central Lab, East Syracuse, NY	(315) 445-1105	NYS DOH ELAP #10248	PA DEP #68-2556
(2) LSL North Lab, Waddington, NY	(315) 388-4476	NYS DOH ELAP #10900	
(3) LSL Finger Lakes Lab, Wayland, NY	(585) 728-3320	NYS DOH ELAP #11667	
(4) LSL Southern Tier Lab, Cuba, NY	(585) 968-2640	NYS DOH ELAP #10760	
(5) LSL MidLakes Lab, Canandaigua, NY	(585) 396-0270	NYS DOH ELAP #11369	
(6) LSL Brittonfield Lab, East Syracuse, NY	(315) 437-0200	NYS DOH ELAP #10155	

G. Edmunds, QA
Reviewed by

10/20/06
Date

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Chain of Custody Record

0618302

BBLES_Fairport

Phone # (315) 445-1105

Telefax # (315) 445-1301

Client: Blasland, Bouck & Lee, Inc.

Phone # 585-385-0090

Address: 295 Woodcliff Drive

Fax # 585-385-4198

Fairport, NY 14450

Contact Person:

JASON
GOWBSKI
Joe-Molina

LSL Project #:

Client's Site I.D.:

293 Court St. Binghamton, NY

ext-42

FAX NO.

315.449.4111

130.74.001

Authorization:

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type	Matrix	Preserv. Added	Containers # size/type	Analyses	Preserv. Check
SP7B-101706		10/17	1100	X	SOIL	None	1 4-oz	70HP-Vols	
								PAINT FILTER, %TOTALSOLIDS	0.1%
								70HP-Semi-Vols, Metals, Reactivity,	
								PCB, Paint-Filter, pH, Flashpoint	
								CIRCLE ONE	
								72 HR-TAT	
								5-Day-TAT	
								24 HR. TAT	
								EMAIL	
								FOR RESULTS TO JASON	
								GOWBSKI	
								JR.GOWBSKI@BSL-INC.COM	

Notes and Hazard identifications:

Custody Transfers

Date

Time

Sampled By: M. B. L. Received By:

10.17.06 11:00A

Relinquished By: M. B. L. Received By: B. J. Derakshan

10.17.06 1350

Relinquished By: B. J. Derakshan Received for Lab By: M

10-17-06 16:39 IN

Shipment Method:

Samples Received Intact: Y N



QUICK RESPONSE FAX OF LABORATORY RESULTS

10-16-06

Today's Date

PROJECT ID: 293 Court St., Binghamton, NY

TO:

Joseph Molina

Blasland, Bouck & Lee, Inc.

5853854198

COPY TO:

Jason Golubski

FROM:

LIFE SCIENCE LABORATORIES, INC.

LSL PROJECT ID:

0617925

NUMBER OF PAGES TRANSMITTED:
(INCLUDING COVER PAGE)

6

COMMENTS: _____

Thank you for the opportunity to be of service to you. We appreciate your business. If you need further assistance, please don't hesitate to contact us.

Need help with ...

Questions About Your Results

Price Quotations

Requests for Sample Kits or Scheduling Pickup of Samples

Status of Samples Currently Being Analyzed

Please Ask For ...

The Quality Department

The Client Services Department

The Field Services Department

The Technical Services Department

This facsimile contains CONFIDENTIAL INFORMATION which may also be legally privileged and is intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is prohibited. If you have received this facsimile in error, please notify us by telephone and return the original to us via the U. S. Postal Service. Thank You.

If you did not receive all of the pages please contact us immediately at (315) 445-1105.

LIFE SCIENCE LABORATORIES, INC.
5854 Butternut Drive, E. Syracuse, NY 13057



Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report For

Blasland, Bouck & Lee, Inc.

Client Project ID:

293 Court St., Binghamton, NY

LSL Project ID: 0617925

Receive Date/Time: 10/11/06 15:40

Project Received by: GS

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

- (1) LSL Central Lab, East Syracuse, NY
- (2) LSL North Lab, Waddington, NY
- (3) LSL Finger Lakes Lab, Wayland, NY
- (4) LSL Southern Tier Lab, Cuba, NY
- (5) LSL MidLakes Lab, Canandaigua, NY
- (6) LSL Brittonfield Lab, East Syracuse, NY

(315) 445-1105
(315) 388-4476
(585) 728-3320
(585) 968-2640
(585) 396-0270
(315) 437-0200

NYS DOH ELAP #10248 PA DEP #68-2556
NYS DOH ELAP #10900
NYS DOH ELAP #11667
NYS DOH ELAP #10760
NYS DOH ELAP #11369
NYS DOH ELAP #10155

This report was reviewed by:


Life Science Laboratories, Inc.

Date:

10/16/06

A copy of this report was sent to: Jason Golubski

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID:	SP8-101106	LSL Sample ID:	0617925-001
Location:	293 Court St., Binghamton, NY		
Sampled:	10/11/06 8:00	Sampled By:	DMB
Sample Matrix:	SHW as Reed		

Analytical Method		Prep		Analysis		Analyst
Analyte	Result	Units	Date	Date & Time	Initials	
(5) ASTM E-502-84 Ignitability						
Ignitability	>60	Degrees C.		10/13/06		ASL
(1) Corrosivity as pH						
Corrosivity as pH	9.6	Std Units		10/13/06 13:40		MK
(1) EPA 1311 TCLP Extraction						
TCLP Non-Volatile Extraction				10/11/06		MFJ
(1) EPA 1311 TCLP Z.H. Extraction						
TCLP Zero Headspace Extraction				10/11/06		MFJ
(1) EPA 6010 TCLP Metals						
Arsenic	<1	mg/l	1/12/06	10/16/06		DP
Barium	<5	mg/l	1/12/06	10/16/06		DP
Cadmium	<0.5	mg/l	1/12/06	10/16/06		DP
Chromium	<1	mg/l	1/12/06	10/16/06		DP
Lead	<1	mg/l	1/12/06	10/16/06		DP
Selenium	<0.5	mg/l	1/12/06	10/16/06		DP
Silver	<1	mg/l	1/12/06	10/16/06		DP
(1) EPA 7471 TCLP Mercury						
Mercury	<0.002	mg/l		10/12/06		DP
(1) EPA 8082 PCB's						
Aroclor-1016	<0.02	mg/kg	10/12/06	10/13/06		BW
Aroclor-1221	<0.02	mg/kg	10/12/06	10/13/06		BW
Aroclor-1232	<0.02	mg/kg	10/12/06	10/13/06		BW
Aroclor-1242	<0.02	mg/kg	10/12/06	10/13/06		BW
Aroclor-1248	<0.02	mg/kg	10/12/06	10/13/06		BW
Aroclor-1254	<0.02	mg/kg	10/12/06	10/13/06		BW
Aroclor-1260	<0.02	mg/kg	10/12/06	10/13/06		BW
Surrogate (DCB)	105	%R	10/12/06	10/13/06		BW
(1) EPA 8260 TCLP Volatiles						
Benzene	<0.05	mg/l		10/13/06		BD
Carbon tetrachloride	<0.05	mg/l		10/13/06		BD
Chlorobenzene	<0.05	mg/l		10/13/06		BD
Chloroform	<0.05	mg/l		10/13/06		BD
1,4-Dichlorobenzene	<0.05	mg/l		10/13/06		BD
1,2-Dichloroethane	<0.05	mg/l		10/13/06		BD
1,1-Dichloroethene	<0.05	mg/l		10/13/06		BD
2-Butanone (MEK)	<0.1	mg/l		10/13/06		BD
Tetrachloroethene	<0.05	mg/l		10/13/06		BD
Trichloroethene	<0.05	mg/l		10/13/06		BD
Vinyl chloride	<0.02	mg/l		10/13/06		BD
Surrogate (1,2-DCA-d4)	101	%R		10/13/06		BD
Surrogate (Tol-d8)	93	%R		10/13/06		BD
Surrogate (4-BFB)	97	%R		10/13/06		BD
(1) EPA 8270 TCLP Semi-Volatiles						
Cresol, Total	<0.01	mg/l	10/12/06	10/12/06		CRT

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP8-101106 LSL Sample ID: 0617925-001
Location: 293 Court St., Binghamton, NY
Sampled: 10/11/06 8:00 Sampled By: DMB
Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCLP Semi-Volatiles					
2,4-Dinitrotoluene	<0.01	mg/l	10/12/06	10/12/06	CRT
Hexachlorobenzene	<0.01	mg/l	10/12/06	10/12/06	CRT
Hexachlorobutadiene	<0.01	mg/l	10/12/06	10/12/06	CRT
Hexachloroethane	<0.01	mg/l	10/12/06	10/12/06	CRT
Nitrobenzene	<0.01	mg/l	10/12/06	10/12/06	CRT
Pentachlorophenol	<0.02	mg/l	10/12/06	10/12/06	CRT
Pyridine	<0.02	mg/l	10/12/06	10/12/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	10/12/06	10/12/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	10/12/06	10/12/06	CRT
Surrogate (2-Fluorophenol)	36	%R	10/12/06	10/12/06	CRT
Surrogate (Phenol-d5)	27	%R	10/12/06	10/12/06	CRT
Surrogate (2,4,6-Tribromophenol)	67	%R	10/12/06	10/12/06	CRT
Surrogate (Nitrobenzene-d5)	79	%R	10/12/06	10/12/06	CRT
Surrogate (2-Fluorobiphenyl)	72	%R	10/12/06	10/12/06	CRT
Surrogate (Terphenyl-d14)	80	%R	10/12/06	10/12/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		10/13/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	<50	mg/kg		10/16/06	AF
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Pass			10/12/06	MM
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				10/13/06 08:45	MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter ug/kg = microgram per kilogram mg/l = milligram per liter mg/kg = milligram per kilogram %R = Percent Recovery
------------	---



Jason Golubski
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

Client Project ID:

293 Court St., Binghamton, NY

LSL Project ID: **0618409**

Receive Date/Time: 10/18/06 16:07

Project Received by: GS

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

- (1) LSL Central Lab, East Syracuse, NY
- (2) LSL North Lab, Waddington, NY
- (3) LSL Finger Lakes Lab, Wayland, NY
- (4) LSL Southern Tier Lab, Cuba, NY
- (5) LSL MidLakes Lab, Canandaigua, NY
- (6) LSL Brittonfield Lab, East Syracuse, NY

(315) 445-1105
(315) 388-4476
(585) 728-3320
(585) 968-2640
(585) 396-0270
(315) 437-0200

NYS DOH ELAP #10248 PA DEP #68-2556
NYS DOH ELAP #10900
NYS DOH ELAP #11667
NYS DOH ELAP #10760
NYS DOH ELAP #11369
NYS DOH ELAP #10155

This report was reviewed by:

J. Edmunds, QA
Life Science Laboratories, Inc.

Date:

10/24/06

A copy of this report was sent to:

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP9-101806 - Composite LSL Sample ID: 0618409-001
Location: 293 Court St., Binghamton, NY
Sampled: 10/18/06 11:30 Sampled By: DMB
Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(5) ASTM E-502-84 Ignitability					
Ignitability	>60	Degrees C.		10/24/06	NJT
(1) Corrosivity as pH					
Corrosivity as pH	11.0	Std Units		10/23/06	AJF
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				10/19/06	MFJ
(1) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				10/19/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l	10/20/06	10/20/06	DP
Barium	<5	mg/l	10/20/06	10/20/06	DP
Cadmium	<0.5	mg/l	10/20/06	10/20/06	DP
Chromium	<1	mg/l	10/20/06	10/20/06	DP
Lead	<1	mg/l	10/20/06	10/20/06	DP
Selenium	<0.5	mg/l	10/20/06	10/20/06	DP
Silver	<1	mg/l	10/20/06	10/20/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l		10/20/06	DP
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	10/19/06	10/21/06	BW
Aroclor-1221	<0.02	mg/kg	10/19/06	10/21/06	BW
Aroclor-1232	<0.02	mg/kg	10/19/06	10/21/06	BW
Aroclor-1242	<0.02	mg/kg	10/19/06	10/21/06	BW
Aroclor-1248	<0.02	mg/kg	10/19/06	10/21/06	BW
Aroclor-1254	<0.02	mg/kg	10/19/06	10/21/06	BW
Aroclor-1260	<0.02	mg/kg	10/19/06	10/21/06	BW
Surrogate (DCB)	90	%R	10/19/06	10/21/06	BW
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		10/20/06	CA
Carbon tetrachloride	<0.05	mg/l		10/20/06	CA
Chlorobenzene	<0.05	mg/l		10/20/06	CA
Chloroform	<0.05	mg/l		10/20/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		10/20/06	CA
1,2-Dichloroethane	<0.05	mg/l		10/20/06	CA
1,1-Dichloroethene	<0.05	mg/l		10/20/06	CA
2-Butanone (MEK)	<0.1	mg/l		10/20/06	CA
Tetrachloroethene	<0.05	mg/l		10/20/06	CA
Trichloroethene	<0.05	mg/l		10/20/06	CA
Vinyl chloride	<0.02	mg/l		10/20/06	CA
Surrogate (1,2-DCA-d4)	86	%R		10/20/06	CA
Surrogate (Tol-d8)	99	%R		10/20/06	CA
Surrogate (4-BFB)	100	%R		10/20/06	CA
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	10/24/06	10/24/06	CRT

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP9-101806 - Composite LSL Sample ID: 0618409-001
Location: 293 Court St., Binghamton, NY
Sampled: 10/18/06 11:30 Sampled By: DMB
Sample Matrix: SHW as Recd


Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCLP Semi-Volatiles					
2,4-Dinitrotoluene	<0.01	mg/l	10/24/06	10/24/06	CRT
Hexachlorobenzene	<0.01	mg/l	10/24/06	10/24/06	CRT
Hexachlorobutadiene	<0.01	mg/l	10/24/06	10/24/06	CRT
Hexachloroethane	<0.01	mg/l	10/24/06	10/24/06	CRT
Nitrobenzene	<0.01	mg/l	10/24/06	10/24/06	CRT
Pentachlorophenol	<0.02	mg/l	10/24/06	10/24/06	CRT
Pyridine	<0.02	mg/l	10/24/06	10/24/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	10/24/06	10/24/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	10/24/06	10/24/06	CRT
Surrogate (2-Fluorophenol)	21	%R	10/24/06	10/24/06	CRT
Surrogate (Phenol-d5)	22	%R	10/24/06	10/24/06	CRT
Surrogate (2,4,6-Tribromophenol)	66	%R	10/24/06	10/24/06	CRT
Surrogate (Nitrobenzene-d5)	91	%R	10/24/06	10/24/06	CRT
Surrogate (2-Fluorobiphenyl)	80	%R	10/24/06	10/24/06	CRT
Surrogate (Terphenyl-d14)	85	%R	10/24/06	10/24/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		10/23/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	<50	mg/kg		10/23/06	AF
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Pass			10/20/06	MM
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				10/20/06 12:35	MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter ug/kg = microgram per kilogram mg/l = milligram per liter mg/kg = milligram per kilogram %R = Percent Recovery
------------	---



Life Science Laboratories, Inc.
5854 Butternut Drive
East Syracuse, NY 13057

0618409

East Syracuse, NY 13057

BIBLES Fairport

Phone # (315) 445-1105
Telefax # (315) 445-1301

LSL Project #:

Client: Blasland, Bouck & Lee, Inc. **Phone #** 585-385-0090

Phone # 585-385-0090

Address: 295 Woodcliff Drive **Fax #** 585-385-4198

Fax # 585-385-4198

Fairport, NY 14450

293 COURT ST. BINGHAMTON, NY

100.42.031

FAX NO. 512 451 1111

Authorization:

Client's Project I.D.:

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type grab	Type comp.	Matrix	Preserv. Added	Containers		Analyses	Preserv. Check
								#	size/type		
001 A	SP9-101806	10-18-06	11:30		K	Soil	None	1	4 oz	TCLP Vols	
B	SP9-101806	↓	↓		K	Soil	None	1	32 oz	TCLP Semi-Vols, Metals, Reactivity, PCB, Paint Filter, pH, Flashpoint	
										CIRCLE ONE	
										72-Hr. TAT	
										5 Day TAT 3 Day TAT	
										EMAIL	
										RESULTS TO	
										JASON KOLOBESKI	
										J.KOLOBESKI@BOL-INC.COM	

Notes and Hazard Identifications:		Custody Transfers		Date	Time
* ML		Sampled By: <i>[Signature]</i>	Received By: <i>[Signature]</i>	10.18.06	11:30A
		Relinquished By: <i>[Signature]</i>	Received By: <i>[Signature]</i>	10.18.06	2:15
		Relinquished By: <i>[Signature]</i>	Received for Lab By: <i>[Signature]</i>	10-18-06	16:07
					RCVD
Shipment Method:		Samples Received Intact: Y N			
		9.9cc			



Jason Golubski
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (315) 671-9437
FAX: (315) 449-4111
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

Client Project ID:

293 Court St., Binghamton, NY

LSL Project ID: 0618715

Receive Date/Time: 10/24/06 15:55

Project Received by: GS

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

- (1) LSL Central Lab, East Syracuse, NY
- (2) LSL North Lab, Waddington, NY
- (3) LSL Finger Lakes Lab, Wayland, NY
- (4) LSL Southern Tier Lab, Cuba, NY
- (5) LSL MidLakes Lab, Canandaigua, NY
- (6) LSL Brittonfield Lab, East Syracuse, NY

(315) 445-1105
(315) 388-4476
(585) 728-3320
(585) 968-2640
(585) 396-0270
(315) 437-0200

NYS DOH ELAP #10248 PA DEP #68-2556
NYS DOH ELAP #10900
NYS DOH ELAP #11667
NYS DOH ELAP #10760
NYS DOH ELAP #11369
NYS DOH ELAP #10155

This report was reviewed by:

J. Edmunds, QA
Life Science Laboratories, Inc.

Date:

10/30/06

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID:	SP10-102406	LSL Sample ID:	0618715-001
Location:	293 Court St., Binghamton, NY		
Sampled:	10/24/06 12:15	Sampled By:	WD
Sample Matrix:	SHW as Recd		

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(5) ASTM E-502-84 Ignitability					
Ignitability	>60	Degrees C.		10/30/06	NJT
(1) Corrosivity as pH					
Corrosivity as pH	10	Std Units		10/27/06 14:15	MK
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				10/25/06	MFJ
(1) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				10/25/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l		10/26/06	DP
Barium	<5	mg/l		10/26/06	DP
Cadmium	<0.5	mg/l		10/26/06	DP
Chromium	<1	mg/l		10/26/06	DP
Lead	<1	mg/l		10/26/06	DP
Selenium	<0.5	mg/l		10/26/06	DP
Silver	<1	mg/l		10/26/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l		10/26/06	DP
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1221	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1232	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1242	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1248	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1254	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1260	<0.02	mg/kg	10/26/06	10/27/06	BW
Surrogate (DCB)	118	%R	10/26/06	10/27/06	BW
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		10/26/06	CA
Carbon tetrachloride	<0.05	mg/l		10/26/06	CA
Chlorobenzene	<0.05	mg/l		10/26/06	CA
Chloroform	<0.05	mg/l		10/26/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		10/26/06	CA
1,2-Dichloroethane	<0.05	mg/l		10/26/06	CA
1,1-Dichloroethene	<0.05	mg/l		10/26/06	CA
2-Butanone (MEK)	<0.5	mg/l		10/26/06	CA
Tetrachloroethene	<0.05	mg/l		10/26/06	CA
Trichloroethene	<0.05	mg/l		10/26/06	CA
Vinyl chloride	<0.02	mg/l		10/26/06	CA
Surrogate (1,2-DCA-d4)	85	%R		10/26/06	CA
Surrogate (Tol-d8)	98	%R		10/26/06	CA
Surrogate (4-BFB)	99	%R		10/26/06	CA
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	10/26/06	10/30/06	CRT

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP10-102406 LSL Sample ID: 0618715-001
Location: 293 Court St., Binghamton, NY
Sampled: 10/24/06 12:15 Sampled By: WD
Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCLP Semi-Volatiles					
2,4-Dinitrotoluene	<0.01	mg/l	10/26/06	10/30/06	CRT
Hexachlorobenzene	<0.01	mg/l	10/26/06	10/30/06	CRT
Hexachlorobutadiene	<0.01	mg/l	10/26/06	10/30/06	CRT
Hexachloroethane	<0.01	mg/l	10/26/06	10/30/06	CRT
Nitrobenzene	<0.01	mg/l	10/26/06	10/30/06	CRT
Pentachlorophenol	<0.02	mg/l	10/26/06	10/30/06	CRT
Pyridine	<0.02	mg/l	10/26/06	10/30/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	10/26/06	10/30/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	10/26/06	10/30/06	CRT
Surrogate (2-Fluorophenol)	36	%R	10/26/06	10/30/06	CRT
Surrogate (Phenol-d5)	29	%R	10/26/06	10/30/06	CRT
Surrogate (2,4,6-Tribromophenol)	61	%R	10/26/06	10/30/06	CRT
Surrogate (Nitrobenzene-d5)	67	%R	10/26/06	10/30/06	CRT
Surrogate (2-Fluorobiphenyl)	61	%R	10/26/06	10/30/06	CRT
Surrogate (Terphenyl-d14)	78	%R	10/26/06	10/30/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		10/30/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	<50	mg/kg		10/30/06	AF
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Pass			10/26/06	MM
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				10/27/06 09:40	MM

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID:	SP11-102406	LSL Sample ID:	0618715-002
Location:	293 Court St., Binghamton, NY		
Sampled:	10/24/06 12:30	Sampled By:	WD
Sample Matrix:	SHW as Recd		

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(5) ASTM E-502-84 Ignitability					
Ignitability	>60	Degrees C.		10/30/06	NJT
(1) Corrosivity as pH					
Corrosivity as pH	9.8	Std Units		10/27/06 14:20	MK
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				10/25/06	MFJ
(1) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				10/25/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l		10/26/06	DP
Barium	<5	mg/l		10/26/06	DP
Cadmium	<0.5	mg/l		10/26/06	DP
Chromium	<1	mg/l		10/26/06	DP
Lead	<1	mg/l		10/26/06	DP
Selenium	<0.5	mg/l		10/26/06	DP
Silver	<1	mg/l		10/26/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l		10/26/06	DP
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1221	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1232	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1242	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1248	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1254	<0.02	mg/kg	10/26/06	10/27/06	BW
Aroclor-1260	<0.02	mg/kg	10/26/06	10/27/06	BW
Surrogate (DCB)	142	%R	10/26/06	10/27/06	BW
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		10/26/06	CA
Carbon tetrachloride	<0.05	mg/l		10/26/06	CA
Chlorobenzene	<0.05	mg/l		10/26/06	CA
Chloroform	<0.05	mg/l		10/26/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		10/26/06	CA
1,2-Dichloroethane	<0.05	mg/l		10/26/06	CA
1,1-Dichloroethene	<0.05	mg/l		10/26/06	CA
2-Butanone (MEK)	<0.5	mg/l		10/26/06	CA
Tetrachloroethene	<0.05	mg/l		10/26/06	CA
Trichloroethene	<0.05	mg/l		10/26/06	CA
Vinyl chloride	<0.02	mg/l		10/26/06	CA
Surrogate (1,2-DCA-d4)	84	%R		10/26/06	CA
Surrogate (Tol-d8)	99	%R		10/26/06	CA
Surrogate (4-BFB)	102	%R		10/26/06	CA
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	10/26/06	10/30/06	CRT

Life Science Laboratories, Inc.

Page 4 of 5

Date Printed: 10/30/06

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

- - LABORATORY ANALYSIS REPORT - -

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP11-102406 LSL Sample ID: 0618715-002
Location: 293 Court St., Binghamton, NY
Sampled: 10/24/06 12:30 Sampled By: WD
Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(1) EPA 8270 TCLP Semi-Volatiles					
2,4-Dinitrotoluene	<0.01	mg/l	10/26/06	10/30/06	CRT
Hexachlorobenzene	<0.01	mg/l	10/26/06	10/30/06	CRT
Hexachlorobutadiene	<0.01	mg/l	10/26/06	10/30/06	CRT
Hexachloroethane	<0.01	mg/l	10/26/06	10/30/06	CRT
Nitrobenzene	<0.01	mg/l	10/26/06	10/30/06	CRT
Pentachlorophenol	<0.02	mg/l	10/26/06	10/30/06	CRT
Pyridine	<0.02	mg/l	10/26/06	10/30/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	10/26/06	10/30/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	10/26/06	10/30/06	CRT
Surrogate (2-Fluorophenol)	33	%R	10/26/06	10/30/06	CRT
Surrogate (Phenol-d5)	26	%R	10/26/06	10/30/06	CRT
Surrogate (2,4,6-Tribromophenol)	64	%R	10/26/06	10/30/06	CRT
Surrogate (Nitrobenzene-d5)	66	%R	10/26/06	10/30/06	CRT
Surrogate (2-Fluorobiphenyl)	59	%R	10/26/06	10/30/06	CRT
Surrogate (Terphenyl-d14)	77	%R	10/26/06	10/30/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		10/30/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	<50	mg/kg		10/30/06	AF
(1) EPA 9095 Paint Filter Test					
Paint Filter Test	Pass			10/26/06	MM
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				10/27/06 10:25	MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery

Life Science Laboratories, Inc.

5854 Butternut Drive

East Syracuse, NY 13057

Phone # (315) 445-1105

Telefax # (315) 445-1301

Client: Blasland, Bouck & Lee, Inc.

Phone # 585-385-0090

Address: 295 Woodcliff Drive

Fax # 585-385-4198

Fairport, NY 14450

Chain of Custody Record

Contact Person:

Jason Golubski

Joe-MoTime
Fax (315) 449-4111
ext-42

Tel (315) 671-9437

0618715

BBLES Fairport

Client's Site I.D.:

293 Court St. Binghamton, NY

Authorization:

Client's Project I.D.: 1307400

LSL Sample Number	Client's Sample Identifications	Sample Date	Sample Time	Type	grab comp.	Matrix	Preserv. Added	Containers		Analyses	Preserv. Check
								#	size/type		
001 A	SP10-102406	10/24/06	1215	X		Soil	None	1	4 oz	TCLP Vols	
0	SP10-102406	10/24/06	1215	X		Soil	None	1	32 oz	TCLP Semi-Vols, Metals, Reactivity, PCB, Paint Filter, pH, Flashpoint *	
002 A	SP11-102406	10/24/06	1230	X		Soil	None	1	4oz	TCLP Vols	
0	SP11-102406	10/24/06	1230	X		Soil	None	1	32oz	TCLP Semi-Vols, Metals, Reactivity, PCB, Paint Filter, pH, Flashpoint *	
										72 Hr. IAT	
										5 Day IAT 3 Day TAT	
							None			Final results to Jason Golubski at Jgolubski@bbl-inc.com	

Notes and Hazard identifications:

* mL

Custody Transfers

Sampled By: Wayne DeLam Received By:

Relinquished By: Wayne DeLam Received By: 1345

Relinquished By: Received for Lab By:

Shipment Method:

Samples Received Intact: Y N

75 10-24-06

418 on I 9

Lab copy

Appendix M

Analytical Results for Waste
Characterization Water Samples



Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

LSL Project ID: 0614361

Receive Date/Time: 08/17/06 16:59

Project Received by: MW

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

(1) LSL Central Lab, East Syracuse, NY	(315) 445-1105	NYS DOH ELAP #10248 PA DEP #68-2556
(2) LSL North Lab, Waddington, NY	(315) 388-4476	NYS DOH ELAP #10900
(3) LSL Finger Lakes Lab, Wayland, NY	(585) 728-3320	NYS DOH ELAP #11667
(4) LSL Southern Tier Lab, Cuba, NY	(585) 968-2640	NYS DOH ELAP #10760
(5) LSL MidLakes Lab, Canandaigua, NY	(585) 396-0270	NYS DOH ELAP #11369
(6) LSL Brittonfield Lab, East Syracuse, NY	(315) 437-0200	NYS DOH ELAP #10155

This report was reviewed by:

Rebecca Annunzio, CPA
Life Science Laboratories, Inc.

Date:

8/25/06

A copy of this report was sent to:

Page 1 of 4

Date Printed:

8/25/06

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: RFR Tank 254102 - Grab LSL Sample ID: 0614361-001

Location:

Sampled: 08/17/06 10:00 Sampled By: WKD

Sample Matrix: NPW

Analytical Method		Prep		Analysis		Analyst
Analyte	Result	Units	Date	Date & Time	Initials	
(5) EPA 1010 Ignitability						
Ignitability	>60	degrees C		8/18/06		ASL
(1) EPA 608 PCB's						
Aroclor-1016	<0.05	ug/l	8/23/06	8/24/06		BW
Aroclor-1221	<0.05	ug/l	8/23/06	8/24/06		BW
Aroclor-1232	<0.05	ug/l	8/23/06	8/24/06		BW
Aroclor-1242	<0.05	ug/l	8/23/06	8/24/06		BW
Aroclor-1248	0.26	ug/l	8/23/06	8/24/06		BW
<i>This target analyte appears to be biologically degraded and/or environmentally weathered.</i>						
Aroclor-1254	<0.05	ug/l	8/23/06	8/24/06		BW
Aroclor-1260	<0.05	ug/l	8/23/06	8/24/06		BW
Surrogate (DCB)	95	%R	8/23/06	8/24/06		BW
<i>TCMX reported due to interference with DCB peak.</i>						
(1) EPA 624 Volatiles						
Benzene	<1	ug/l		8/23/06		BD
Surrogate (1,2-DCA-d4)	107	%R		8/23/06		BD
Surrogate (Tol-d8)	98	%R		8/23/06		BD
Surrogate (4-BFB)	100	%R		8/23/06		BD

Sample ID: Trip Blank - 081706 - Grab LSL Sample ID: 0614361-002

Location:

Sampled: 08/17/06 0:00 Sampled By:

Sample Matrix: TB

Analytical Method		Prep		Analysis		Analyst
Analyte	Result	Units	Date	Date & Time	Initials	
(1) EPA 624 Volatiles						
Benzene	<1	ug/l		8/22/06		BD
Surrogate (1,2-DCA-d4)	115	%R		8/22/06		BD
Surrogate (Tol-d8)	101	%R		8/22/06		BD
Surrogate (4-BFB)	101	%R		8/22/06		BD

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP1-081706 - Composite LSL Sample ID: 0614361-003

Location:

Sampled: 08/17/06 10:30 Sampled By: WKD

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(5) ASTM E-502-84 Ignitability					
Ignitability	>60	Degrees C.		8/18/06	ASL
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				8/21/06	MFJ
(1) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				8/21/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l	8/22/06	8/22/06	DP
Barium	<5	mg/l	8/22/06	8/22/06	DP
Cadmium	<0.5	mg/l	8/22/06	8/22/06	DP
Chromium	<0.5	mg/l	8/22/06	8/22/06	DP
Lead	<0.5	mg/l	8/22/06	8/22/06	DP
Selenium	<0.5	mg/l	8/22/06	8/22/06	DP
Silver	<1	mg/l	8/22/06	8/22/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l	8/22/06	8/22/06	DP
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		8/23/06	CA
Carbon tetrachloride	<0.05	mg/l		8/23/06	CA
Chlorobenzene	<0.05	mg/l		8/23/06	CA
Chloroform	<0.05	mg/l		8/23/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		8/23/06	CA
1,2-Dichloroethane	<0.05	mg/l		8/23/06	CA
1,1-Dichloroethene	<0.05	mg/l		8/23/06	CA
2-Butanone (MEK)	<0.1	mg/l		8/23/06	CA
Tetrachloroethene	<0.05	mg/l		8/23/06	CA
Trichloroethene	<0.05	mg/l		8/23/06	CA
Vinyl chloride	<0.02	mg/l		8/23/06	CA
Surrogate (1,2-DCA-d4)	97	%R		8/23/06	CA
Surrogate (Tol-d8)	97	%R		8/23/06	CA
Surrogate (4-BFB)	100	%R		8/23/06	CA
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	8/23/06	8/24/06	CRT
2,4-Dinitrotoluene	<0.01	mg/l	8/23/06	8/24/06	CRT
Hexachlorobenzene	<0.01	mg/l	8/23/06	8/24/06	CRT
Hexachlorobutadiene	<0.01	mg/l	8/23/06	8/24/06	CRT
Hexachloroethane	<0.01	mg/l	8/23/06	8/24/06	CRT
Nitrobenzene	<0.01	mg/l	8/23/06	8/24/06	CRT
Pentachlorophenol	<0.02	mg/l	8/23/06	8/24/06	CRT
Pyridine	<0.02	mg/l	8/23/06	8/24/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	8/23/06	8/24/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	8/23/06	8/24/06	CRT
Surrogate (2-Fluorophenol)	46	%R	8/23/06	8/24/06	CRT
Surrogate (Phenol-d5)	33	%R	8/23/06	8/24/06	CRT
Surrogate (2,4,6-Tribromophenol)	82	%R	8/23/06	8/24/06	CRT

Life Science Laboratories, Inc.

Page 3 of 4

Date Printed: 8/25/06

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP1-081706 - Composite

LSL Sample ID: 0614361-003

Location:

Sampled: 08/17/06 10:30

Sampled By: WKD

Sample Matrix: SHW as Recd

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) EPA 8270 TCLP Semi-Volatiles					
Surrogate (Nitrobenzene-d5)	75	%R	8/23/06	8/24/06	CRT
Surrogate (2-Fluorobiphenyl)	73	%R	8/23/06	8/24/06	CRT
Surrogate (Terphenyl-d14)	74	%R	8/23/06	8/24/06	CRT
(1) EPA 9012 Reactive Cyanide					
Reactive Cyanide	<50	mg/kg		8/23/06	DRB
(1) EPA 9030A Reactive Sulfide					
Reactive Sulfide	59	mg/kg		8/23/06	AJS
(1) EPA 9045 Water Extractable pH					
pH	11.7	Std. Units		8/22/06	MP
pH Measurement Temperature	25	Degrees C		8/22/06	MP
(1) SW846, 7.3 Reactivity Distillation					
Reactivity Distillation				8/22/06 12:40	MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery



CHAIN OF CUSTODY RECORD

LSL Central Lab
5854 Butternut Drive
East Syracuse, NY 13057
Phone: (315) 445-1105
Fax: (315) 445-1301
Email: lscentral@lsl-inc.com

LSL North Lab
131 St Lawrence Ave
Waddington, NY 13694
Phone: (315) 388-4476
Fax: (315) 388-4081
Email: lsinfo@lst-inc.com

LSL Finger Lakes Lab
16 North Main Street
Wayland, NY 14572
Phone: (585) 728-3320
Fax: (585) 728-2711
Email: lsfl@sl-inc.com

LSL Southern Tier Lab
30 East Main Street
Cuba, NY 14727
Phone: (585) 968-2640
Fax: (585) 968-0906
Email: lsistl@sl-inc.com

0614361

BIBLES Fairport

[illegible]

Sample	Received intact	IN
*** All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner IN PEN ONI Y***		

Reg COC.XLS

Appendix N

Waste Profile and Approval Letter
from Seneca Meadows

**SENECA MEADOWS, INC.**

1786 Saltman Rd.
Waterloo, NY 13165
NYS DEC Facility # 50S08
Telephone: (315) 539-5624
Industrial Waste Fax: (315) 539-0557.

**GENERATORS
INDUSTRIAL WASTE PROFILE
NON HAZARDOUS WASTE
ONLY**

FILE NUMBER: _____

**THIS FORM IS FOR DISPOSAL OF NON HAZARDOUS WASTE
AT THE SENECA MEADOWS LANDFILL ONLY**

THIS FORM MUST BE COMPLETED BY THE GENERATOR ONLY

Generators Name: New York State Electric & Gas Corporation				
Mailing Address: P.O. Box 5224		City: Binghamton	State: NY	Zip: 13902-5224
Contact Person: Tracy Blazicek		Title: Lead Environmental Analyst		
Phone: (607) 762-8839		Fax: (607) 762-8451		
EPA ID# NY0000673189		State ID#		

FACILITY GENERATING WASTE

Address: 291 Court Street		City: Binghamton	State: NY	Zip: 13901
Contact Person: David Budesh		Title: Onsite Observer (BBLES)		
Phone: (315) 317-0308		Fax: (607) 771-6178		

AUTHORIZED HAULER/PRIMARY

Name: Riccelli Enterprises		NYS Permit # 7A-402		
Address: 6131 East Taft Road		City: Syracuse	State: NY	Zip: 13212
Contact Person: Mike Relf		Title: Operations Manager		
Phone: (315) 433-5115		Fax: (315) 433-1920		

AUTHORIZED HAULER/SECONDARY

Name:		NYS Permit #		
Address:		City:	State:	Zip:
Contact Person:		Title:		
Phone:		Fax:		

WASTE CHARACTERIZATION

Name of Waste: Trench Excavation	Description of Waste: Soil from excavation activities
Process That Generated Waste: Excavation	

Does this facility generate any hazardous waste?

☒ Yes☐ No

If hazardous wastes are generated, does management feel that adequate controls are in place to control/separate waste streams?

** IF ANSWER IS NO, A DETAILED EXPLANATION MUST BE ATTACHED **

☒ Yes☐ No

CERTIFICATION OF REPRESENTATIVE SAMPLE

SENECA MEADOWS FILE NUMBER: _____

Generators Name: New York State Electric & Gas Corporation	
Waste Name: Trench Excavation	
Samplers Name: Wayne DeCarr	
Sample Date: 8/17/2006	Sample Time: 1030

**** THIS SAMPLE MUST BE RECEIVED BY LAB WITHIN 24 HOURS****

IT IS CRITICAL THAT THE TESTING LABORATORY RECEIVE A REPRESENTATIVE SAMPLE OF THE WASTE STREAM THAT YOU INTEND TO DISPOSE OF AT SENECA MEADOWS LANDFILL. PLEASE FOLLOW THE INSTRUCTIONS VERY CAREFULLY.

SAMPLE COLLECTION: MUST BE DONE BY YOUR CONSULTANT OR SELECTED LABORATORY REPRESENTATIVE.

SAMPLE KEPT COLD (PACKED IN ICE).

SAMPLES REQUIRED - ON-GOING WASTE STREAM:**ONE (1) CONTAINER**

HOWEVER, WE MAY REQUIRE A SEMI-ANNUAL TESTING OF THE WASTE STREAM SAMPLE IF QUANTITY EXCEEDS 5,000 TON PER YEAR.

SAMPLES REQUIRED - ONE TIME ONLY APPROVALS:

1 - 200 TONS	ONE (1) SAMPLE REQUIRED
200 - 500 TONS	TWO (2) SAMPLES REQUIRED
500 - 1,000 TONS	THREE (3) SAMPLES REQUIRED
1,000 - 2,000 TONS	FOUR (4) SAMPLES REQUIRED
OVER 2,000 TONS	DETERMINED BY SENECA MEADOWS

LAB SELECTION:**WE WILL HAVE OUR WASTE STREAM ANALYSIS COMPLETED BY:**

Laboratory Name: Life Sciences Laboratories, Inc.			
Address: 5854 Butternut Drive	City: East Syracuse	State: NY	Zip: 13507
Contact Person: Hugh Guider	Title: Director		
Phone: 315 445-1105	Fax: 315 445-1301		

SAMPLE CERTIFICATION

I HERBY CERTIFY THAT I PERSONALLY COLLECTED A REPRESENTATIVE SAMPLE OF THE WASTE STREAM AT THE LOCATION, TIME & DATE AS LISTED ABOVE.

SIGNATURE: Wayne DeCarr (WRG) DATE: 8/17/06
LABORATORY: Life Science Laboratories, Inc.
GENERATOR WITNESS: _____

GENERAL INFORMATION

SENECA MEADOWS FILE NUMBER: _____

PHYSICAL CHARACTERISTIC:

☒ Solid ☐ Sludge

Minimum % of Solids _____ For Waste Stream

ACCEPTABLE LEVEL OF SOLIDS MUST EXCEED 20% TO BE LANDFILLED

ODOR:

☐ None ☐ Mild ☐ Strong

Transportation:

☐ Roll-Off ☒ Trailer ☐ Packer ☐ Other _____

NO DRUMS ARE ACCEPTABLE

IS REQUEST:

☒ One Time Only
Approx. Amount 4,500 Tons

☐ On Going
Amount Monthly _____ Tons

WHAT IS MAXIMUM TONNAGE FOR ANY GIVEN DAY: _____ TONS

Briefly Describe Any Special Handling That Could Be Required For This Waste Stream:
(dust, protective clothing, ect.)

GENERATORS CERTIFICATION TO SENECA MEADOWS LANDFILL

(Please Initial)

I/We hereby certify that all of the information that we have presented to Seneca Meadows, Inc. on this form or any attachments is an accurate representation of our waste stream.

TLB

I/We hereby certify that the laboratory can contact Seneca Meadows, Inc. directly to discuss this waste stream.

TLB

I/We hereby certify that the waste stream that we are applying for disposal at Seneca Meadows, Inc. is not a listed known hazardous waste. In addition, none of the components of the process, or any residue generated are known hazardous wastes.

TLB

I/We hereby agree that any changes in this waste stream, either in process method or changes of any of the components, that we will notify Seneca Meadows, Inc. in writing within 24 hours of our findings.
(FAX IS THE PREFERRED METHOD)

TLB

NAME: TRACY L BLAZICEK, CHMM

SIGNATURE: Tracy Blazicek

TITLE: LEAD ENVIRONMENTAL ANALYST

DATE: 8/17/06

HAZARDOUS WASTE CHARACTERIZATION INFORMATION

Section One -

General Project Information (please complete in full)

If not applicable, denote with "NA"

Site/project Engineering Company: BBL, an ARCADIS company

Contact Person: Jason Golubski

Address: 6723 Towpath Road

Syracuse, NY 13214

Telephone Number: (315) 671-9437

Fax Number: (315) 449-4111

General Contractor: BBLES, an ARCADIS company

Contact Person: David Budesh (onsite)

Address: 293 Court Street

Binghamton, NY 13901

Telephone Number: (315) 317-0308

Fax Number: (315) 446-4005

Seneca Meadows Customer to be Billed Data: BBLES, an ARCADIS company

Contact Person: Margaret Saunders

Address: 6723 Towpath Road

Syracuse, NY 13214

Telephone Number: (315) 671-9217

Fax Number:

Site Owner: New York State Electric & Gas Corp.

Contact Person: Tracy Blazicek

Address: P.O. Box 5224

Binghamton, NY 13902-5224

Telephone Number: (607) 762-8839

Fax Number: (607) 762-8451

Is the material a listed hazardous waste?

☐

YES

☒

NO

Description of the waste: soil excavation

NYSDEC Waste Type Code: N-

Comments:

Section Two - Site Information (please complete in full)

If not applicable, denote with "NA"

Was the site ever suspected of having hazardous materials?

☒

YES

☐

NO

What was the source of the potential hazardous materials?

historical manufactured gas plant

operations.

Which compounds were suspected?

benzene

Has testing been performed to quantify these compounds?

☒

YES

☐

NO

Who prepared the sampling and analysis program?

Company Name: BBLES, an ARCADIS Company
Contact Person: Joe Molina
Address: 295 Woodcliff Dr Suite 301
Fairport NY 14450
Telephone Number: (585) 385-0090
Fax Number: _____

Was the program reviewed by the NYSDEC and the NYDOH officials prior to initiation?

☐ YES ☒ NO

Was the program approved? ☐ YES

☐ NO

(If Yes, please attach the approval)

Please attach any available analytical data (including the Chain of Custody Record).

What conclusions were made regarding the laboratory data?

Non-Haz Material

Is the site a registered Superfund site?

☐ YES

☒ NO

Site Registration Number: _____

Will copies of the scale manifests/tickets be required?

☒ YES

☐ NO

(SMI may have to charge a nominal administrative fee for providing this information at a later date, if not notified appropriately herein)

Additional Comments, Handling Precautions or Supplemental Information:

See attached letter to Seneca Meadows



 an ARCADIS company

Transmitted Via Facsimile

September 13, 2006

Ms. Ann Sprague
Seneca Meadows, Inc.
1786 Salcman Road
Waterloo, New York 13165

Re: NYSEG Binghamton Court Street Former MGP Site
Disposal of Non-Hazardous Materials
BBLES Project #: 0130.13074 #5

Dear Ms. Sprague:

The purpose of this letter is to provide a summary of the construction activities that are currently being performed at New York State Electric & Gas Corporation's (NYSEG's) Binghamton Court Street Former Manufactured Gas Plant (MGP) site located in Binghamton, New York (site). BBL Environmental Services, Inc. (BBLES), an ARACDIS company, is currently constructing a subsurface barrier wall at the site. As a result of constructing the barrier wall, soil materials are being generated and BBLES is seeking approval to dispose of these materials at Seneca Meadows Landfill.

A brief description of the site and operational history is provided below, followed by a summary of the construction activities currently being performed at the site.

Site Description and History

The site is located in an industrial section of Binghamton, in Broome County, New York. The site occupies property identified as 271-291, and 293 Court Street, which is owned by NYSEG and 295 Court Street, which is owned and operated by Binghamton Material Handling, Inc. The 293 Court Street Property was previously used as a natural gas service center by Columbia Gas Transmission Corporation. The remaining portion of the NYSEG property is a gravel lot, and is used only as equipment storage (e.g., piping) and parking area for NYSEG.

The site manufactured gas from approximately 1888 to about 1939. Various structures were located within the site, including four gas holders, seven oil tanks, a tar-separating well, machine shop, and a governor house. By approximately 1969, all aboveground structures associated with the MGP had been dismantled.

Summary of Construction Activities

The nonaqueous phase liquid (NAPL) barrier wall construction activities consist of excavating a 30-inch-wide trench approximately 600 linear feet in length. The trench depth ranges between 45 to 55 feet below grade surface (bgs) and is being excavated under slurry to maintain the stability of the trench sidewalls during excavation and backfilling activities. Once the trench is excavated, the trench is backfilled with an imported pea-gravel to promote the collection of NAPL onsite.

BBLES is seeking approval from Seneca Meadows, Inc. (Seneca Meadows), to dispose of the excavated material at Seneca Meadows Landfill. As soil material is excavated from the subsurface, the excavated material is visually characterized for the presence of sheens, staining, and/or free phase NAPL. Material free of visual impacts is staged separate from material containing visual impacts. We anticipate that approximately 4,500 tons of nonhazardous soil material will be excavated as part of the barrier wall construction activities.

As excavated materials are stockpiled in an onsite staging area, BBLES will collect a composite sample of soil at a frequency of one sample per every 500 tons (approximate) of soil material. Soil material samples will be sent to Life Science Laboratories, Inc. (Life Science) of East Syracuse, New York for laboratory analysis of the following:

- Polychlorinated biphenyls;
- pH (corrosivity);
- Toxicity Characteristic Leaching Procedure (TCLP) volatile organic compounds;
- TCLP semivolatile compounds;
- TCLP metals; and
- Reactivity, corrosivity, and ignitability.

Soil material samples are analyzed by Life Science on an expedited 5-day turnaround. Results of the laboratory analysis for the soil material samples and the chain of custody form will be forwarded to Seneca Meadows as they become available to BBLES.

Please contact me at (585) 385-0090 or Jason Golubski at (315) 671-9437 if you have any questions regarding the information provided in this letter.

Sincerely,

BBL ENVIRONMENTAL SERVICES, INC.



Joseph Molina, III, P.E.
Vice President

JRG/jlc

cc: Margaret A. Carrillo-Sheridan, P.E., BBL, an ARCADIS company
Jason Golubski, BBL, an ARCADIS company



Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

Phone: (585) 385-0090
FAX: (585) 385-4198
Authorization: PO #130.74.001

Laboratory Analysis Report

For

Blasland, Bouck & Lee, Inc.

LSL Project ID: 0614361

Receive Date/Time: 08/17/06 16:59

Project Received by: MW

Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.

Life Science Laboratories, Inc.

(1) LSL Central Lab, East Syracuse, NY	(315) 445-1105	NYS DOH ELAP #10248 PA DEP #68-2556
(2) LSL North Lab, Waddington, NY	(315) 388-4476	NYS DOH ELAP #10900
(3) LSL Finger Lakes Lab, Wayland, NY	(585) 728-3320	NYS DOH ELAP #11667
(4) LSL Southern Tier Lab, Cuba, NY	(585) 968-2640	NYS DOH ELAP #10760
(5) LSL MidLakes Lab, Canandaigua, NY	(585) 396-0270	NYS DOH ELAP #11369
(6) LSL Brittonfield Lab, East Syracuse, NY	(315) 437-0200	NYS DOH ELAP #10155

This report was reviewed by:

Rebecca Annunzio, CPA Date: 8/25/06
Life Science Laboratories, Inc.

A copy of this report was sent to:

Page 1 of 4
Date Printed: 8/25/06

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: RFR Tank 254102 - Grab LSL Sample ID: 0614361-001

Location:

Sampled: 08/17/06 10:00 Sampled By: WKD

Sample Matrix: NPW

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
-------------------	--------	-------	-----------	----------------------	------------------

(5) EPA 1010 Ignitability

Ignitability	>60	degrees C		8/18/06	ASL
--------------	-----	-----------	--	---------	-----

(1) EPA 608 PCB's

Aroclor-1016	<0.05	ug/l	8/23/06	8/24/06	BW
Aroclor-1221	<0.05	ug/l	8/23/06	8/24/06	BW
Aroclor-1232	<0.05	ug/l	8/23/06	8/24/06	BW
Aroclor-1242	<0.05	ug/l	8/23/06	8/24/06	BW
Aroclor-1248	0.26	ug/l	8/23/06	8/24/06	BW

This target analyte appears to be biologically degraded and/or environmentally weathered.

Aroclor-1254	<0.05	ug/l	8/23/06	8/24/06	BW
Aroclor-1260	<0.05	ug/l	8/23/06	8/24/06	BW
Surrogate (DCB)	95	%R	8/23/06	8/24/06	BW

TCMX reported due to interference with DCB peak.

(1) EPA 624 Volatiles

Benzene	<1	ug/l		8/23/06	BD
Surrogate (1,2-DCA-d4)	107	%R		8/23/06	BD
Surrogate (Tol-d8)	98	%R		8/23/06	BD
Surrogate (4-BFB)	100	%R		8/23/06	BD

Sample ID: Trip Blank - 081706 - Grab LSL Sample ID: 0614361-002

Location:

Sampled: 08/17/06 0:00 Sampled By:

Sample Matrix: TB

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
-------------------	--------	-------	-----------	----------------------	------------------

(1) EPA 624 Volatiles

Benzene	<1	ug/l		8/22/06	BD
Surrogate (1,2-DCA-d4)	115	%R		8/22/06	BD
Surrogate (Tol-d8)	101	%R		8/22/06	BD
Surrogate (4-BFB)	101	%R		8/22/06	BD

Water sample does not
relate to soil sample.

ence Laboratories, Inc.

Page 2 of 4

Date Printed: 8/25/06

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP1-081706 - Composite

LSL Sample ID: 0614361-003

Location:

Sampled: 08/17/06 10:30

Sampled By: WKD

Sample Matrix: SHW as Recd

Analytical Method	Result	Units	Prep Date	Analysis Date & Time	Analyst Initials
Analyte					
(5) ASTM E-502-84 Ignitability					
Ignitability	>60	Degrees C.		8/18/06	ASL
(1) EPA 1311 TCLP Extraction					
TCLP Non-Volatile Extraction				8/21/06	MFJ
(1) EPA 1311 TCLP Z.H. Extraction					
TCLP Zero Headspace Extraction				8/21/06	MFJ
(1) EPA 6010 TCLP Metals					
Arsenic	<1	mg/l	8/22/06	8/22/06	DP
Barium	<5	mg/l	8/22/06	8/22/06	DP
Cadmium	<0.5	mg/l	8/22/06	8/22/06	DP
Chromium	<0.5	mg/l	8/22/06	8/22/06	DP
Lead	<0.5	mg/l	8/22/06	8/22/06	DP
Selenium	<0.5	mg/l	8/22/06	8/22/06	DP
Silver	<1	mg/l	8/22/06	8/22/06	DP
(1) EPA 7471 TCLP Mercury					
Mercury	<0.002	mg/l	8/22/06	8/22/06	DP
(1) EPA 8260 TCLP Volatiles					
Benzene	<0.05	mg/l		8/23/06	CA
Carbon tetrachloride	<0.05	mg/l		8/23/06	CA
Chlorobenzene	<0.05	mg/l		8/23/06	CA
Chloroform	<0.05	mg/l		8/23/06	CA
1,4-Dichlorobenzene	<0.05	mg/l		8/23/06	CA
1,2-Dichloroethane	<0.05	mg/l		8/23/06	CA
1,1-Dichloroethene	<0.05	mg/l		8/23/06	CA
2-Butanone (MEK)	<0.1	mg/l		8/23/06	CA
Tetrachloroethene	<0.05	mg/l		8/23/06	CA
Trichloroethene	<0.05	mg/l		8/23/06	CA
Vinyl chloride	<0.02	mg/l		8/23/06	CA
Surrogate (1,2-DCA-d4)	97	%R		8/23/06	CA
Surrogate (Tol-d8)	97	%R		8/23/06	CA
Surrogate (4-BFB)	100	%R		8/23/06	CA
(1) EPA 8270 TCLP Semi-Volatiles					
Cresol, Total	<0.01	mg/l	8/23/06	8/24/06	CRT
2,4-Dinitrotoluene	<0.01	mg/l	8/23/06	8/24/06	CRT
Hexachlorobenzene	<0.01	mg/l	8/23/06	8/24/06	CRT
Hexachlorobutadiene	<0.01	mg/l	8/23/06	8/24/06	CRT
Hexachloroethane	<0.01	mg/l	8/23/06	8/24/06	CRT
Nitrobenzene	<0.01	mg/l	8/23/06	8/24/06	CRT
Pentachlorophenol	<0.02	mg/l	8/23/06	8/24/06	CRT
Pyridine	<0.02	mg/l	8/23/06	8/24/06	CRT
2,4,5-Trichlorophenol	<0.01	mg/l	8/23/06	8/24/06	CRT
2,4,6-Trichlorophenol	<0.01	mg/l	8/23/06	8/24/06	CRT
Surrogate (2-Fluorophenol)	46	%R	8/23/06	8/24/06	CRT
Surrogate (Phenol-d5)	33	%R	8/23/06	8/24/06	CRT
Surrogate (2,4,6-Tribromophenol)	82	%R	8/23/06	8/24/06	CRT

Life Science Laboratories, Inc.

Page 3 of 4

Date Printed: 8/25/06

Analysis performed at: (1) LSL Central, (2) LSL North, (3) LSL Finger Lakes, (4) LSL Southern Tier, (5) LSL MidLakes, (6) LSL Brittonfield

-- LABORATORY ANALYSIS REPORT --

Blasland, Bouck & Lee, Inc. Fairport, NY

Sample ID: SP1-081706 - Composite

LSL Sample ID: 0614361-003

Location:

Sampled: 08/17/06 10:30

Sampled By: WKD

Sample Matrix: SHW as Recd


Analytical Method			Prep	Analysis		Analyst	
Analyte			Result	Units	Date	Date & Time	Initials
(1)	EPA 8270 TCLP Semi-Volatiles						
	Surrogate (Nitrobenzene-d5)	75	%R	8/23/06	8/24/06		CRT
	Surrogate (2-Fluorobiphenyl)	73	%R	8/23/06	8/24/06		CRT
	Surrogate (Terphenyl-d14)	74	%R	8/23/06	8/24/06		CRT
(1)	EPA 9012 Reactive Cyanide						
	Reactive Cyanide	<50	mg/kg		8/23/06		DRB
(1)	EPA 9030A Reactive Sulfide						
	Reactive Sulfide	59	mg/kg		8/23/06		AJS
(1)	EPA 9045 Water Extractable pH						
	pH	11.7	Std. Units		8/22/06		MP
	pH Measurement Temperature	25	Degrees C		8/22/06		MP
(1)	SW846, 7.3 Reactivity Distillation						
	Reactivity Distillation				8/22/06 12:40		MM



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery



CHAIN OF CUSTODY RECORD

LSL Southern Tier Lab
30 East Main Street
Cuba, NY 14727
Phone: (585) 968-2640
Fax: (585) 968-0906
Email: lsst@lsl-inc.com

0614361

BIBLES Fairport

Report Address:					
Name:	Joseph Molinaro III, P.E.				
Company:	Blossland, Benck & Lee, Inc.				
Street:	295 Woodcliff Drive, Third Floor, Suite 301				
City/State:	Fairport, NY	14450	Zip:	14450	
Phone:	(585) 385-0650		Fax:	(585) 385-4198	
Email:					
Client Project ID/Client Site ID 130,74,001					
Date Needed or Special Instructions: 8/24/06					
Authorization or P.O. # 130,74,001					
Turnaround Time Normal Pre-Authorized 14 DAY Next Day* 2-Day* 5-Day* 7-Day*					
Additional Charges may apply					
LSL Project Number					
Containers	Analyses	Preserv Check	LSL ID#		
# size/type					
2 40ml/vid	Benzene		W. AB		
2 40ml/biol	Benzene		W. AN		
1 75ml Amber	PCBS (C08)		W. C		
1 250 ml Amber	Flash Point		W. D		
1 750ml Clear	TCLP SVOC's, TCLP Metals, Corrosivity, Reactivity, Flashpoint		W. A		
1 100ml Clear	TCLP Volatiles		W. O		
Custody Transfers					
Sampled By:	Wayne K. DeCarv	Received By:			
Relinquished By:	Wayne K. DeCarv	Received By:	Bill Donahoe		
Relinquished By:		Rec'd for Lab By:	NP		
Shipment Method:		Received Intact:	Y N		
Containers this C-O-C					
*** All areas of this Chain of Custody Record MUST be filled out in order to process samples in a timely manner in PEN ONI V***					

Reg COC.XLS



QUICK RESPONSE FAX OF LABORATORY RESULTS

9-15-06

Today's Date

PROJECT ID: 293 Court St., Binghamton, NY

TO:

COPY TO:

Joseph Molina

Blasland, Bouck & Lee, Inc.

5853854198

FROM:

LIFE SCIENCE LABORATORIES, INC.

LSL PROJECT ID:

0616109

NUMBER OF PAGES TRANSMITTED:
(INCLUDING COVER PAGE)

4

COMMENTS:

Thank you for the opportunity to be of service to you. We appreciate your business. If you need further assistance, please don't hesitate to contact us.

Need help with ...

Questions About Your Results

Price Quotations

Requests for Sample Kits or Scheduling Pickup of Samples

Status of Samples Currently Being Analyzed

Please Ask For ...

The Quality Department

The Client Services Department

The Field Services Department

The Technical Services Department

This facsimile contains CONFIDENTIAL INFORMATION which may also be legally privileged and is intended only for the use of the addressee(s) named above. If you are not the intended recipient of this facsimile, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination or copying of this facsimile is prohibited. If you have received this facsimile in error, please notify us by telephone and return the original to us via the U. S. Postal Service. Thank You.

If you did not receive all of the pages please contact us immediately at (315) 445-1105.

LIFE SCIENCE LABORATORIES, INC.
5854 Butternut Drive, E. Syracuse, NY 13057



Laboratory Analysis Report For Blasland, Bouck & Lee, Inc.

Client Project ID: 293 Court St., Binghamton, NY

LSL Project ID: 0616109

Phone: (585) 385-0090

FAX: (585) 385-4198

Authorization: PO #130.74.001

Joseph Molina
Blasland, Bouck & Lee, Inc.
295 Woodcliff Drive
Third Floor, Suite 301
Fairport, NY 14450

A copy of this report was sent to:

Sample ID: SP1A-091306 - Composite
Location: 293 Court St., Binghamton, NY
Sampled: 09/13/06 11:30
Sampled By: DMB

LSL Sample ID: 0616109-001
Receive Date/Time: 09/13/06 16:29
Project Rec'd by: MW

Matrix: SHW as Recd

Analytical Method			Prep	Analysis	Analyst
Analyte	Result	Units	Date	Date & Time	Initials
(1) EPA 8082 PCB's					
Aroclor-1016	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1221	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1232	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1242	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1248	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1254	<0.02	mg/kg	9/14/06	9/15/06	BW
Aroclor-1260	<0.02	mg/kg	9/14/06	9/15/06	BW
Surrogate (DCB)	102	%R	9/14/06	9/15/06	BW

Life Science Laboratories, Inc.

gEdmunds QA
Reviewed by

(1) LSL Central Lab, East Syracuse, NY	(315) 445-1105	NYS DOH ELAP #10248	PA DEP #68-2556
(2) LSL North Lab, Waddington, NY	(315) 388-4476	NYS DOH ELAP #10900	
(3) LSL Finger Lakes Lab, Wayland, NY	(585) 728-3320	NYS DOH ELAP #11667	
(4) LSL Southern Tier Lab, Cuba, NY	(585) 968-2640	NYS DOH ELAP #10760	
(5) LSL MidLakes Lab, Canandaigua, NY	(585) 396-0270	NYS DOH ELAP #11369	
(6) LSL Brittonfield Lab, East Syracuse, NY	(315) 437-0200	NYS DOH ELAP #10155	

9/15/06
Date


Life Science Laboratories, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose. By the Client's acceptance and/or use of this report, the Client agrees that LSL is hereby released from any and all liabilities, claims, damages or causes of action affecting or which may affect the Client as regards to the results contained in this report. The Client further agrees that the only remedy available to the Client in the event of proven non-conformity with the above warranty shall be for LSL to re-perform the analytical test(s) at no charge to the Client. The data contained in this report are for the exclusive use of the Client to whom it is addressed, and the release of these data to any other party, or the use of the name, trademark or service mark of Life Science Laboratories, Inc. especially for the use of advertising to the general public, is strictly prohibited without express prior written consent of Life Science Laboratories, Inc. This report may only be reproduced in its entirety. No partial duplication is allowed. The Chain of Custody document submitted with these samples is considered by LSL to be an appendix of this report and may contain specific information that pertains to the samples included in this report. The analytical result(s) in this report are only representative of the sample(s) submitted for analysis. LSL makes no claim of a sample's representativeness, or integrity, if sampling was not performed by LSL personnel.



SURROGATE RECOVERY CONTROL LIMITS FOR ORGANIC METHODS

<u>Method</u>	<u>Surrogate(s)</u>	<u>Water Limits, %R</u>	<u>SHW Limits, %R</u>
EPA 504	TCMX	80-120	NA
EPA 508	DCB	70-130	NA
EPA 515.4	DCAA	70-130	NA
EPA 524.2	1,2-DCA-d4, 4-BFB	80-120	NA
EPA 525.2	1,3-DM-2-NB, TPP, Per-d12	70-130	NA
EPA 526	1,3-DM-2-NB, TPP	70-130	NA
EPA 528	2-CP-3,4,5,6-d4, 2,4,6-TBP	70-130	NA
EPA 551.1	Decafluorobiphenyl	80-120	NA
EPA 552.2	2,3-DBPA	70-130	NA
EPA 601	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 602	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 608	TCMX, DCB	30-150	NA
EPA 624	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	NA
EPA 625, AE	2-Fluorophenol	21-110	NA
EPA 625, AE	Phenol-d5	10-110	NA
EPA 625, AE	2,4,6-Tribromophenol	10-123	NA
EPA 625, BN	Nitrobenzene-d5	35-114	NA
EPA 625, BN	2-Fluorobiphenyl	43-116	NA
EPA 625, BN	Terphenyl-d14	33-141	NA
EPA 8010	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8020	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8021	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8081	TCMX, DCB	30-150	30-150
EPA 8082	DCB	30-150	30-150
EPA 8151	DCAA	30-130	30-120
EPA 8260	1,2-DCA-d4, Tol-d8, 4-BFB	70-130	70-130
EPA 8270, AE	2-Fluorophenol	21-110	25-121
EPA 8270, AE	Phenol-d5	10-110	24-113
EPA 8270, AE	2,4,6-Tribromophenol	10-123	19-122
EPA 8270, BN	Nitrobenzene-d5	35-114	23-120
EPA 8270, BN	2-Fluorobiphenyl	43-116	30-115
EPA 8270, BN	Terphenyl-d14	33-141	18-137
DOH 310-13	Terphenyl-d14	40-110	40-110
DOH 310-14	Terphenyl-d14	40-110	40-110
DOH 310-15	Terphenyl-d14	40-110	40-110
DOH 310-34	4-BFB	50-150	50-150
DOH 313-4	DCB	NA	30-150
8015M_GRO	4-BFB	50-150	50-150
8015M_DRO	Terphenyl-d14	50-150	50-150

Units Key:	ug/l = microgram per liter
	ug/kg = microgram per kilogram
	mg/l = milligram per liter
	mg/kg = milligram per kilogram
	%R = Percent Recovery



5854 Butternut Drive

East Syracuse, NY 13057

Phone # (315) 445-1105

Telefax # (315) 445-1301

Client: Blasland, Bouck & Lee, Inc.

Phone # 585-385-0090

Address: 295 Woodcliff Drive

Fax # 585-385-4198

Fairport, NY 14450

130.74.001

Authorization:

Contact Person:

Joe Molina

ext. 12

LSL Project #:

Client's Site I.D.:

293 Court St. Binghamton, NY

Client's Project I.D.: 130.74.001

0616109

BBLES_Fairport

Chain of Custody Record

[illegible]

Notes and Hazard Identifications:		Custody Transfers		Date	Time
Sampled By: <i>J.M.B.L.L</i>		Received By:		09.13.06	
Relinquished By: <i>J.M.B.L.L</i>		Received By: <i>Bia Donelson</i>		09.13.06	1340
Relinquished By: <i>Bia Donelson</i>		Received for Lab By: <i>ML</i>		09-13-06 16:29	IN
Shipment Method:		Samples Received Intact:		Y	N

14

Seneca Meadows, Inc.

1786 Salzman Road
Waterloo, NY 13165
(315) 539-5624

ANNS FAX #(315)539-0557

449 4111
FAX: 607 762 8451 /

ATTN: TRACY / JASON

PAGES INCLUDING COVER: 3

DATE: 9-13-06

RE: NYSEG-BINGHAMTON FILE # 3050

DEAR CUSTOMER:

YOUR INDUSTRIAL WASTE PACKAGE HAS BEEN REVIEWED AND IS
ACCEPTABLE FOR DISPOSAL AT THIS FACILITY.

THE FOLLOWING CONDITIONS / LIMITATIONS HAVE BEEN IDENTIFIED FOR
THE ACCEPTANCE OF YOUR WASTE: SEE "CONDITIONS"
ON APPROVAL

OUR FACILITY IS PLEASED TO INFORM YOU THAT AN APPROVAL NUMBER
WILL BE ISSUED AFTER THE GENERATOR ACCEPTANCE PORTION OF
THE ATTACHED APPROVAL FORM IS SIGNED, AND RETURNED ATTENTION
ANN.

This fax transmission contains information that is confidential and legally privileged. The information is intended only for use of the individual named on this transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this transmission is strictly prohibited. If you have received this transmission in error, please immediately notify us by telephone to arrange for the return of the documents.

3/03

SENECA MEADOWS LANDFILL INDUSTRIAL WASTE APPROVAL

GENERATOR'S NAME: NYSEG	
ADDRESS: PO BOX 5224 CITY: BINGHAMTON ST: NY ZIP: 13902	
CONTACT: TRACY BLAZICEK	TITLE: LEAD EA
PHONE: 607-762-8839	FAX: 607-762-8451
EPA ID #: NY0000731879	STATE ID #:

FACILITY GENERATING WASTE

ADDRESS: 291 COURT STREET CITY: BINGHAMTON ST: NY ZIP: 13901	
CONTACT: DAVID BUDOSH	TITLE: ONSITE OBSERVER
PHONE: 315-317-0308	FAX: 607-774-6478 607-762-8451

AUTHORIZED HAULER

NAME: RICCELLI ENTERPRISES	NYS DEC PERMIT #: 7A-402
ADDRESS: 6131 EAST TAFT ROAD CITY: SYRACUSE ST: NY ZIP: 13212	

CONDITIONS

HOURS OF ACCEPTANCE: 7 AM-3 PM	FILE #: 3050
APPROVAL EXPIRES: 12/31/06	
DESCRIPTION OF WASTE: CONT. SOIL	
ALL CONDITIONS IN BBLES LETTER DATED September 13, 2006 MUST BE MEET FOR CONTINUED ACCEPTANCE (>20% SOLIDS - NO FREE LIQUIDS)	

ACCEPTED-GENERATOR

NAME: TRACY BLAZICEK	SIGNATURE: <i>Tracy Blazicek</i>
TITLE: LEAD ENV. ANALYST	DATE: 09/13/06

FOR OFFICE/SCALE HOUSE USE ONLY

APPROVAL NUMBER: 000093	FILE NO. 3050
NAME: ANN SPRAGUE	DATE: September 13, 2006
TITLE: SPECIAL WASTE COORDINATOR	SIGNATURE:
CUST: 15 BBL HAULER: 8667 DEC WASTE CODE: N-816 SMI CMDTY: BCS01	

Appendix O

Nonhazardous Solid Waste
Manifests and Weigh Tickets for
Disposal at Seneca Meadows

NYSEG

(NEW YORK STATE ELECTRIC & GAS CORPORATION)
Environmental Compliance -- Site Investigation & Remediation
James A. Carrigg Center, 18 Link Drive
P.O. Box 5224, Binghamton, NY, 13902

NON-HAZARDOUS SOLID WASTE MANIFEST

NYSEG Manifest No. BING-06-01

TRANSPORTER: Riccelli Enterprises
6131 East Taft Road
Syracuse, New York 13212

Truck Number: 134

Date: 09.26.06 Time In: 8:10 Time Out: 9:10

CONSIGNEE: Seneca Meadows, Inc.
1786 Saleman Road
Waterloo, New York 13165

SHIPPER: NYSEG (New York State Electric & Gas Corp.)
James A. Carrigg Center, 18 Link Drive
P.O. Box 5224
Binghamton, NY, 13902

SITE LOCATION: Binghamton Court Street
Former Manufactured Gas Plant Site
279 - 291 Court Street
Binghamton, NY 13903

EPA ID No. NY0000073189

MATERIAL DESCRIPTION:

NON-HAZARDOUS CONSTRUCTION DEBRIS

Weight: Est. 30 tons

SHIPPER:
SIGNATURE: [Signature] PRINT NAME: DAVID A. BUDOSH

DRIVER:
SIGNATURE: [Signature] PRINT NAME: Bruce Scott

CONSIGNEE:
SIGNATURE: _____ PRINT NAME: _____

Seneca Meadows, Inc. W/M#450104

Ticket No:

1786 Salzman Road
Waterloo, NY 13165

Date:

9/26/06

In:

Out:

15 BBL

Order No:

2006-0013

Truck Id:

Gross Wt:

105,060 lbs

Material:

Tare Wt:

39,380 lbs

Deliver:

0.00

TRK 134

Net Wt:

65,680 lbs

Misc:

0.00

Price/Ln:

32.84

Total Due:

Weigh Master:

Chixless

Paid:

100

Check No:

Driver:

James Scott

Remarks:

NYSEG

(NEW YORK STATE ELECTRIC & GAS CORPORATION)
Environmental Compliance – Site Investigation & Remediation
James A. Carrigg Center, 18 Link Drive
P.O. Box 5224, Binghamton, NY, 13902

NON-HAZARDOUS SOLID WASTE MANIFEST

NYSEG Manifest No. BING-06- 02

TRANSPORTER: Riccelli Enterprises
6131 East Taft Road
Syracuse, New York 13212

Truck Number: 268

Date: 09.26.06 Time In: 8:10 Time Out: 9:30

CONSIGNEE: Seneca Meadows, Inc.
1786 Saleman Road
Waterloo, New York 13165

SHIPPER: NYSEG (New York State Electric & Gas Corp.)
James A. Carrigg Center, 18 Link Drive
P.O. Box 5224
Binghamton, NY, 13902

SITE LOCATION: Binghamton Court Street
Former Manufactured Gas Plant Site
279 – 291 Court Street
Binghamton, NY 13903

EPA ID No. NY0000073189

MATERIAL DESCRIPTION:

NON-HAZARDOUS CONSTRUCTION DEBRIS

Weight: Est. 30 tons

SHIPPER: SIGNATURE: [Signature] PRINT NAME: DAVID A. BUDOSH

DRIVER: SIGNATURE: [Signature] PRINT NAME: ADAM TIE

CONSIGNEE: SIGNATURE: _____ PRINT NAME: _____